BOSCH







ACCESSORIES 2023

Introducing the new EXPERT range.

www.bosch-professional.com

The best your tool can get. Bosch Professional Accessories.





EXPERT

ACCESSORY RANGE

THE BEST YOUR TOOL CAN GET.

- Our new top performance range for all trades
- Longer, tougher, faster: Up to 100x better performance*
- Advanced technologies for the toughest applications






NEW PACKAGING

Distinctive blue and red packaging ensures you can quickly find EXPERT accessories on the shelf.


BENEFIT

Clear benefit icons with proven claims, so you know exactly what advantages you are getting.



TECHNOLOGY BEHIND THE BENEFIT

Each EXPERT accessory is backed by an innovative Bosch Technology that ensures it is the best your tool can get.



MATERIAL PICTURES

Clear pictograms show you exactly what materials an EXPERT accessory is designed for.



EXPERT STRIPE

The EXPERT stripe of our best performing range makes it easy to pick the best accessory for every job.

EXPERT

*Bosch EXPERT products vs. Bosch standard products

TABLE OF CONTENTS

1 DRILLING

6	Metal Drill Bits
31	Wood Drill Bits
48	Concrete Drill Bits
76	Multi-Material and Tile Drill Bits

2 ACCESSORIES FOR SCREWDRIVING

84	Impact Control
89	Impact Tough
98	Extra Hard
104	Adapters and Attachments

3 CHISELLING

106	Chisels with SDS plus Shank
110	Chisels with SDS max Shank
116	Chisels with Hex Shank

4 DIAMOND CUTTING, GRINDING AND DRILLING

120	Diamond cutting discs for angle grinders
139	Diamond cutting discs for tile cutting machines
146	Diamond cutting discs for table and petrol saws
149	Diamond cutting discs for joint cutters
153	Dry drill bits for drills
155	Dry drill bits for angle grinders
158	Dry core cutters

5 CUTTING, GRINDING AND BRUSHING

160	Carbide Cutting wheels
163	Diamond Cutting Wheels
165	Cutting discs
174	Grinding discs
178	Bosch cordless angle grinders
179	Tungsten carbide grinding heads
180	Grinding wheels
181	Wire brushes

6 CIRCULAR SAWING

196	Best for
199	Expert for
206	Standard for
209	AU and NZ Standard Range
216	Accessories

7 ROUTING AND PLANING

218	Accessories for Biscuit Joiners
219	Planer Knives

8 JIGSAWING

222	Single lug shank
247	Universal shank
250	Jigsaw blade sets
252	Other saws

9 RECIPROCATING SAWING

261	Reciprocating Saw Blades
296	Other Saw Blades

10 HOLESAWING

300	Hole Saws for Power Change Plus System
319	Power Change Hole Saw Accessories
325	Hole Saws with Thread
328	Arbored Hole Saws

11 ACCESSORIES FOR MULTI-CUTTERS

330	Sawing
358	Cutting and Scraping
361	Sanding and Polishing
368	Routing and Rasping
373	Sets
374	Depth stops

12 SANDING AND POLISHING

376	Abrasives for Random Orbital Sanders
389	Abrasives for Delta Sanders and Multi Sanders
397	Abrasives for Orbital Sanders
405	Abrasives for Belt Sanders
413	Abrasives for Handsanding
423	Abrasives for Angle Grinders
442	Abrasives for Straight Grinders
443	Accessories for Polishers

13 MACHINE ACCESSORIES

446	Accessories for Rotary Hammers and Impact Drills
449	Accessories for Drills
453	Accessories for Angle Grinders
467	Accessories for Concrete Grinders
468	Accessories for Straight Grinders
470	Accessories for Random Orbital Sanders
475	Accessories for Orbital Sanders
477	Accessories for Delta Sanders
479	Accessories for Belt Sanders
480	Accessories for Compact Belt Sanders
481	Accessories for Jigsaws
482	Accessories for Routers
485	Accessories for Planers
486	Nibbling and Cutting
490	Joining
491	Hot Air, Painting and Stripping
492	Dust Extraction
524	Carrying Cases

14 GENERAL INFORMATION

526	Part number index
538	Overview
543	Pictogram


BOSCH
EXPERT
CARBIDE TECHNOLOGY

METAL DRILLING

Discover precision and durability.

The best your tool can get. Bosch Professional Accessories.





METAL DRILL BITS

Complete range for hand-held applications.



HSS Ground



HSS Impact



HSS Cobalt

Page number	13	11	21
Diameter mm	1.0 – 16.0	2.0 – 12.0	1.0 – 13.0
DIN standard	338 / 340	338	338
Shank type	Cylindrical	¼" Hex	Cylindrical

MATERIALS

Non-alloyed structural steel	✓	✓	–
Sheet steel	✓	✓	–
Non-alloyed tool steel	✓	✓	–
Alloyed tool steel	✓	✓	✓
Stainless steel	✓	✓	✓
Fire proof steel, Spring steel	–	–	✓
Cast iron, cast steel	✓	✓	✓
Malleable cast iron	✓	✓	✓
Alloyed aluminium	✓	✓	–
Bronze	✓	✓	–
Brass	–	✓	–
PVC, polyamide	✓	✓	–
Perspex, Bakelite	✓	✓	–
Pertinax, Formica, Hard rubber	✓	✓	–

			
	HSS Titanium	**HSS Ground Double-ended**	**Step drill bits with spiral flute**
	24	**25**	**26**
	1.0 – 13.0	**2.0 – 6.5**	**4.0 – 39.0**
	338	**1897**	**–**
	Cylindrical	**Cylindrical**	**3-flat or ¼" Hex**
	✓	✓	–
	✓	✓	✓
	✓	✓	–
	✓	✓	–
	✓	✓	–
	–	–	–
	✓	✓	–
	✓	✓	–
	–	✓	–
	✓	✓	–
	✓	–	–
	–	✓	✓
	✓	✓	✓
	–	✓	✓

Metal drill bit sets HSS PointTeQ, DIN 338

- Twist drill bit made of high speed steel manufactured to DIN 338
- Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- Shank equal to drill bit diameter
- Two-cutter, cylindrical, two flutes





PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
side set, milled 18-piece ToughBox metal drill bit set, HSS PointTeQ						
4	34	M0a	18	1	917681	**2 608 577 350**
4.5	40					
5	49					
5.5	49					
6	57					
7	61					
8	61					
9	70					
10	75					
1	75					
1.5	80					
2	86					
2	93					
2.5	93					
3	109					
3	117					
3.5	125					
4	133					
19-piece ProBox metal drill bit set, HSS PointTeQ						
1	12	P1k	19	1	917698	**2 608 577 351**
1.5	18					
2	24					
2.5	30					
3	33					
3.5	39					
4	43					
4.5	47					
5	52					
5.5	57					
6	57					
6.5	63					
7	69					
7.5	69					
8	75					
8.5	75					
9	81					
9.5	81					
10	87					

HSS IMPACT

Highly robust with impact drivers.



QUICK START AND PERFECT CENTERING

Self-centering split point drills precisely where it is positioned. No need to pre-punch up to 10 mm diameter



UNIVERSAL USE AND EXCELLENT FIXING

¼" hex-shank fitting all power tools. No spinning of the drill

ROBUSTNESS


Due to high strength body. Drill bit designed to perform with impact drivers

Impact Control HSS twist drill bits


Impact Control

- Highly robust drilling in metal, especially with impact drivers
- Very strong body provides high robustness
- Precision-ground from solid metal with an oxide coated flute for slicing through materials with reduced wear
- Manufactured to DIN 338, drill bit Type N (flute angle) with tip of 135 degrees
- Active cutting and perfect centering due to pointed split point tip. 1/4-inch hex shank for universal use

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
2	24	60	6.35	PC1d	1	5	858731	**2 608 577 045**
3	33	72	6.35	PC1d	1	5	858786	**2 608 577 048**
4	43	83	6.35	PC1d	1	5	858809	**2 608 577 052**
5	52	91	6.35	PC1d	1	5	858847	**2 608 577 056**
6	57	98	6.35	PC1d	1	5	858861	**2 608 577 058**
8	75	117	6.35	PC1d	1	5	858892	**2 608 577 061**



Impact Control HSS twist drill bits sets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8-piece set							
2 **3** **4** **5** **6** **7** **8** **10**	60 72 83 91 98 109 117 133	41.0 x 110.0 x 200	P1k	8	6	881760	**2 608 577 146**

HSS GROUND
High-precision holes.

Precise

EXCELLENT CUTTING FEATURES
135° tip design enables up to 40% faster drilling rate and up to 50% lower feed pressure than standard HSS drills with chisel edge



QUICK START AND PERFECT CENTERING
Self-centering split point drills precisely where it is positioned. No need to pre-punch up to 10 mm diameter

TIGHT TOLERANCES AND ACCURATE HOLES
As a result of its precision-ground drill bit body

Metal drill bits HSS-G

- Twist drill bit made of high speed steel manufactured to DIN 338
- Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- Shank equal to drill bit diameter, drill bit colour: polished
- Two-cutter, cylindrical, two flutes
- **Note:** Use the universal cutting oil 2 607 001 409 when working with HSS-G metal drill bits



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
1	12	34	-	PC1c	1	5	694001	**2 608 588 265**
1.5	18	40	-	PC1c	1	5	694018	**2 608 588 266**
2	24	49	-	PC1c	1	5	694025	**2 608 588 267**
2.5	30	57	-	PC1c	1	5	694032	**2 608 588 268**
3	33	61	-	PC1c	1	5	694049	**2 608 588 269**
3.5	39	70	-	PC1c	1	5	694056	**2 608 588 270**
4	43	75	-	PC1c	1	5	694063	**2 608 588 271**
4.5	47	80	-	PC1c	1	5	694070	**2 608 588 272**
5	52	86	-	PC1c	1	5	694087	**2 608 588 273**
5.5	57	93	-	PC1c	1	5	694094	**2 608 588 274**
6	57	93	-	PC1c	1	5	694100	**2 608 588 275**
6.5	63	101	-	PC1c	1	5	694117	**2 608 588 276**
7	69	109	-	PC1c	1	5	694124	**2 608 588 277**

Metal drill bits HSS-G

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
7.5	69	109	-	PC1c	1	5	694131	**2 608 588 278**
8	75	117	-	PC1c	1	5	694148	**2 608 588 279**
8.5	75	117	-	PC1c	1	5	694155	**2 608 588 280**
9	81	125	-	PC1c	1	5	694162	**2 608 588 281**
9.5	81	125	-	PC1c	1	5	694179	**2 608 588 282**
10	87	133	-	PC1c	1	5	694186	**2 608 588 283**
10.5	87	133	-	PC1c	1	5	694193	**2 608 588 284**
11	94	142	-	PC1c	1	5	694209	**2 608 588 285**
11.5	94	142	-	PC1c	1	5	694216	**2 608 588 286**
12	101	151	-	PC1c	1	5	694223	**2 608 588 287**
12.5	101	151	-	PC1c	1	5	694230	**2 608 588 288**
13	101	151	-	PC1c	1	5	694247	**2 608 588 289**
-	24	49	5/64	PC1c	1	5	693639	**2 608 588 228**
-	30	57	3/32	PC1c	1	5	693646	**2 608 588 229**
-	33	61	7/64	PC1c	1	5	693653	**2 608 588 230**
-	36	65	1/8	PC1c	1	5	693660	**2 608 588 231**
-	39	70	9/64	PC1c	1	5	693677	**2 608 588 232**
-	43	75	5/32	PC1c	1	5	693684	**2 608 588 233**
-	47	80	11/64	PC1c	1	5	693691	**2 608 588 234**
-	52	86	3/16	PC1c	1	5	693707	**2 608 588 235**
-	52	86	13/64	PC1c	1	5	693714	**2 608 588 236**
-	57	93	15/64	PC1c	1	5	693721	**2 608 588 237**
				PC1c	1	5	693738	**2 608 588 238**
-	63	101	1/4	PC1c	1	1	693745	**2 608 588 239**
-	69	109	17/64	PC1c	1	5	693752	**2 608 588 240**
-	69	109	9/32	PC1c	1	5	693769	**2 608 588 241**
-	75	117	19/64	PC1c	1	5	693776	**2 608 588 242**
-	75	117	15/16	PC1c	1	1	693783	**2 608 588 243**
-	75	117	21/64	PC1c	1	5	693790	**2 608 588 244**
-	81	125	11/32	PC1c	1	5	693806	**2 608 588 245**
-	81	125	23/64	PC1c	1	5	693813	**2 608 588 246**
-	87	133	3/8	PC1c	1	5	693820	**2 608 588 247**
-	87	133	25/64	PC1c	1	5	693837	**2 608 588 248**
-	87	133	13/32	PC1c	1	5	693844	**2 608 588 249**
-	94	142	27/64	PC1c	1	5	693851	**2 608 588 250**
-	94	142	7/16	PC1c	1	5	693868	**2 608 588 251**
-	94	142	29/64	PC1c	1	5	693875	**2 608 588 252**
-	101	151	15/32	PC1c	1	5	693882	**2 608 588 253**
-	101	151	31/64	PC1c	1	5	693899	**2 608 588 254**
-	101	151	1/2	PC1c	1	1	693905	**2 608 588 255**



Pack of 10

1	12	34	-	P2a	10	1	290494	**2 608 595 049**
1.1	14	36	-	P2a	10	1	474726	**2 608 585 467**
1.2	16	38	-	P2a	10	1	474733	**2 608 585 468**
1.3	16	38	-	P2a	10	1	474740	**2 608 585 469**
1.4	18	40	-	P2a	10	1	474757	**2 608 585 470**
1.6	20	43	-	P2a	10	1	474764	**2 608 585 471**
1.7	20	43	-	P2a	10	1	474771	**2 608 585 472**
1.8	22	46	-	P2a	10	1	474788	**2 608 585 473**
1.9	22	46	-	P2a	10	1	474795	**2 608 585 474**
2	24	49	-	P2a	10	1	290517	**2 608 595 051**
2.1	24	49	-	P2a	10	1	474801	**2 608 585 475**
2.2	27	53	-	P2a	10	1	290524	**2 608 595 052**
2.3	27	53	-	P2a	10	1	474818	**2 608 585 476**
2.4	30	57	-	P2a	10	1	474825	**2 608 585 477**

Metal drill bits HSS-G

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2.6	30	57	-	P2a	10	1	474832	**2 608 585 478**
2.7	33	61	-	P2a	10	1	474849	**2 608 585 479**
2.8	33	61	-	P2a	10	1	290548	**2 608 595 054**
2.9	33	61	-	P2a	10	1	474856	**2 608 585 480**
3	33	61	-	P2a	10	1	290555	**2 608 595 055**
3.1	36	65	-	P2a	10	1	474863	**2 608 585 481**
3.2	36	65	-	P2a	10	1	290562	**2 608 595 056**
3.4	39	70	-	P2a	10	1	474870	**2 608 585 482**
3.6	39	70	-	P2a	10	1	323499	**2 608 595 332**
3.7	39	70	-	P2a	10	1	474887	**2 608 585 483**
3.8	43	75	-	P2a	10	1	474894	**2 608 585 484**
3.9	43	75	-	P2a	10	1	474900	**2 608 585 485**
4	43	75	-	P1h	10	1	290593	**2 608 595 059**
4.1	43	75	-	P2a	10	1	474917	**2 608 585 486**
4.2	43	75	-	P1h	10	1	290609	**2 608 595 060**
4.3	47	80	-	P1h	10	1	474924	**2 608 585 487**
4.4	47	80	-	P1h	10	1	323505	**2 608 595 333**
4.6	47	80	-	P1h	10	1	474931	**2 608 585 488**
4.7	47	80	-	P1h	10	1	474948	**2 608 585 489**
4.8	52	86	-	P1h	10	1	323512	**2 608 595 334**
4.9	52	86	-	P1h	10	1	474955	**2 608 585 490**
5	52	86	-	P1h	10	1	290623	**2 608 595 062**
5.1	52	86	-	P1h	10	1	474962	**2 608 585 491**
5.2	52	86	-	P1h	10	1	290630	**2 608 595 063**
5.3	52	86	-	P1h	10	1	474979	**2 608 585 492**
5.5	57	93	-	P1h	10	1	290647	**2 608 595 064**
5.6	57	93	-	P1h	10	1	474993	**2 608 585 494**
5.7	57	93	-	P1h	10	1	475006	**2 608 585 495**
5.8	57	93	-	P1h	10	1	290654	**2 608 595 065**
5.9	57	93	-	P1h	10	1	475013	**2 608 585 496**
6	57	93	-	P1h	10	1	290661	**2 608 595 066**
6.1	63	101	-	P1h	10	1	475020	**2 608 585 497**
6.2	63	101	-	P1h	10	1	290678	**2 608 595 067**
6.3	63	101	-	P1h	10	1	475037	**2 608 585 498**
6.4	63	101	-	P1h	10	1	323529	**2 608 595 335**
6.5	63	101	-	P1h	10	1	290685	**2 608 595 068**
6.6	63	101	-	P1h	10	1	475044	**2 608 585 499**
6.7	63	101	-	P1h	10	1	323536	**2 608 595 336**
6.8	69	109	-	P1h	10	1	290692	**2 608 595 069**
6.9	69	109	-	P1h	10	1	475051	**2 608 585 500**
7	69	109	-	P1h	10	1	290708	**2 608 595 070**
7.1	69	109	-	P1h	10	1	475068	**2 608 585 501**
7.2	69	109	-	P1h	10	1	323543	**2 608 595 337**
7.3	69	109	-	P1h	10	1	475075	**2 608 585 502**
7.4	69	109	-	P1h	10	1	475082	**2 608 585 503**
7.5	69	109	-	P1h	10	1	290715	**2 608 595 071**
7.6	75	117	-	P1h	10	1	475099	**2 608 585 504**
7.7	75	117	-	P1h	10	1	475105	**2 608 585 505**
7.8	75	117	-	P1h	10	1	475112	**2 608 585 506**
7.9	75	117	-	P1h	10	1	475129	**2 608 585 507**
-	16	38	3/64	P2a	10	1	474405	**2 608 585 435**
-	30	57	3/32	P2a	10	1	474436	**2 608 585 438**
-	36	65	1/8	P2a	10	1	474450	**2 608 585 440**
-	39	70	9/64	P2a	10	1	474467	**2 608 585 441**
-	52	86	3/16	P1h	10	1	474498	**2 608 585 444**
-	63	101	1/4	P1h	10	1	474535	**2 608 585 448**

Metal drill bits HSS-G



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	75	117	5/16	P1h	10	1	474573	**2 608 585 452**
Pack of 10								
4.5	47	80	-	P1h	10	1	290616	**2 608 595 061**
5.4	57	93	-	P1h	10	1	474986	**2 608 585 493**
Pack of 5								
8	75	117	-	P1h	5	1	290722	**2 608 595 072**
8.1	75	117	-	P1h	5	1	475136	**2 608 585 508**
8.2	75	117	-	P1h	5	1	475143	**2 608 585 509**
8.3	75	117	-	P1h	5	1	475150	**2 608 585 510**
8.4	75	117	-	P1h	5	1	475167	**2 608 585 511**
8.5	75	117	-	P1h	5	1	290739	**2 608 595 073**
8.6	81	125	-	P1h	5	1	475174	**2 608 585 512**
8.7	81	125	-	P1h	5	1	475181	**2 608 585 513**
8.8	81	125	-	P1h	5	1	290746	**2 608 595 074**
8.9	81	125	-	P1h	5	1	475198	**2 608 585 514**
9	81	125	-	P1h	5	1	290753	**2 608 595 075**
9.1	81	125	-	P1h	5	1	475204	**2 608 585 515**
9.2	81	125	-	P1h	5	1	475211	**2 608 585 516**
9.3	81	125	-	P1h	5	1	475228	**2 608 585 517**
9.4	81	125	-	P1h	5	1	475235	**2 608 585 518**
9.6	87	133	-	P1h	5	1	475242	**2 608 585 519**
9.7	87	133	-	P1h	5	1	475259	**2 608 585 520**
9.8	87	133	-	P1h	5	1	323550	**2 608 595 338**
9.9	87	133	-	P1h	5	1	475266	**2 608 585 521**
10	87	133	-	P1h	5	1	290777	**2 608 595 077**
10.1	87	133	-	P1h	5	1	475273	**2 608 585 522**
10.2	87	133	-	P1h	5	1	475280	**2 608 585 523**
10.3	87	133	-	P1h	5	1	475297	**2 608 585 524**
10.4	87	133	-	P1h	5	1	475303	**2 608 585 525**
10.5	87	133	-	P1h	5	1	290784	**2 608 595 078**
10.6	87	133	-	P1h	5	1	475310	**2 608 585 526**
10.7	94	142	-	P1h	5	1	475327	**2 608 585 527**
10.8	94	142	-	P1h	5	1	475334	**2 608 585 528**
10.9	94	142	-	P1h	5	1	475341	**2 608 585 529**
11	94	142	-	P1h	5	1	290791	**2 608 595 079**
11.1	94	142	-	P1h	5	1	475358	**2 608 585 530**
11.2	94	142	-	P1h	5	1	475365	**2 608 585 531**
11.3	94	142	-	P1h	5	1	475372	**2 608 585 532**
11.4	94	142	-	P1h	5	1	475389	**2 608 585 533**
11.5	94	142	-	P1h	5	1	290807	**2 608 595 080**
11.6	94	142	-	P1h	5	1	475396	**2 608 585 534**
11.7	94	142	-	P1h	5	1	475402	**2 608 585 535**
11.8	94	142	-	P1h	5	1	475419	**2 608 585 536**
11.9	101	151	-	P1h	5	1	475426	**2 608 585 537**
12	101	151	-	P1h	5	1	290814	**2 608 595 081**
12.1	101	151	-	P1h	5	1	475433	**2 608 585 538**
12.2	101	151	-	P1h	5	1	475440	**2 608 585 539**
12.3	101	151	-	P1h	5	1	475457	**2 608 585 540**
12.4	101	151	-	P1h	5	1	475464	**2 608 585 541**
12.5	101	151	-	P1h	5	1	290821	**2 608 595 082**
12.6	101	151	-	P1h	5	1	475471	**2 608 585 542**
12.7	101	151	-	P1h	5	1	475488	**2 608 585 543**
12.8	101	151	-	P1h	5	1	475495	**2 608 585 544**

Metal drill bits HSS-G

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
12.9	101	151	-	P1h	5	1	475501	**2 608 585 545**
13	101	151	-	P1h	5	1	290838	**2 608 595 083**
-	87	133	3/8	P1h	5	1	474610	**2 608 585 456**
-	101	151	1/2	P1h	5	1	474696	**2 608 585 464**

Metal drill bit sets HSS-G, DIN 338

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Diameter inch	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece metal drill bit set HSS-G, 135° drill bit tip, 1/4" hex shank										
2 **3** **4** **5** **6**	-	-	-	-	-	P1k	5	1	395427	**2 608 595 517**





7-Piece Metal Drill Bit Set HSS-G, 135° Drill Bit Tip, Cylindrical Shank										
-	1/16 3/32 1/8 5/32 3/16 7/32 1/4	20 30 36 43 52 57 63	43 57 65 75 86 93 101	B	-	P1k	7	5	695787	**2 608 588 398**



7-Piece Metal Drill Bit Set HSS-G, 135° Drill Bit Tip, Cylindrical Shank										
1.5 **2** **3** **4** **5** **5.5** **6**	-	18 24 33 43 52 57 57	40 49 61 75 86 93 93	B	-	P1k	7	5	695848	**2 608 588 404**

Metal drill bit sets HSS-G, DIN 338

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Diameter inch	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
7-piece HSS-G metal drill bit set, DIN 338, 135°										
2	-	24	49	-	141.0 x 80.0 x 20	P1k	7	1	784863	**2 608 589 295**
3		33	61							
4		43	75							
5		52	86							
6		57	93							
8		75	117							
10		87	133							
-	1/16	20	43	B	-	P1k	13	5	695794	**2 608 588 399**
	5/64	24	49							
	3/32	30	57							
	7/64	33	61							
	1/8	36	65							
	9/64	39	70							
	5/32	43	75							
	11/64	47	80							
	3/16	52	86							
	13/64	52	86							
	7/32	57	93							
	15/64	57	93							
	1/4	63	101							
1.5	-	18	40	B	-	P1k	13	5	695855	**2 608 588 405**
2		24	49							
2.5		30	57							
3		33	61							
3.2		36	65							
3.5		39	70							
4		43	75							
4.5		47	80							
4.8		52	86							
5		52	86							
5.5		57	93							
6		57	93							
6.5		63	101							
1	-	12	34	-	-	P1k	19	5	695824	**2 608 588 402**
1.5		18	40							
2		24	49							
2.5		30	57							
3		33	61							
3.5		39	70							
4		43	75							
4.5		47	80							
5		52	86							
5.5		57	93							
6		57	93							
6.5		63	101							
7		69	109							
7.5		69	109							
8		75	117							
8.5		75	117							
9		81	125							
9.5		81	125							
10		87	133							









Metal drill bit sets HSS-G, DIN 338



PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Diameter inch	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	1/16	20	43	-	-	P1k	21	5	695763	**2 608 588 396**
	5/64	24	49							
	3/32	30	57							
	7/64	33	61							
	1/8	36	65							
	9/64	39	70							
	5/32	43	75							
	11/64	47	80							
	3/16	52	86							
	13/64	52	86							
	7/32	57	93							
	15/64	57	93							
	1/4	63	101							
	17/64	69	109							
	9/32	69	109							
	19/64	75	117							
	5/16	75	117							
	21/64	75	117							
	11/32	81	125							
	23/64	81	125							
	3/8	87	133							



1	-	12	34	-	-	P1k	25	5	695831	**2 608 588 403**
1.5		18	40							
2		24	49							
3		30	57							
3.5		33	61							
4		39	70							
4.5		43	75							
5		47	80							
5.5		52	86							
6		57	93							
6.5		57	93							
7		63	101							
7.5		69	109							
8		69	109							
8.5		75	117							
9		75	117							
9.5		81	125							
10		81	125							
11		87	133							
11.5		87	133							
12		94	142							
12.5		94	142							
13		101	151							
		101	151							
		101	151							




-	1/16	20	93	-	-	P1k	29	5	695770	**2 608 588 397**
	5/64	24	101							
	3/32	30	109							
	7/64	33	109							
	1/8	36	117							
	9/64	39	117							
	5/32	43	117							
	11/64	47	125							
	3/16	52	125							
	13/64	52	133							
	7/32	57	133							
	15/64	57	133							
	1/4	63	142							
	17/64	69	142							
	9/32	69	142							
	19/64	75	151							
	5/16	75	151							
	21/64	75	151							
	11/32	81	43							
	23/64	81	49							
	3/8	87	57							
	25/64	87	61							
	13/32	87	65							
	27/64	94	70							
	7/16	94	75							
	29/64	94	80							
	15/32	101	86							
	31/64	101	86							
	1/2	101	93							

Metal drill bits HSS-G, DIN 340

- Twist drill bit made of high speed steel manufactured to DIN 340
- Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- Twist drill bit ground from solid metal
- Shank equal to drill bit diameter, drill bit colour: polished
- Two-cutter, cylindrical, two flutes



A-tip



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
3	66	100	-	PC1c	1	5	694315	**2 608 588 296**
4	78	119	-	PC1c	1	5	694322	**2 608 588 297**
6	91	139	-	PC1c	1	5	694339	**2 608 588 298**
8	109	165	-	PC1c	1	5	694346	**2 608 588 299**
10	121	184	-	PC1c	1	5	694353	**2 608 588 300**
-	69	106	1/8	PC1c	1	5	694254	**2 608 588 290**
-	78	119	5/32	PC1c	1	5	694261	**2 608 588 291**
-	87	132	3/16	PC1c	1	5	694278	**2 608 588 292**
-	97	148	1/4	PC1c	1	5	694285	**2 608 588 293**
-	109	165	5/16	PC1c	1	5	694292	**2 608 588 294**
-	121	184	3/8	PC1c	1	5	694308	**2 608 588 295**

HSS COBALT

Long lifetime when drilling stainless steel.

LONG LIFETIME IN STAINLESS STEEL

Heat and wear resistant drill bit with 5 % cobalt alloying



QUICK START AND PERFECT CENTERING

Self-centering split point drills precisely where it is positioned. No need to pre-punch up to 10 mm diameter

TIGHT TOLERANCES AND ACCURATE HOLES


As a result of its precision-ground drill bit body

Metal drill bits HSS-Co, DIN 338

Stainless Inox Nirosta

- Twist drill bit made of alloyed high speed steel to DIN 338, cobalt content 5%
- Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- Twist drill bit ground from solid metal with excellent surface quality manufactured to special factory standards
- Shank equal to drill bit diameter, except when diameter >10 mm shank is 10 mm, drill bit colour: bronze
- Two-cutter, cylindrical, two flutes
- **Note:** Use the universal cutting oil 2 607 001 409 when working with HSS-Co metal drill bits





PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
2	24	49	-	PC1c	1	5	694711	**2 608 588 336**
2.5	30	57	-	PC1c	1	5	694728	**2 608 588 337**
3	33	61	-	PC1c	1	5	694735	**2 608 588 338**
3.5	39	70	-	PC1c	1	5	694742	**2 608 588 339**
4	43	75	-	PC1c	1	5	694759	**2 608 588 340**
4.5	47	80	-	PC1c	1	5	694766	**2 608 588 341**
5	52	86	-	PC1c	1	5	694773	**2 608 588 342**
5.5	57	93	-	PC1c	1	5	694780	**2 608 588 343**
6	57	93	-	PC1c	1	5	694797	**2 608 588 344**
7	69	109	-	PC1c	1	5	694810	**2 608 588 346**

Metal drill bits HSS-Co, DIN 338

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8	75	117	-	PC1c	1	5	694834	**2 608 588 348**
9	81	125	-	PC1c	1	1	694858	**2 608 588 350**
10	87	133	-	PC1c	1	5	694872	**2 608 588 352**
10.5	87	133	-	PC1c	1	5	694889	**2 608 588 353**
11	94	142	-	PC1c	1	5	694896	**2 608 588 354**
12	101	151	-	PC1c	1	5	694919	**2 608 588 356**
12.5	101	151	-	PC1c	1	3	694926	**2 608 588 357**
13	101	151	-	PC1c	1	5	694933	**2 608 588 358**

Metal drill bit sets HSS-Co, DIN 338



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
18-piece Toughbox metal drill bit set HSS-Co, DIN 338, 135°								
1	12	34	180.0 x 85.0 x 45	P1k	1	1	574730	**2 607 017 047**
1.5	18	40						
2	24	49						
2	24	49						
2.5	30	57						
3	33	61						
3	33	61						
3.5	39	70						
4	43	75						
4	43	75						
4.5	47	80						
5	52	86						
5.5	57	93						
6	57	93						
7	69	109						
8	75	117						
9	81	125						
10	87	133						



17-Piece Metal Drill Bit Set HSS-Co, Cylindrical Shank								
2	52	49	-	P1k	17	5	695862	**2 608 588 406**
2.5	57	57						
3	57	61						
3.5	63	70						
4	69	75						
4.5	69	80						
5	75	86						
5.5	75	93						
6	81	93						
6.5	81	101						
7	87	109						
7.5	24	109						
8	30	117						
8.5	33	117						
9	39	125						
9.5	43	125						
10	47	133						

Metal drill bit sets HSS-Co, DIN 338



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
23-Piece Metal Drill Bit Set HSS-Co, Cylindrical Shank								
2	24	49	-	P1k	23	5	695879	**2 608 588 407**
2.5	30	57						
3	33	61						
3.5	39	70						
4	43	75						
4.5	47	80						
5	52	86						
5.5	57	93						
6	57	93						
6.5	63	101						
7	69	109						
7.5	69	109						
8	75	117						
8.5	75	117						
9	81	125						
9.5	81	125						
10	87	133						
10.5	87	133						
11	94	142						
11.5	94	142						
12	101	151						
12.5	101	151						
13	101	151						


Metal drill bits HSS-TiN

Metal drill bits HSS-TiN, DIN 338

long LIFE

- Twist drill bit made of high speed steel manufactured to DIN 338
- Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- Twist drill bit ground from solid metal with high surface quality due to titanium-nitride coating
- Shank equal to drill bit diameter, drill bit colour: golden
- Two-cutter, cylindrical, two flutes
- **Note:** Use the universal cutting oil 2 607 001 409 when working with HSS-TiN metal drill bits





PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
1	12	34	PC1d	1	1	060769	**2 608 596 661**
1.5	18	40	PC1d	1	5	060776	**2 608 596 666**
2	24	49	PC1d	1	5	060783	**2 608 596 671**
2.5	30	57	PC1d	1	5	060790	**2 608 596 676**
3	33	61	PC1d	1	5	060806	**2 608 596 681**
3.5	39	70	PC1d	1	5	060820	**2 608 596 686**
4	43	75	PC1d	1	5	060837	**2 608 596 691**
5	52	86	PC1d	1	5	060851	**2 608 596 701**
5.5	57	93	PC1d	1	1	060868	**2 608 596 706**
6	57	93	PC1d	1	1	060875	**2 608 596 711**
6.5	63	101	PC1d	1	1	060882	**2 608 596 716**
7	69	109	PC1d	1	1	060899	**2 608 596 721**
8	75	117	PC1d	1	1	060912	**2 608 596 731**
8.5	75	117	PC1d	1	1	060929	**2 608 596 736**
9	81	125	PC1d	1	1	060936	**2 608 596 741**
9.5	81	125	PC1d	1	1	060943	**2 608 596 746**
11	94	142	PC1d	1	1	060967	**2 608 596 761**
12	101	151	PC1d	1	1	060974	**2 608 596 771**
13	101	151	PC1d	1	1	060981	**2 608 596 781**

Double-ended drill bits HSS-G

Double-ended drill bits HSS-G

- Ground HSS drill bit, similar to DIN 1897
- Right-hand cutting twist drill bit, Type N, 118° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- Two flutes





A-tip

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
3.2	11.2	49	P1d	1	5	694995	**2 608 588 364**

STEP DRILL BIT WITH SPIRAL FLUTE

Drilling several diameters with one drill bit.



SPLIT-POINT TIP

Allows for an easy start, no need for pre-punching

SPIRAL FLUTE

Enables optimized chip removal and less vibration for even drilling

3-FLAT SHANK


To prevent slipping in the chuck

Step drill bit, hex shank



PRODUCT PROPERTIES					ORDERING INFORMATION				
Version	Step diameter (range) mm	Step height mm	Total length mm	Shank diameter inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
9 steps, diameter 4-6-8-10-12-14-16-18-20 mm									
HSS-AlTiN	4-20	4	70.5	1/4	P1a	1	1	666503	**2 608 588 070**

Step drill bit, 3-flat shank



PRODUCT PROPERTIES						ORDERING INFORMATION				
Version	Step diameter (range) mm	Step height mm	Shank diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
9 steps, diameter 4-5-6-7-8-9-10-11-12 mm									
HSS	4-12	4	6	66.5	P1a	1	1	630191	**2 608 587 425**
HSS-AlTiN	4-12	4	6	66.5	P1a	1	1	666459	**2 608 588 065**



5 steps, diameter 4-6-8-10-12 mm									
HSS	4-12	4	6	50	P1a	1	1	107334	**2 608 597 518**



13 steps, diameter 6-8-10-12-14-16-18-20-22-24-26-28-30 mm									
HSS	6-30	4	10	93.5	P1a	1	1	107358	**2 608 597 520**




12 steps, diameter 6-9-12-15-18-21-24-27-30-33-36-39 mm									
HSS-AlTiN	6-39	4	10	93.5	P1a	1	1	666480	**2 608 588 068**



9 steps, diameter 4-6-8-10-12-14-16-18-20 mm									
HSS	4-20	4	8	70.5	P1a	1	1	107341	**2 608 597 519**

Step drill bit, 3-flat shank, for cable fittings



Tapping drill holes for cable fittings:
Diameter 6-8.5-10.5-14.5-18.5-23.5-30.5-38.5 mm;
M10x1.5-M12x1.5-M16x1.5-M20x1.5-M25x1.5-M32x1.5-M40x1.5
Clearance holes for cable fittings:
Diameter 6-10.5-12.5-16.5-20.5-25.5-28-32.5-35.5-40.5 mm;
M10x1.5-M12x1.5-M16x1.5-M20x1.5-M25x1.5-M32x1.5-M40x1.5

HSS	M10-M40	6/4	10	125.5	P1a	1	1	630214	**2 608 587 427**
HSS-AlTiN	M10-M40	6/4	10	125.5	P1h	1	1	666510	**2 608 588 071**



Step drill bit, 3-flat shank, for cable fittings



PRODUCT PROPERTIES					ORDERING INFORMATION				
Version	Step diameter (range) mm	Step height mm	Shank diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
12 steps, diameter 6-9-12.5-15.2-18.6-20.4-22.5-26-28.3-30.5-34-37; PG7-PG9-PG11-PG13.5-PG16-PG21-PG29									
HSS	6-37	4	10	93	P1a	1	1	630221	**2 608 587 428**
HSS-AlTiN	6-37	4	10	93	P1a	1	1	666527	**2 608 588 072**

Countersink bits, sheet metal cone drill bits

HSS countersink bit, cylindrical shank with five 90° cutting edges



- **Suitable for** non-ferrous metals, steel, wood, plastics
- Ground countersink manufactured to DIN 335
- With five 90° cutting edges



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Step height	Total length mm	Shank diameter inch	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10	M 5	40	1/4	8	P1h	1	1	085694	**2 608 596 665**
12	M 6	40	1/4	8	P1c	1	1	059770	**2 608 596 371**
16	M 8	43	1/4	8	P1c	1	1	059787	**2 608 596 372**
20	M 10	45	1/4	8	P1c	1	1	059794	**2 608 596 373**

Accessories for metal drill bits

Drill Bit Sharpener S 41

- **Appropriate for** drills with spindle collar diameter of 43 mm, optimum speed of 2000 to 3000 rpm
- For drill bits with diameters of 2.5 mm to 10 mm and point angle of 118°



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Drill bit sharpener S 41					
	C0a	1	1	070249	**2 607 990 050**

WOOD DRILL BITS

Find the right one for every application.

The best your tool can get. Bosch Professional Accessories.





WOOD DRILL BITS
Versatile products for all applications.





	SelfCut Speed Spade Bits	Brad point drill bits	Brad point drill bits with 90° countersink
	EXPERT		
Page number	36	42	41
Diameter mm	6.0 – 40.0	3.0 – 30.0	3.0 – 12.0
Working length mm	115 / 370	33 – 145	33 – 56
Shank type	¼" Hex	Cylindrical	Cylindrical
	UP TO 3x* SPEED TIP TECHNOLOGY		

MATERIALS

Softwood	✓	✓	✓
Tropical wood	–	✓	✓
Plywood	✓	✓	✓
Veneered chipboard	✓	✓	✓
Laminated chipboard and fibre board	✓	✓	✓
Formica	–	✓	✓
Zementgebundene Spanplatte	–	–	–
Profiles, pipes, thickwalled	✓	–	–
Rockwool boards	✓	–	–
Porous concrete	✓	–	–
Thermoplasts	–	–	–
Duroplasts	–	✓	✓
Hard foam materials	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products

				
	HSS brad point drill bits	**Spur auger bits**	**Hinge cutting bits**	**Forstner bits**
	42	**44**	**46**	**46**
	2.0 – 10.0	**6.0 – 32.0**	**15.0 – 50.0**	**10.0 – 50.0**
	24 – 87	**95 – 470**	**–**	**–**
	¼" Hex	**Various Hex**	**Cylindrical ⌀ 8 / 10 mm**	**Cylindrical ⌀ 8 / 10 mm**
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	–	✓	✓
	✓	–	✓	–
	✓	–	✓	–
	–	–	✓	–
	–	–	–	–
	–	–	–	–
	–	–	–	–
	–	–	✓	–
	✓	–	✓	–
	✓	–	✓	–

HIGH SPEED DRILLING IN WOOD

EXPERT SelfCut Speed Spade Bits

: Ø 6mm - 40mm

EXPERT

1. Fast drilling is easy with Bosch Tip Technology
2. Self-feeding thread for effortless drilling and speed
3. Clever wave-shaped spade designed for fast chip removal



TIP TECHNOLOGY

EXPERT SelfCut Speed Spade Drill Bits

EXPERT



- Ideal for fast and rough drilling in all types of softwood, such as drilling through holes for cables, pipes, and other hardware installations. Easy to use in tight niches. Not suitable for hardwood.
- Best for electricians and other installation workers: high speed and efficiency.
- Up to 3x faster than Bosch 2609255269 Spade Bit.
- 1/4” Hex shank for use with three-jaw drill driver chucks and hexagonal drill driver chucks.





TIP TECHNOLOGY UP TO 3x SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Diameter (D) mm	Total length (L2) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Total length 152 mm								
	10	152	1/4	PC1d	1	5	533858	**2 608 900 311**
	12	152	1/4	PC1d	1	5	533865	**2 608 900 312**
	14	152	1/4	PC1d	1	5	533889	**2 608 900 314**

EXPERT SelfCut Speed Spade Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
16	152	1/4	PC1d	1	5	533896	**2 608 900 315**
17	152	1/4	PC1d	1	5	533902	**2 608 900 316**
18	152	1/4	PC1d	1	5	533919	**2 608 900 317**
19	152	1/4	PC1d	1	5	533926	**2 608 900 318**
20	152	1/4	PC1d	1	5	533933	**2 608 900 319**
22	152	1/4	PC1d	1	5	533940	**2 608 900 320**
24	152	1/4	PC1d	1	5	533957	**2 608 900 321**
25	152	1/4	PC1d	1	5	533964	**2 608 900 322**
26	152	1/4	PC1d	1	5	533971	**2 608 900 323**
28	152	1/4	PC1d	1	5	533988	**2 608 900 324**
30	152	1/4	PC1d	1	5	533995	**2 608 900 325**
32	152	1/4	PC1d	1	5	534008	**2 608 900 326**
35	152	1/4	PC1d	1	5	534015	**2 608 900 327**
36	152	1/4	PC1d	1	5	534022	**2 608 900 328**
38	152	1/4	PC1d	1	5	534039	**2 608 900 329**
40	152	1/4	PC1d	1	5	534046	**2 608 900 330**
Total length 400 mm							
12	400	1/4	PC1a	1	5	534145	**2 608 900 340**
13	400	1/4	PC1a	1	5	534152	**2 608 900 341**
14	400	1/4	PC1a	1	5	534169	**2 608 900 342**
16	400	1/4	PC1a	1	5	534176	**2 608 900 343**
17	400	1/4	PC1a	1	5	534183	**2 608 900 344**
18	400	1/4	PC1a	1	5	534190	**2 608 900 345**
19	400	1/4	PC1a	1	5	534206	**2 608 900 346**
20	400	1/4	PC1a	1	5	534213	**2 608 900 347**
24	400	1/4	PC1a	1	5	534237	**2 608 900 349**
25	400	1/4	PC1a	1	5	534244	**2 608 900 350**
26	400	1/4	PC1a	1	5	534251	**2 608 900 351**
28	400	1/4	PC1a	1	5	534268	**2 608 900 352**
30	400	1/4	PC1a	1	5	534275	**2 608 900 353**
35	400	1/4	PC1a	1	5	534299	**2 608 900 355**
36	400	1/4	PC1a	1	5	534305	**2 608 900 356**
38	400	1/4	PC1a	1	5	534312	**2 608 900 357**
40	400	1/4	PC1a	1	5	534329	**2 608 900 358**

EXPERT SelfCut Speed Spade Drill Bit Sets

EXPERT



- Ideal for fast and rough drilling in all types of softwood, such as drilling through holes for cables, pipes, and other hardware installations. Easy to use in tight niches. Not suitable for hardwood.
- Best for electricians and other installation workers: high speed and efficiency.
- Up to 3x faster than Bosch 2609255269 Spade Bit.
- 1/4” Hex shank for use with three-jaw drill driver chucks and hexagonal drill driver chucks.





TIP TECHNOLOGY UP TO 3× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Set dimension(s) mm	Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece SelfCut Speed spade bit set							
20 **22** **25**	232.0 x 115.0 x 20	3	PC1a	3	5	534053	**2 608 900 331**
6-piece SelfCut Speed spade bit set in a roll-up case							
14 **16** **18** **20** **22** **24**	195.0 x 185.0 x 15	6	PC1a	6	1	534060	**2 608 900 332**
13 **16** **19** **20** **22** **25**	195.0 x 185.0 x 15	6	PC1a	6	1	534077	**2 608 900 333**
7-piece SelfCut Speed spade bit set including extension (152 mm)							
16 **18** **20** **22** **25** **32**	215.0 x 235.0 x 20	7	PC1a	7	5	534084	**2 608 900 334**
8-piece SelfCut Speed spade bit set							
12 **16** **18** **20** **22** **25** **28** **32**	230.0 x 210.0 x 20	8	PC1a	8	5	534091	**2 608 900 335**
13-piece SelfCut Speed spade bit set in a roll-up case							
10 **12** **13** **14** **16** **18** **20** **22** **24** **25** **28** **30** **32**	300.0 x 345.0 x 20	13	PC1a	13	5	534107	**2 608 900 336**

Extension for spade bits



PRODUCT PROPERTIES	ORDERING INFORMATION				
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1/4" (6.35 mm) hex shank extension for Self Cut Speed spade bits					
152	PC1a	1	1	346450	**2 608 595 422**
305	PC1a	1	1	346467	**2 608 595 423**

Daredevil Clean Cut spade bits

- Designed for greater control and cleaner cuts
- Hex shank with power groove reduces slippage
- provide a clean and nice hole with minimal tear out



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1						
6	1/4	PC1c	1	5	963732	**2 608 577 426**
8	1/4	PC1c	1	5	963749	**2 608 577 427**
10	1/4	PC1c	1	5	963756	**2 608 577 428**
12	1/4	PC1c	1	5	963763	**2 608 577 429**
13	1/4	PC1d	1	5	963770	**2 608 577 430**
14	1/4	PC1c	1	5	963787	**2 608 577 431**
16	1/4	PC1c	1	5	963794	**2 608 577 432**
18	1/4	PC1d	1	5	963800	**2 608 577 433**
19	1/4	PC1c	1	5	963817	**2 608 577 434**
20	1/4	PC1d	1	5	963824	**2 608 577 435**
22	1/4	PC1d	1	5	963831	**2 608 577 436**
24	1/4	PC1c	1	5	963848	**2 608 577 437**
25	1/4	PC1c	1	5	963855	**2 608 577 438**
28	1/4	PC1c	1	5	963862	**2 608 577 439**
30	1/4	PC1d	1	5	963879	**2 608 577 440**
32	1/4	PC1d	1	5	963886	**2 608 577 441**
35	1/4	PC1c	1	5	963893	**2 608 577 442**
38	1/4	PC1d	1	5	963909	**2 608 577 443**

Daredevil Clean Cut spade bit sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece set with 13/16/19/20/22/25 mm diameter spade bits						
13	160	PC1a	6	5	963916	**2 608 577 444**
16	160					
19	160					
20	155					
22	160					
25	160					

Daredevil Xtreme self-cut spade bits - short length

- Daredevil Xtreme Spade Bit offers high-speed drilling, performing 7 times faster than standard spade bits
- Ideal for cordless tools: achieves more holes per battery charge even in the hardest materials
- Innovative self-feeding cutting tip enables fast and accurate drilling with less pressure
- 1/4" power groove shank allows for fast changes and convenient handling



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
6	152	1/4	PC1c	1	5	963923	**2 608 577 445**
8	152	1/4	PC1c	1	5	963930	**2 608 577 446**
10	152	1/4	PC1c	1	5	963947	**2 608 577 447**
12	152	1/4	PC1c	1	5	963954	**2 608 577 448**
13	152	1/4	PC1c	1	5	963961	**2 608 577 449**
14	152	1/4	PC1c	1	5	963978	**2 608 577 450**
16	152	1/4	PC1c	1	5	963985	**2 608 577 451**
18	152	1/4	PC1c	1	5	963992	**2 608 577 452**
19	152	1/4	PC1c	1	5	964005	**2 608 577 453**
20	152	1/4	PC1c	1	5	964012	**2 608 577 454**
22	152	1/4	PC1c	1	5	964029	**2 608 577 455**
24	152	1/4	PC1c	1	5	964036	**2 608 577 456**
25	152	1/4	PC1c	1	5	964043	**2 608 577 457**
26	152	1/4	PC1c	1	5	964050	**2 608 577 458**
28	152	1/4	PC1c	1	5	964067	**2 608 577 459**
30	152	1/4	PC1c	1	5	964074	**2 608 577 460**
32	152	1/4	PC1c	1	5	964081	**2 608 577 461**
35	152	1/4	PC1c	1	5	964098	**2 608 577 462**
38	152	1/4	PC1c	1	5	964104	**2 608 577 463**
40	152	1/4	PC1c	1	5	964111	**2 608 577 464**

Daredevil Xtreme self-cut spade bits - long length

- Daredevil Xtreme Spade Bit offers high-speed drilling, performing 7 times faster than standard spade bits
- Ideal for cordless tools: achieves more holes per battery charge even in the hardest materials
- Innovative self-feeding cutting tip enables fast and accurate drilling with less pressure
- 1/4" power groove shank allows for fast changes and convenient handling



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
6	400	1/4	PC1c	1	5	964159	**2 608 577 468**
8	400	1/4	PC1c	1	5	964166	**2 608 577 469**
10	400	1/4	PC1c	1	5	964173	**2 608 577 470**
12	400	1/4	PC1c	1	5	964180	**2 608 577 471**
16	400	1/4	PC1c	1	5	964197	**2 608 577 472**
20	400	1/4	PC1c	1	5	964203	**2 608 577 473**
22	400	1/4	PC1c	1	5	964210	**2 608 577 474**
25	400	1/4	PC1c	1	5	964227	**2 608 577 475**
32	400	1/4	PC1c	1	5	964234	**2 608 577 476**

Daredevil Xtreme self-cut spade bits - short length sets




PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece set with 16/20/25 mm spade bits						
16	152	PC1b	3	1	964128	**2 608 577 465**
20	152					
25	152					



6-piece set with 13/16/19/20/22/25 mm spade bits						
13	152	PC1b	6	1	964135	**2 608 577 466**
16	152					
19	152					
20	152					
22	152					
25	152					

Daredevil Xtreme self-cut spade bits - short length sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
13-piece set with 10/12/13/16/19/20/22/24/25/28/32/35/38 mm spade bits						
10	152	PC1b	13	1	964142	**2 608 577 467**
12	152					
13	152					
16	152					
19	152					
20	152					
22	152					
24	152					
25	152					
28	152					
32	152					
35	152					
38	152					

Daredevil Quick-Change Extensions 1/4"

- Insert bits with one hand
- Fast bit change



PRODUCT PROPERTIES	ORDERING INFORMATION				
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode ...	Part number
Daredevil 1/4" Quick-Change Extension					
152	P1e	1	5		**2 610 042 153**
305	P1e	1	5		**2 610 042 154**


Brad point drill bits

Brad point drill bit sets




PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
8-piece Robust Line brad point drill bit set									
3	33	61	B	156.5 x 106.5 x 23	P1k	8	5	446174	**2 607 010 533**
4	43	75							
5	52	86							
6	57	93							
7	69	109							
8	75	117							
9	80	120							
10	80	120							

Brad point drill bits with 90° countersink




- **Suitable for** hard and soft wood, laminated and non-laminated chipboard, plywood
- Drilling and countersinking in one operation
- Countersink can also be used as a depth stop
- Cylindrical, two flutes




PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Outer diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3	16	P1c	1	1	323666	**2 608 595 345**
4	16	P1c	1	1	059978	**2 608 596 391**
5	16	P1c	1	1	059985	**2 608 596 392**
6	16	P1c	1	1	059992	**2 608 596 393**
8	20	P1c	1	1	060011	**2 608 596 395**
10	20	P1c	1	1	060028	**2 608 596 396**
12	20	P1c	1	1	060035	**2 608 596 397**

Brad point drill bits HSS with 1/4" hex shank



- **Suitable for** hard and soft wood
- HSS precision brad point drill bit ground from solid metal with centring tip and cutting edges
- With hex shank manufactured to ISO 1173 E6.3
- Fast, tool-free drill bit changes
- Drill bit colour: polished
- Two flutes




PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2	24	62	PC1d	1	5	395434	**2 608 595 518**
3	33	74	PC1d	1	5	395441	**2 608 595 519**
4	43	88	PC1d	1	5	395458	**2 608 595 520**
5	52	99	PC1d	1	5	395465	**2 608 595 521**
6	63	106	PC1d	1	5	395472	**2 608 595 522**
8	75	117	PC1d	1	5	395489	**2 608 595 523**
10	87	133	PC1d	1	5	396496	**2 608 595 524**

Standard brad point drill bits



- **Suitable for** hard and soft wood
- Drill bit with centring tip and shoulder cutter
- Drill bit colour: black, ground point
- Two flutes



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
3	33	61	3	PC1d	1	5	059060	**2 608 596 300**
4	43	75	4	PC1d	1	5	059077	**2 608 596 301**
5	52	86	5	PC1d	1	5	059084	**2 608 596 302**
6	57	93	6	PC1d	1	5	059091	**2 608 596 303**
8	75	117	8	PC1d	1	5	059114	**2 608 596 305**
10	80	120	10	PC1d	1	5	059138	**2 608 596 307**
12	96	151	10	PC1d	1	5	059152	**2 608 596 309**

Wood drill bit sets with hex shank



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece brad point drill bit set, 1/4" hex shank									
2	24	62	-	56.0 x 18.0 x 163	P1k	5	1	395502	**2 608 595 525**
3	33	74							
4	43	88							
5	52	99							
6	63	106							

SPUR AUGER BITS
Precise and clean drilled holes.


HEAVY-DUTY SELF-FEEDING TIP
Pulls the bit through all the way




NEW DESIGNED SCORING SPUR
Clean and fast holes

SOLID CENTRE, LOW-FRICTION FLUTE
Straight holes, high chip removal

Spur auger bits, hex shank



- **Suitable for** all soft and hard woods, even wet wood
- Ideal for use in ancillary building trade, for joiners and roofers
- Can be used in all drills with 13 mm chuck
- For through-holes, pre-drilling for rafter nails and for deep dowel holes
- Precision-ground for accurate dimensional stability when drilling
- Fast drilling rate due to optimised flute geometry
- High break resistance, fine surface finish



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Width across flats (d) mm	Diameter (D) inch	Width across flats (d) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Total length 235 mm									
6	170	4.8	3/16	3/16	P1h	1	1	183314	**2 608 597 622**
8	170	6.35	1/4	1/4	P1h	1	1	183321	**2 608 597 623**
10	170	6.35	1/4	1/4	P1h	1	1	183338	**2 608 597 624**
11	170	6.35	1/4	1/4	P1h	1	1	183345	**2 608 597 625**
12	170	6.35	1/4	1/4	P1h	1	1	183352	**2 608 597 626**
13	170	7.9	5/16	5/16	P1h	1	1	183369	**2 608 597 627**
14	170	11.1	7/16	7/16	P1h	1	1	183376	**2 608 597 628**
15	170	11.1	7/16	7/16	P1h	1	1	183383	**2 608 597 629**
16	170	11.1	7/16	7/16	P1h	1	1	183390	**2 608 597 630**
18	170	11.1	7/16	7/16	P1h	1	1	183406	**2 608 597 631**
20	170	11.1	7/16	7/16	P1h	1	1	183413	**2 608 597 632**

Spur auger bits, hex shank


PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Width across flats (d) mm	Diameter (D) Inch	Width across flats (d) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
22	170	11.1	7/16	7/16	P1h	1	1	183420	**2 608 597 633**
24	170	11.1	7/16	7/16	P1h	1	1	183437	**2 608 597 634**
25	170	11.1	7/16	7/16	P1h	1	1	183444	**2 608 597 635**
26	170	11.1	7/16	7/16	P1h	1	1	183451	**2 608 597 636**
28	170	11.1	7/16	7/16	P1h	1	1	183468	**2 608 597 637**
30	170	11.1	7/16	7/16	P1h	1	1	183475	**2 608 597 638**
Total length 450 mm									
8	385	6.35	1/4	1/4	P1h	1	1	183499	**2 608 597 640**
10	385	6.35	1/4	1/4	P1h	1	1	183505	**2 608 597 641**
12	385	6.35	1/4	1/4	P1h	1	1	183512	**2 608 597 642**
14	385	11.1	7/16	7/16	P1h	1	1	183529	**2 608 597 643**
16	385	11.1	7/16	7/16	P1h	1	1	183536	**2 608 597 644**
18	385	11.1	7/16	7/16	P1h	1	1	183543	**2 608 597 645**
20	385	11.1	7/16	7/16	P1h	1	1	183550	**2 608 597 646**
22	385	11.1	7/16	7/16	P1h	1	1	183567	**2 608 597 647**
24	385	11.1	7/16	7/16	P1h	1	1	183574	**2 608 597 648**
25	385	11.1	7/16	7/16	P1h	1	1	505925	**2 608 585 730**
26	385	11.1	7/16	7/16	P1h	1	1	183581	**2 608 597 649**
30	385	11.1	7/16	7/16	P1h	1	1	183604	**2 608 597 651**
32	385	11.1	7/16	7/16	P1h	1	1	183611	**2 608 597 652**

Hinge cutting and Forstner bits

Hinge cutting bits, tungsten carbide tipped



- **Suitable for** abrasive materials such as plywood, hardwood, chipboard, wood fibreboard, plastic laminated wood
- Ideal for use by joiners and carpenters, especially for window, door and kitchen building



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
15	90	8	C1a	1	1	148177	**2 608 597 601**

Forstner drill bits, DIN 7483 G



- **Suitable for** hard and soft wood, veneered wood
- Precision drill bit with main and side cutting spurs, and short centre tip
- Made of tempered special steel according to factory standard, cutter hardness of minimum 50 HRC
- Forged and ground drilling head, polished with black flutes
- Meets high requirements with regard to cutting quality and tear-free drilled hole edges
- Can be used in all drills with 10 mm chuck



Pack of 1							
10	90	8	P1p	1	1	076043	**2 608 596 971**
15	90	8	P1p	1	1	076050	**2 608 596 972**
20	90	8	P1p	1	1	076067	**2 608 596 973**
25	90	8	P1p	1	1	076074	**2 608 596 974**
30	90	8	P1p	1	1	076098	**2 608 596 976**
35	90	10	P1p	1	1	076104	**2 608 596 977**
40	90	10	P1p	1	1	076111	**2 608 596 978**

Dowelling accessories

Profile wooden dowels



- Profile wooden dowels in diameters of 6; 8; 10 mm

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	30	P1d	50	1	085793	**2 607 000 444**
8	40	P1d	40	1	085281	**2 607 000 446**
10	40	P1d	30	1	085304	**2 607 000 448**

HAMMER DRILL BITS

Drill in concrete effectively.

The best your tool can get. Bosch Professional Accessories.





THE SDS PLUS DRILL BIT RANGE

Quick mounting and 100% power transfer.





	SDS plus-7X	SDS plus-5
	EXPERT	
Page number	54	64
Diameter mm	3.5 – 30.0	3.0 – 26.0
Working length mm	50 – 950	50 – 950
Head design	⊕	//
PGM certification	✓	✓
	UP TO 3x* LONG LIFE CARBIDE TECHNOLOGY	

MATERIALS

Masonry	✓	✓
Concrete	✓	✓
Reinforced concrete	✓	–
Natural stone	✓	–

HEAD DESIGNS

- 4-cutter full carbide head
- 4-cutter
- Tungsten carbide teeth2
- Asymetrical carbide teeth
- 2-cutter

*Bosch EXPERT products vs. Bosch standard products



SDS plus-9 Speed Clean



SDS plus-9 Rebar Cutter



SDS plus-9 Core Cutter

Page number	60	66	67
Diameter mm	6.0 – 24.0	16.0 – 32.0	25.0 – 112.0
Working length mm	100 – 320	120	50 – 54
Head design	+	○	○
PGM certification	✓	–	–

MATERIALS

Masonry	✓	–	✓
Concrete	✓	–	✓
Reinforced concrete	–	✓	–
Natural stone	–	–	–

THE SDS MAX DRILL BIT RANGE

Quick mounting and 100% power transfer.





	SDS max-8X	SDS max-7
	EXPERT	
Page number	68	70
Diameter mm	12.0 – 32.0	10.5 – 52
Working length mm	200 – 800	200 – 1200
Head design	⊕	+
PGM certification	✓	✓
	UP TO 3x* LONG LIFE CARBIDE TECHNOLOGY	

MATERIALS

Masonry	✓	✓
Concrete	✓	✓
Reinforced concrete	✓	✓
Natural stone	✓	✓

HEAD DESIGNS

- ⊕ 4-cutter full carbide head
- // 2-cutter
- Asymetrical carbide teeth
- \+ 4-cutter
- Multi-cutter

* Bosch EXPERT products vs. Bosch standard products



SDS max-9 Speed Clean

Page number	71
Diameter mm	14.0 – 35.0
Working length mm	400 – 650
Head design	+
PGM certification	✓

MATERIALS

Masonry	✓
Concrete	✓
Reinforced concrete	–
Natural stone	–

LONG LIFE DRILLING REINFORCED CONCRETE

EXPERT SDS plus-7X Hammer Drill Bits

: Ø 3.5 mm - 30 mm

EXPERT

1. Extremely durable drill bit tip with Bosch Carbide Technology
2. Punch through reinforced concrete with a 4-cutter Full Carbide Head
3. Highly resistant drill tip connection with Bosch's welding technology



CARBIDE TECHNOLOGY

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT



- Ideal for drilling holes in reinforced concrete, e.g. to anchor interior installations such as air conditioning, heating pipes, electrical wiring and lights.
- Best for electricians: long lasting and powerful.
- Lasts up to 3x longer than Bosch SDS plus-3 Drill Bit.
- Fits all SDS plus rotary hammer drills.





CARBIDE TECHNOLOGY | UP TO 3× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 1							
3.5	50	115	P1e	1	1	531281	**2 608 900 055**
3.5	100	165	P1e	1	1	531298	**2 608 900 056**
4	50	115	P1e	1	1	531304	**2 608 900 057**
4	100	165	P1e	1	1	531311	**2 608 900 058**
5	50	115	P1e	1	5	531328	**2 608 900 059**

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5	100	165	P1e	1	5	531335	**2 608 900 060**
5	150	215	P1e	1	5	531342	**2 608 900 061**
5	200	265	P1e	1	5	531359	**2 608 900 062**
5	250	315	P1e	1	5	531366	**2 608 900 063**
5	400	465	P1e	1	1	531373	**2 608 900 064**
5.5	50	115	P1e	1	5	531380	**2 608 900 065**
5.5	100	165	P1e	1	5	531397	**2 608 900 066**
5.5	150	215	P1e	1	5	531403	**2 608 900 067**
5.5	200	265	P1e	1	5	531410	**2 608 900 068**
5.5	250	315	P1e	1	1	531427	**2 608 900 069**
5.5	400	465	P1e	1	1	531434	**2 608 900 070**
6	50	115	P1e	1	5	531441	**2 608 900 071**
6	100	165	P1e	1	5	531458	**2 608 900 072**
6	150	215	P1e	1	5	531465	**2 608 900 073**
6	200	265	P1e	1	5	531472	**2 608 900 074**
6	250	315	P1e	1	5	531489	**2 608 900 075**
6	400	465	P1e	1	1	531496	**2 608 900 076**
6.5	50	115	P1e	1	1	531502	**2 608 900 077**
6.5	100	165	P1e	1	5	531519	**2 608 900 078**
6.5	150	215	P1e	1	5	531526	**2 608 900 079**
6.5	200	265	P1e	1	5	531533	**2 608 900 080**
6.5	250	315	P1e	1	1	531540	**2 608 900 081**
6.5	400	465	P1e	1	1	531557	**2 608 900 082**
7	50	115	P1e	1	1	531564	**2 608 900 083**
7	100	165	P1e	1	1	531571	**2 608 900 084**
7	150	215	P1e	1	1	531588	**2 608 900 085**
7	200	265	P1e	1	1	531595	**2 608 900 086**
8	50	115	P1e	1	5	531601	**2 608 900 087**
8	100	165	P1e	1	5	531618	**2 608 900 088**
8	150	215	P1e	1	5	531625	**2 608 900 089**
8	200	265	P1e	1	5	531632	**2 608 900 090**
8	250	315	P1e	1	1	531649	**2 608 900 091**
8	300	365	P1e	1	5	531656	**2 608 900 092**
8	400	465	P1e	1	1	531663	**2 608 900 093**
9	100	165	P1e	1	1	531670	**2 608 900 094**
9	150	215	P1e	1	1	531687	**2 608 900 095**
10	50	115	P1e	1	1	531694	**2 608 900 096**
10	100	165	P1e	1	5	531700	**2 608 900 097**
10	150	215	P1e	1	5	531717	**2 608 900 098**
10	200	265	P1e	1	5	531724	**2 608 900 099**
10	250	315	P1e	1	1	531731	**2 608 900 100**
10	300	365	P1e	1	5	531748	**2 608 900 101**
10	400	465	P1e	1	1	531755	**2 608 900 102**
10	550	600	P1e	1	1	531762	**2 608 900 103**
10	950	1,000	P1e	1	1	531779	**2 608 900 104**
11	100	165	P1e	1	1	531786	**2 608 900 105**
11	150	215	P1e	1	1	531793	**2 608 900 106**
11	200	265	P1e	1	1	531809	**2 608 900 107**
12	100	165	P1e	1	5	531816	**2 608 900 108**
12	150	215	P1e	1	5	531823	**2 608 900 109**
12	200	265	P1e	1	5	531830	**2 608 900 110**
12	250	315	P1e	1	5	531847	**2 608 900 111**
12	300	365	P1e	1	5	531854	**2 608 900 112**
12	400	465	P1e	1	1	531861	**2 608 900 113**
12	550	600	P1e	1	1	531878	**2 608 900 114**
12	950	1,000	P1e	1	1	531885	**2 608 900 115**
13	100	165	P1e	1	1	531892	**2 608 900 116**
13	150	215	P1e	1	1	531908	**2 608 900 117**
13	200	265	P1e	1	1	531915	**2 608 900 118**
14	100	165	P1e	1	5	531922	**2 608 900 119**
14	150	215	P1e	1	5	531939	**2 608 900 120**
14	200	265	P1e	1	5	531946	**2 608 900 121**
14	250	315	P1e	1	5	531953	**2 608 900 122**
14	300	365	P1e	1	1	531960	**2 608 900 123**
14	400	465	P1e	1	1	531977	**2 608 900 124**
14	550	600	P1e	1	1	531984	**2 608 900 125**

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
14	950	1,000	P1e	1	1	531991	**2 608 900 126**
15	100	165	P1e	1	1	532004	**2 608 900 127**
15	200	265	P1e	1	1	532011	**2 608 900 128**
15	400	465	P1e	1	1	532028	**2 608 900 129**
16	150	215	P1e	1	5	532035	**2 608 900 130**
16	200	265	P1e	1	5	532042	**2 608 900 131**
16	250	315	P1e	1	1	532059	**2 608 900 132**
16	400	465	P1e	1	1	532066	**2 608 900 133**
16	550	600	P1e	1	1	532073	**2 608 900 134**
16	950	1,000	P1e	1	1	532080	**2 608 900 135**
17	150	215	P1e	1	1	532097	**2 608 900 136**
17	250	315	P1e	1	1	532103	**2 608 900 137**
18	200	250	P1e	1	1	532110	**2 608 900 138**
18	400	450	P1e	1	1	532127	**2 608 900 139**
18	550	600	P1e	1	1	532134	**2 608 900 140**
18	950	1,000	P1e	1	1	532141	**2 608 900 141**
20	200	250	P1e	1	1	532158	**2 608 900 142**
20	400	450	P1e	1	1	532165	**2 608 900 143**
20	550	600	P1e	1	1	532172	**2 608 900 144**
20	950	1,000	P1e	1	1	532189	**2 608 900 145**
22	200	250	P1e	1	1	532196	**2 608 900 146**
22	400	450	P1e	1	1	532202	**2 608 900 147**
22	550	600	P1e	1	1	532219	**2 608 900 148**
22	950	1,000	P1e	1	1	532226	**2 608 900 149**
24	400	450	P1e	1	1	532233	**2 608 900 150**
25	400	450	P1e	1	1	532240	**2 608 900 151**
25	550	600	P1e	1	1	532257	**2 608 900 152**
25	950	1,000	P1e	1	1	532264	**2 608 900 153**
28	400	450	P1e	1	1	532271	**2 608 900 154**
30	400	450	P1e	1	1	532288	**2 608 900 155**
Pack of 10							
4	50	115	P1h	10	1	532295	**2 608 900 156**
5	50	115	P1h	10	1	532301	**2 608 900 157**
5	100	165	P1h	10	1	532318	**2 608 900 158**
6	50	115	P1h	10	1	532325	**2 608 900 159**
6	100	165	P1h	10	1	532332	**2 608 900 160**
6	150	215	P1h	10	1	532349	**2 608 900 161**
6	200	265	P1h	10	1	532356	**2 608 900 162**
6.5	100	165	P1h	10	1	532363	**2 608 900 163**
6.5	150	215	P1h	10	1	532370	**2 608 900 164**
6.5	200	265	P1h	10	1	532387	**2 608 900 165**
7	100	165	P1h	10	1	532394	**2 608 900 166**
8	100	165	P1h	10	1	532400	**2 608 900 167**
8	150	215	P1h	10	1	532417	**2 608 900 168**
8	200	265	P1h	10	1	532424	**2 608 900 169**
10	100	165	P1h	10	1	532431	**2 608 900 170**
10	150	215	P1h	10	1	532448	**2 608 900 171**
10	200	265	P1h	10	1	532455	**2 608 900 172**
12	100	165	P1h	10	1	532462	**2 608 900 173**
12	150	215	P1h	10	1	532479	**2 608 900 174**
12	200	265	P1h	10	1	532486	**2 608 900 175**
14	200	265	P1h	10	1	532493	**2 608 900 176**
16	200	265	P1h	10	1	532509	**2 608 900 177**
Pack of 30							
5	50	115	P0h	30	1	532516	**2 608 900 178**
5	100	165	P0h	30	1	532523	**2 608 900 179**
6	50	115	P0h	30	1	532530	**2 608 900 180**
6	100	165	P0h	30	1	532547	**2 608 900 181**
6	150	215	P0h	30	1	532554	**2 608 900 182**
8	100	165	P0h	30	1	532561	**2 608 900 183**
8	150	215	P0h	30	1	532578	**2 608 900 184**
8	200	265	P0h	30	1	532585	**2 608 900 185**
10	100	165	P0h	30	1	532592	**2 608 900 186**
10	150	215	P0h	30	1	532608	**2 608 900 187**
10	200	265	P0h	30	1	532615	**2 608 900 188**
12	150	215	P0h	30	1	532622	**2 608 900 189**

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12	200	265	P0h	30	1	532639	**2 608 900 190**
Pack of 50							
6	100	165	P0h	50	1	532646	**2 608 900 191**
8	100	165	P0h	50	1	532653	**2 608 900 192**
10	100	165	P0h	50	1	532660	**2 608 900 193**
10	150	215	P0h	50	1	532677	**2 608 900 194**

EXPERT SDS plus-7X Hammer Drill Bit Sets

EXPERT



- Ideal for drilling holes in reinforced concrete, e.g. to anchor interior installations such as air conditioning, heating pipes, electrical wiring and lights.
- Best for electricians: long lasting and powerful.
- Lasts up to 3x longer than Bosch SDS plus-3 Drill Bit.
- Fits all SDS plus rotary hammer drills.





CARBIDE TECHNOLOGY

UP TO 3× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5-piece Robust Line SDS plus-7X hammer drill bit set							
5	50	115	P1k	5	1	532714	**2 608 900 197**
6	50	115					
6	100	165					
8	100	165					
10	100	165					
6	100	165	P1k	5	1	532721	**2 608 900 198**
6	100	165					
8	100	165					
8	100	165					
10	100	165					

Bulldog Xtreme SDS plus drill bits



- **Suitable for** masonry, concrete and reinforced concrete
- **Appropriate for** all rotary hammers with SDS plus holder
- www.pgm.eu

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
5	50	115	PC1d	1	5	916370	**2 608 578 258**

Bulldog Xtreme SDS plus drill bits

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5	100	165	PC1d	1	5	916387	**2 608 578 259**
5.5	50	115	PC1d	1	5	916400	**2 608 578 261**
6	50	115	PC1d	1	5	916424	**2 608 578 263**
6	100	165	PC1d	1	5	916431	**2 608 578 264**
6	150	215	PC1d	1	5	916448	**2 608 578 265**
6	200	265	PC1d	1	1	916455	**2 608 578 266**
6	250	315	PC1d	1	1	916462	**2 608 578 267**
6.5	50	115	PC1d	1	5	916479	**2 608 578 268**
6.5	100	165	PC1d	1	5	916486	**2 608 578 269**
6.5	150	215	PC1d	1	5	916493	**2 608 578 270**
6.5	200	265	PC1d	1	1	916509	**2 608 578 271**
7	50	115	PC1d	1	5	916523	**2 608 578 273**
7	100	165	PC1d	1	5	916530	**2 608 578 274**
7	250	315	PC1d	1	1	916516	**2 608 578 272**
8	50	115	PC1d	1	5	916547	**2 608 578 275**
8	150	215	PC1d	1	5	916561	**2 608 578 277**
8	200	265	PC1d	1	1	916578	**2 608 578 278**
8	250	315	PC1d	1	1	916585	**2 608 578 279**
8	400	465	PC1d	1	1	916592	**2 608 578 280**
10	50	115	PC1d	1	5	916615	**2 608 578 282**
10	100	165	PC1d	1	5	916622	**2 608 578 283**
10	150	215	PC1d	1	5	916639	**2 608 578 284**
10	200	265	PC1d	1	1	916646	**2 608 578 285**
10	250	315	PC1d	1	1	916653	**2 608 578 286**
10	400	465	PC1d	1	1	916660	**2 608 578 287**
11	150	215	PC1d	1	5	916677	**2 608 578 288**
12	100	165	PC1d	1	5	916684	**2 608 578 289**
12	150	215	PC1d	1	5	916691	**2 608 578 290**
12	200	265	PC1d	1	1	916707	**2 608 578 291**
12	250	315	PC1d	1	1	916714	**2 608 578 292**
12	400	465	PC1d	1	1	916721	**2 608 578 293**
13	100	165	PC1d	1	5	916738	**2 608 578 294**
13	200	265	PC1d	1	1	916745	**2 608 578 295**
14	100	165	PC1d	1	5	916752	**2 608 578 296**
14	150	215	PC1d	1	5	916769	**2 608 578 297**
14	200	265	PC1d	1	5	916776	**2 608 578 298**
14	250	315	PC1d	1	1	916783	**2 608 578 299**
14	400	465	PC1d	1	1	916790	**2 608 578 300**
15	200	265	PC1d	1	5	916806	**2 608 578 301**
16	150	215	PC1d	1	5	916813	**2 608 578 302**
16	250	315	PC1d	1	1	916837	**2 608 578 304**
16	400	465	PC1d	1	1	916844	**2 608 578 305**
18	200	250	PC1d	1	1	916851	**2 608 578 306**
18	400	450	PC1d	1	1	916868	**2 608 578 307**
20	200	250	PC1d	1	1	916875	**2 608 578 308**
20	400	450	PC1d	1	1	916882	**2 608 578 309**
22	200	250	PC1d	1	1	916899	**2 608 578 310**
22	400	450	PC1d	1	1	916905	**2 608 578 311**
24	400	450	PC1d	1	1	916912	**2 608 578 312**
25	400	450	PC1d	1	1	916929	**2 608 578 313**
28	400	450	PC1d	1	1	916936	**2 608 578 314**
Pack of 10							
5	100	165	P1h	10	1	916950	**2 608 578 316**
5.5	100	165	P1h	10	1	916967	**2 608 578 317**
6	100	165	P1h	10	1	916974	**2 608 578 318**

Bulldog Xtreme SDS plus drill bits


PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6.5	150	210	P1h	10	1	916981	**2 608 578 319**
8	100	165	P1h	10	1	916998	**2 608 578 320**
10	100	165	P1h	10	1	917001	**2 608 578 321**
10	150	215	P1h	10	1	917018	**2 608 578 322**
12	100	165	P1h	10	1	917025	**2 608 578 323**
12	150	215	P1h	10	1	917032	**2 608 578 324**

SDS PLUS-9 SPEED CLEAN

Drilling and cleaning in one step.

ACCURATE CENTRING

Centring tip for active cutting in concrete





EFFICIENT DUST REMOVAL

2 extraction holes

HIGH WEAR RESISTANCE

4-cutter with highly robust and aggressive carbide blades

SDS plus-9 Speed Clean

SDS plus-9 Speed**Clean**





- **Suitable for** drilling holes in concrete
- System: The best result is achieved in combination with an SDS plus rotary hammer, e.g. Bosch GBH 2-28 DV Professional (0 611 267 201), and a dust class M dust extractor, e.g. Bosch GAS 35 M AFC Professional (0 601 9C3 100).
- **Note:** Always follow the instructions provided by the fixings manufacturer regarding the fitting of fixings.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
6	100	230	PC1b	1	1	976534	**2 608 579 291**
8	100	230	PC1b	1	1	976541	**2 608 579 292**
10	100	230	PC1b	1	1	976558	**2 608 579 293**
12	200	330	P1e	1	1	954006	**2 608 578 962**
14	250	380	P1e	1	1	954013	**2 608 578 963**
15	250	380	P1e	1	1	954020	**2 608 578 964**
16	250	380	P1e	1	1	857352	**2 608 576 286**
18	150	280	PC1b	1	1	976565	**2 608 579 294**
18	320	450	P1e	1	1	857369	**2 608 576 287**
20	150	280	PC1b	1	1	976572	**2 608 579 295**
20	320	450	P1e	1	1	857376	**2 608 576 288**
22	320	450	P1e	1	1	857383	**2 608 576 289**
24	320	450	P1e	1	1	857390	**2 608 576 290**

SDS plus-9 Speed Clean



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Replacement Connector SDS plus							
-	-	-	P1b	1	1	857406	**2 608 576 291**

Bulldog SDS plus drill bits

- **Suitable for** masonry, concrete and reinforced concrete
- **Appropriate for** all rotary hammers with SDS plus holder
- www.pgm.eu



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
5	50	110	P2e	1	5	915588	**2 608 578 179**
5	100	160	P2e	1	5	915595	**2 608 578 180**
5	150	210	P2e	1	5	915601	**2 608 578 181**
5.5	50	110	P2e	1	5	915618	**2 608 578 182**
5.5	100	160	P2e	1	5	915625	**2 608 578 183**
5.5	150	210	P2e	1	5	915632	**2 608 578 184**
6	50	110	P2e	1	5	915649	**2 608 578 185**
6	100	160	P2e	1	5	915656	**2 608 578 186**
6	150	210	P2e	1	5	915663	**2 608 578 187**
6	200	260	P2e	1	5	915670	**2 608 578 188**
6.5	50	110	P2e	1	5	915687	**2 608 578 189**
6.5	100	160	P2e	1	5	915694	**2 608 578 190**
6.5	150	210	P2e	1	5	915700	**2 608 578 191**
6.5	200	260	P2e	1	1	915717	**2 608 578 192**
7	50	110	P2e	1	5	915724	**2 608 578 193**
7	100	160	P2e	1	5	915731	**2 608 578 194**
7	150	210	P2e	1	5	915748	**2 608 578 195**
8	50	110	P2e	1	5	915755	**2 608 578 196**
8	100	160	P2e	1	5	915762	**2 608 578 197**
8	150	210	P2e	1	5	915779	**2 608 578 198**
8	200	260	P2e	1	1	915786	**2 608 578 199**
8	400	460	P2e	1	1	915793	**2 608 578 200**
9	100	160	P2e	1	5	915809	**2 608 578 201**
9	150	210	P2e	1	5	915816	**2 608 578 202**
10	50	110	P2e	1	5	915823	**2 608 578 203**
10	100	160	P2e	1	5	915830	**2 608 578 204**
10	150	210	P2e	1	5	915847	**2 608 578 205**
10	200	260	P2e	1	1	915854	**2 608 578 206**
10	250	310	P2e	1	1	915861	**2 608 578 207**
10	400	460	P2e	1	1	915878	**2 608 578 208**
11	100	160	P2e	1	5	915885	**2 608 578 209**
11	200	260	P2e	1	1	915892	**2 608 578 210**
12	100	160	P2e	1	5	915908	**2 608 578 211**
12	150	210	P2e	1	5	915915	**2 608 578 212**
12	200	260	P2e	1	5	915922	**2 608 578 213**
12	400	460	P2e	1	1	915939	**2 608 578 214**
13	100	160	P2e	1	5	915946	**2 608 578 215**
13	200	260	P2e	1	5	915953	**2 608 578 216**
14	100	160	P2e	1	5	915960	**2 608 578 217**
14	150	210	P2e	1	5	915977	**2 608 578 218**
14	200	260	P2e	1	5	915984	**2 608 578 219**
14	250	310	P2e	1	1	915991	**2 608 578 220**
14	400	460	P2e	1	1	916004	**2 608 578 221**
15	100	160	P2e	1	5	916011	**2 608 578 222**
15	200	260	P2e	1	5	916028	**2 608 578 223**
15	400	460	P2e	1	1	916035	**2 608 578 224**
16	150	210	P2e	1	5	916042	**2 608 578 225**
16	200	260	P2e	1	5	916059	**2 608 578 226**
16	250	310	P2e	1	1	916066	**2 608 578 227**
16	400	460	P2e	1	1	916073	**2 608 578 228**
18	150	200	P1e	1	1	916080	**2 608 578 229**

Bulldog SDS plus drill bits

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
18	250	300	P1e	1	1	916097	**2 608 578 230**
18	400	450	P1e	1	1	916103	**2 608 578 231**
20	150	200	P1e	1	1	916110	**2 608 578 232**
20	250	300	P1e	1	1	916127	**2 608 578 233**
20	400	450	P1e	1	1	916134	**2 608 578 234**
22	200	250	P1e	1	1	916141	**2 608 578 235**
22	400	450	P1e	1	1	916158	**2 608 578 236**
24	200	250	P1e	1	1	916165	**2 608 578 237**
24	400	450	P1e	1	1	916172	**2 608 578 238**
25	200	250	P1e	1	1	916189	**2 608 578 239**
25	400	450	P1e	1	1	916196	**2 608 578 240**
26	200	250	P1e	1	1	916202	**2 608 578 241**
26	400	450	P1e	1	1	916219	**2 608 578 242**


Pack of 10

5	50	110	P1h	10	1	916226	**2 608 578 243**
5	100	160	P1h	10	1	916233	**2 608 578 244**
5.5	50	110	P1h	10	1	916240	**2 608 578 245**
5.5	100	160	P1h	10	1	916257	**2 608 578 246**
6	50	110	P1h	10	1	916264	**2 608 578 247**
6	100	160	P1h	10	1	916271	**2 608 578 248**
6.5	100	160	P1h	10	1	916288	**2 608 578 249**
8	100	160	P1h	10	1	916295	**2 608 578 250**
10	100	160	P1h	10	1	916301	**2 608 578 251**
10	150	210	P1h	10	1	916318	**2 608 578 252**
10	200	260	P1h	10	1	916325	**2 608 578 253**
12	100	160	P1h	10	1	916332	**2 608 578 254**
12	150	210	P1h	10	1	916349	**2 608 578 255**
14	100	160	P1h	10	1	916356	**2 608 578 256**
16	150	210	P1h	10	1	916363	**2 608 578 257**

SDS plus-5 hammer drill bits



- **Suitable for** masonry, concrete and reinforced concrete
- **Appropriate for** all rotary hammers with SDS plus holder
- www.pgm.eu



PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1										
3.5	50	110	-	-	-	P1e	1	5	189057	**2 608 597 773**
4	50	115	-	-	-	P1e	1	5	028073	**1 618 596 231**
4	100	165	-	-	-	P1e	1	5	189064	**2 608 597 774**
5	150	215	-	-	-	P1e	1	5	074391	**2 608 596 199**
5.5	100	165	-	-	-	P1e	1	5	045957	**2 608 596 146**
5.5	150	215	-	-	-	P1e	1	5	189071	**2 608 597 775**
5.5	200	265	-	-	-	P1e	1	5	189088	**2 608 597 776**
6	50	115	-	-	-	P1e	1	5	027748	**1 618 596 166**
6	100	165	-	-	-	P1e	1	5	027755	**1 618 596 167**
6	150	215	-	-	-	P1e	1	5	045148	**2 608 596 115**
6	200	265	-	-	-	P1e	1	5	189095	**2 608 597 777**
6.5	50	115	-	-	-	P1e	1	5	027762	**1 618 596 168**
6.5	100	165	-	-	-	P1e	1	5	027779	**1 618 596 169**
6.5	150	215	-	-	-	P1e	1	5	189101	**2 608 597 778**
6.5	200	265	-	-	-	P1e	1	5	189118	**2 608 597 779**
6.5	250	315	-	-	-	P1e	1	5	189125	**2 608 597 780**
7	50	115	-	-	-	P1e	1	5	027786	**1 618 596 170**
7	100	165	-	-	-	P1e	1	5	027793	**1 618 596 171**
7	150	215	-	-	-	P1e	1	5	098588	**2 608 597 130**
8	50	115	-	-	-	P1e	1	5	027809	**1 618 596 172**
8	100	165	-	-	-	P1e	1	5	027816	**1 618 596 173**
8	150	215	-	-	-	P1e	1	5	027823	**1 618 596 174**
8	200	265	-	-	-	P1e	1	5	028332	**1 618 596 264**
8	400	465	-	-	-	P1e	1	1	045155	**2 608 596 116**
8	550	615	-	-	-	P1e	1	1	047593	**2 608 596 183**
10	50	115	-	-	-	P1e	1	5	027847	**1 618 596 176**
10	100	165	-	-	-	P1e	1	5	027854	**1 618 596 177**
10	150	215	-	-	-	P1e	1	5	028349	**1 618 596 265**
10	200	265	-	-	-	P1e	1	5	027861	**1 618 596 178**
10	250	315	-	-	-	P1e	1	5	046305	**1 618 596 315**
10	400	465	-	-	-	P1e	1	1	028363	**1 618 596 267**
10	550	615	-	-	-	P1e	1	1	045162	**2 608 596 117**
11	150	215	-	-	-	P1e	1	5	046312	**1 618 596 316**
12	100	165	-	-	-	P1e	1	5	027892	**1 618 596 181**
12	150	215	-	-	-	P1e	1	5	028370	**1 618 596 268**
12	250	315	-	-	-	P1e	1	5	189149	**2 608 597 782**
12	400	465	-	-	-	P1e	1	1	028387	**1 618 596 269**
12	550	615	-	-	-	P1e	1	1	028035	**1 618 596 224**
13	100	165	-	-	-	P1e	1	5	027915	**1 618 596 183**
13	150	215	-	-	-	P1e	1	5	046329	**1 618 596 318**
13	200	265	-	-	-	P1e	1	5	027922	**1 618 596 184**
14	100	165	-	-	-	P1e	1	5	027939	**1 618 596 185**
14	150	215	-	-	-	P1e	1	5	028394	**1 618 596 270**
14	200	265	-	-	-	P1e	1	5	027946	**1 618 596 186**
14	250	315	-	-	-	P1e	1	5	028400	**1 618 596 271**
14	550	615	-	-	-	P1e	1	1	028042	**1 618 596 225**
15	100	165	-	-	-	P1e	1	5	027953	**1 618 596 187**
15	200	265	-	-	-	P1e	1	5	027960	**1 618 596 188**
15	400	465	-	-	-	P1e	1	1	028264	**1 618 596 257**
16	150	215	-	-	-	P1e	1	5	047616	**2 608 596 185**
16	250	315	-	-	-	P1e	1	5	047623	**2 608 596 186**

SDS plus-5 hammer drill bits




PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
16	400	465	-	-	-	P1e	1	1	028288	**1 618 596 259**
16	550	615	-	-	-	P1e	1	1	028059	**1 618 596 226**
16	950	1,005	-	-	-	P1e	1	1	098533	**2 608 597 125**
18	150	200	-	-	-	P1e	1	1	028004	**1 618 596 204**
18	250	300	-	-	-	P1e	1	1	046336	**1 618 596 319**
18	400	450	-	-	-	P1e	1	1	028295	**1 618 596 260**
18	550	600	-	-	-	P1e	1	1	045193	**2 608 596 120**
20	150	200	-	-	-	P1e	1	1	028028	**1 618 596 207**
20	250	300	-	-	-	P1e	1	1	028318	**1 618 596 262**
20	400	450	-	-	-	P1e	1	1	028325	**1 618 596 263**
20	950	1,000	-	-	-	P1e	1	1	098557	**2 608 597 127**
22	200	250	-	-	-	P1e	1	1	028080	**1 618 596 232**
22	950	1,000	-	-	-	P1e	1	1	098564	**2 608 597 128**
24	200	250	-	-	-	P1e	1	1	028127	**1 618 596 236**
24	400	450	-	-	-	P1e	1	1	028134	**1 618 596 237**
25	200	250	-	-	-	P1e	1	1	028141	**1 618 596 238**
25	400	450	-	-	-	P1e	1	1	028158	**1 618 596 239**
25	950	1,000	-	-	-	P1e	1	1	098571	**2 608 597 129**
26	200	250	-	-	-	P1e	1	1	028165	**1 618 596 240**
26	400	450	-	-	-	P1e	1	1	028172	**1 618 596 241**
Pack of 1										
11	100	165	-	-	-	P1e	1	5	027878	**1 618 596 179**
Pack of 1										
14	400	465	-	-	-	P1e	1	1	045179	**2 608 596 118**
Pack of 10										
5.5	100	165	-	-	-	P1a	10	1	483490	**2 608 585 615**
6	100	165	-	-	-	P1a	10	1	483513	**2 608 585 617**
6	150	215	-	-	-	P1a	10	1	483520	**2 608 585 618**
6.5	100	165	-	-	-	P1a	10	1	483537	**2 608 585 619**
6.5	150	215	-	-	-	P1a	10	1	483544	**2 608 585 620**
8	100	165	-	-	-	P1a	10	1	483575	**2 608 585 623**
8	150	215	-	-	-	P1a	10	1	483582	**2 608 585 624**
8	200	265	-	-	-	P1a	10	1	483599	**2 608 585 625**
10	100	165	-	-	-	P1a	10	1	483605	**2 608 585 626**
10	150	215	-	-	-	P1a	10	1	483612	**2 608 585 627**
12	100	165	-	-	-	P1a	10	1	483636	**2 608 585 629**
12	150	215	-	-	-	P1a	10	1	483643	**2 608 585 630**

SDS plus-9 hammer drill bits Rebar Cutter

SDS plus-9 RebarCutter

- **Suitable for** rebar in concrete
- For non-impact use in rotary hammers with SDS plus holder.
- Only cut through rebar if approval has been issued by a stress analyst.
- Only use the Rebar Cutter without impact.






PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
16	120	300	10	P1h	1	1	576673	**2 608 586 994**
18	120	300	10	P1h	1	1	576680	**2 608 586 995**
20	120	300	10	P1h	1	1	576697	**2 608 586 996**
22	120	300	10	P1h	1	1	576703	**2 608 586 997**
25	120	300	10	P1h	1	1	576710	**2 608 586 998**
28	120	300	10	P1h	1	1	576727	**2 608 586 999**
32	120	300	10	P1h	1	1	576734	**2 608 587 100**

SDS plus-9 Core Cutters

SDS plus-9 CoreCutter



- **Suitable for** concrete, masonry, limestone
- For use with SDS plus or hex shank



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Core cutter depth (L1) mm	Working length (L2) mm	Cutters, number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
50	50	72	6	P1e	1	1	084659	**2 608 550 075**

Accessories for core cutters





PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter/width across flats mm	Total length mm	Shank	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hex shank for core cutters with M16							
11	220	Hexagon	P1e	1	1	096744	**2 608 598 109**
SDS plus shank for core cutters with M16							
-	105	SDS plus	P1e	1	1	046138	**2 608 550 057**
-	220	SDS plus	P1e	1	1	096751	**2 608 598 110**

LONG LIFE DRILLING REINFORCED CONCRETE

EXPERT SDS max-8X Hammer Drill Bits

: Ø 12mm - 32mm

EXPERT

1. Extremely durable drill bit tip with Bosch Carbide Technology
2. Punch through reinforced concrete with a 4-cutter Full Carbide Head
3. Highly resistant drill tip connection with Bosch's welding technology



CARBIDE TECHNOLOGY

EXPERT SDS max-8X Hammer Drill Bits

EXPERT



- Ideal for drilling holes in reinforced concrete, e.g. for chemical anchor setting and/or rebar connections.
- Best for construction workers: long lasting and powerful.
- Lasts up to 3x longer than Bosch SDS max-4 Drill Bit.
- Fits all SDS max rotary hammer drills.





CARBIDE TECHNOLOGY | UP TO 3× LONG LIFE


PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 1							
12	200	340	P1h	1	1	532752	**2 608 900 201**
12	400	540	P1h	1	1	532769	**2 608 900 202**
12	600	740	P1h	1	1	532776	**2 608 900 203**
12	800	940	P1h	1	1	532783	**2 608 900 204**
14	200	340	P1h	1	1	532813	**2 608 900 207**
14	400	540	P1h	1	1	532820	**2 608 900 208**

EXPERT SDS max-8X Hammer Drill Bits


EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
14	600	740	P1h	1	1	532837	**2 608 900 209**
14	800	940	P1h	1	1	532844	**2 608 900 210**
16	200	340	P1h	1	1	532882	**2 608 900 214**
16	400	540	P1h	1	1	532899	**2 608 900 215**
16	600	740	P1h	1	1	532905	**2 608 900 216**
16	800	940	P1h	1	1	532912	**2 608 900 217**
18	200	340	P1h	1	1	532950	**2 608 900 221**
18	400	540	P1h	1	1	532967	**2 608 900 222**
18	600	740	P1h	1	1	532974	**2 608 900 223**
18	800	940	P1h	1	1	532981	**2 608 900 224**
20	200	320	P1h	1	1	533025	**2 608 900 228**
20	400	520	P1h	1	1	533032	**2 608 900 229**
20	600	720	P1h	1	1	533049	**2 608 900 230**
20	800	920	P1h	1	1	533056	**2 608 900 231**
22	200	320	P1h	1	1	533070	**2 608 900 233**
22	400	520	P1h	1	1	533087	**2 608 900 234**
22	600	720	P1h	1	1	533094	**2 608 900 235**
22	800	920	P1h	1	1	533100	**2 608 900 236**
24	200	320	P1h	1	1	533124	**2 608 900 238**
24	400	520	P1h	1	1	533131	**2 608 900 239**
25	200	320	P1h	1	1	533148	**2 608 900 240**
25	400	520	P1h	1	1	533155	**2 608 900 241**
25	600	720	P1h	1	1	533162	**2 608 900 242**
25	800	920	P1h	1	1	533179	**2 608 900 243**
26	200	320	P1h	1	1	533193	**2 608 900 245**
26	400	520	P1h	1	1	533209	**2 608 900 246**
28	200	320	P1h	1	1	533216	**2 608 900 247**
28	400	520	P1h	1	1	533223	**2 608 900 248**
28	600	720	P1h	1	1	533230	**2 608 900 249**
28	800	920	P1h	1	1	533247	**2 608 900 250**
30	200	320	P1h	1	1	533261	**2 608 900 252**
30	400	520	P1h	1	1	533278	**2 608 900 253**
32	200	320	P1h	1	1	533285	**2 608 900 254**
32	400	520	P1h	1	1	533292	**2 608 900 255**
32	600	720	P1h	1	1	533308	**2 608 900 256**
32	800	920	P1h	1	1	533315	**2 608 900 257**
Pack of 5							
12	200	340	P0h	5	1	533346	**2 608 900 260**
16	200	340	P0h	5	1	533353	**2 608 900 261**
16	400	540	P0h	5	1	533360	**2 608 900 262**
18	200	340	P0h	5	1	533377	**2 608 900 263**
18	400	540	P0h	5	1	533384	**2 608 900 264**
20	200	320	P0h	5	1	533391	**2 608 900 265**
20	400	520	P0h	5	1	533407	**2 608 900 266**
22	400	520	P0h	5	1	533414	**2 608 900 267**
24	400	520	P0h	5	1	533421	**2 608 900 268**
25	400	520	P0h	5	1	533438	**2 608 900 269**
32	400	520	P0h	5	1	533445	**2 608 900 270**

SDS max-7 hammer drill bits



- **Suitable for** concrete and reinforced concrete, limestone, masonry
- For use in rotary hammers with SDS max holder
- Working lengths of 200, 400, 600, 800 and 1200 mm
- * 12 to 15 mm diameters are 2-cutters
- Re-closable packaging for professionals
- www.pgm.eu



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
16	1,200	1,340	P1h	1	1	564793	**2 608 586 755**
18	1,200	1,340	P1h	1	1	564861	**2 608 586 762**
19	400	520	P1h	1	1	565486	**2 608 586 764**
20	1,200	1,320	P1h	1	1	565530	**2 608 586 769**
22	1,200	1,320	P1h	1	1	565585	**2 608 586 774**
25	1,200	1,320	P1h	1	1	565646	**2 608 586 781**
28	1,200	1,320	P1h	1	1	565714	**2 608 586 788**
35	400	520	P1h	1	1	565790	**2 608 586 796**
35	600	720	P1h	1	1	565806	**2 608 586 797**
35	800	920	P1h	1	1	565813	**2 608 586 798**
35	1,200	1,320	P1h	1	1	565820	**2 608 586 799**
38	400	520	P1h	1	1	565462	**2 608 586 800**
38	600	720	P1h	1	1	565837	**2 608 586 801**
40	400	520	P1h	1	1	565844	**2 608 586 802**
40	800	920	P1h	1	1	565868	**2 608 586 804**
40	1,200	1,320	P1h	1	1	565875	**2 608 586 805**
45	400	520	P1h	1	1	565882	**2 608 586 806**
52	400	520	P1h	1	1	565899	**2 608 586 807**
Pack of 1							
32	1,200	1,320	P1h	1	1	565783	**2 608 586 795**
40	600	720	P1h	1	1	565851	**2 608 586 803**

SDS MAX-9 SPEED CLEAN

Drilling and cleaning in one step.



ACCURATE CENTRING


Centring tip for active cutting in concrete

EFFICIENT DUST REMOVAL

2 extraction holes

HIGH WEAR RESISTANCE

4-cutter with highly robust and aggressive carbide blades



SDS max-9 Speed Clean

SDS max-9 Speed**Clean**





- **Suitable for** drilling holes in concrete
- System: The best result is achieved in combination with an SDS max rotary hammer, e.g. Bosch GBH 8-45 DV Professional (0 611 265 000), and a dust class M dust extractor, e.g. Bosch GAS 55 M AFC Professional (0 601 9C3 300).
- **Note:** Always follow the instructions provided by the fixings manufacturer regarding the fitting of fixings.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
14	400	620	P1e	1	1	954037	**2 608 578 965**
16	400	620	P1e	1	1	857420	**2 608 576 293**
18	400	620	P1e	1	1	857437	**2 608 576 294**
20	400	620	P1e	1	1	857444	**2 608 576 295**
24	400	620	P1e	1	1	893893	**2 608 576 779**
25	400	590	PC1b	1	1	976589	**2 608 579 296**
25	500	720	P1e	1	1	857468	**2 608 576 297**
28	400	590	PC1b	1	1	976596	**2 608 579 297**
28	600	820	P1e	1	1	857475	**2 608 576 298**
30	600	820	P1e	1	1	857482	**2 608 576 299**
32	400	590	PC1b	1	1	976602	**2 608 579 298**
32	600	820	P1e	1	1	857499	**2 608 576 300**
35	400	590	PC1b	1	1	976619	**2 608 579 299**

SDS max-9 Speed Clean

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
35	650	870	P1e	1	1	857819	**2 608 576 301**



Replacement Connector SDS max

-	-	-	P1b	1	1	857826	**2 608 576 302**

Accessories for SDS max core cutters



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Adapter for machine side	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Adapter for two-piece max-9 Core Cutters						
460	SDS max	P1e	1	1	560047	**2 608 580 528**


SDS max-9 Core Cutters, two-piece, with thread

SDS max-9 CoreCutter





- Suitable for concrete, masonry, limestone
- Pilot drill bit included





PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Core cutter depth (L1) mm	Working length (L2) mm	Cutters, number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
45	80	112	6	C2h	1	1	557733	**2 608 580 518**
50	80	111	6	C2h	1	1	557740	**2 608 580 519**

CYL-3 concrete drill bits

CYL-3

- **Suitable for** drilling holes in concrete, masonry, limestone, brick
- Heavy duty drill bit, suitable for all impact drills
- PGM guarantee in compliance with tight tolerances, exactly drilled holes and firm hold of fixings
- Drill bit colour: silver-grey, sand-blasted





PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1							
3	40	70	PC1d	1	5	186674	**2 608 597 655**
4.5	40	75	PC1d	1	5	186698	**2 608 597 657**
5	50	85	PC1d	1	5	186704	**2 608 597 658**
5	90	150	PC1d	1	5	186896	**2 608 597 677**
5.5	50	85	PC1d	1	5	186711	**2 608 597 659**
5.5	90	150	PC1d	1	5	186902	**2 608 597 678**
6	60	100	PC1d	1	5	186728	**2 608 597 660**
6	90	150	PC1d	1	5	186919	**2 608 597 679**
6.5	90	150	PC1d	1	5	186926	**2 608 597 680**
6.5	350	400	P1c	1	1	187015	**2 608 597 689**
7	60	100	PC1d	1	5	186742	**2 608 597 662**
7	90	150	PC1d	1	5	186933	**2 608 597 681**
8	80	120	PC1d	1	5	186759	**2 608 597 663**
8	90	150	PC1d	1	5	212878	**2 608 597 898**
8	150	200	PC1d	1	5	186940	**2 608 597 682**
8	350	400	P1c	1	1	187022	**2 608 597 690**
10	80	120	PC1d	1	5	186773	**2 608 597 665**
10	90	150	PC1d	1	5	212885	**2 608 597 899**
10	150	200	PC1d	1	5	186957	**2 608 597 683**
10	250	300	P1c	1	5	186971	**2 608 597 685**
10	350	400	P1c	1	1	187039	**2 608 597 691**
11	90	150	PC1d	1	5	186780	**2 608 597 666**
12	90	150	PC1d	1	5	186797	**2 608 597 667**
13	90	150	PC1d	1	5	186803	**2 608 597 668**
14	90	150	PC1d	1	5	186810	**2 608 597 669**
16	100	160	P1c	1	5	186834	**2 608 597 671**
16	350	400	P1c	1	1	187060	**2 608 597 694**
Pack of 1							
6.5	60	100	PC1d	1	5	186735	**2 608 597 661**

CYL-3 concrete drill bit sets



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
7-piece CYL-3 concrete drill bit set							
4	40	75	P1k	7	1	601368	**2 607 017 082**
5	50	85					
6	60	100					
6	60	100					
7	60	100					
8	80	120					
10	80	120					

CYL-3 concrete drill bit sets





PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece CYL-3 concrete drill bit set							
4	40	75	P1k	5	1	601344	**2 607 017 080**
5	50	85					
6	60	100					
6	60	100					
8	80	120					
7-piece Robust Line CYL-3 concrete drill bit set							
4	40	75	P1k	7	5	446297	**2 607 010 545**
5	50	85					
6	60	100					
6	60	100					
8	80	120					
10	80	120					
12	90	150					

HIGH PRECISION DRILLING MULTIPLE MATERIALS

EXPERT CYL-9/HEX-9 MultiConstruction Drill Bits

: Ø 3mm - 16mm

EXPERT

1. Accurate drilling is easy with Bosch Centering Geometry
2. Start holes accurately with a specially-designed centering tip
3. High-performance carbide tip manufactured by fine grinding
4. Optimised dust extraction channel for fast, efficient drilling



CENTERING GEOMETRY

EXPERT HEX-9 MultiConstruction Drill Bits

EXPERT



- Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, soft tile, sheet metal, wood and plastic.
- Best for building trades: maximum precision and highly versatile.
- Up to 5x more precise than Bosch CYL-3 Drill Bit.
- Hex shank for a strong connection and maximum torque transmission in three-jaw chucks and ¼" internal hex tool holders.





CENTERING GEOMETRY | UP TO 5× PRECISION

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 1								
	3	45	90	PC1d	1	5	538624	**2 608 900 569**
	4	45	90	PC1d	1	5	538631	**2 608 900 570**
	5	50	100	PC1d	1	5	538648	**2 608 900 571**
	5.5	60	100	PC1d	1	5	538655	**2 608 900 572**

EXPERT HEX-9 MultiConstruction Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5.5	90	150	PC1d	1	5	538662	**2 608 900 573**
6	60	100	PC1d	1	5	538679	**2 608 900 574**
6.5	60	100	PC1d	1	5	538709	**2 608 900 577**
7	50	100	PC1d	1	5	538723	**2 608 900 579**
7	90	150	PC1d	1	5	538730	**2 608 900 580**
8	50	100	PC1d	1	5	538747	**2 608 900 581**
10	90	150	PC1d	1	5	538754	**2 608 900 582**
12	90	150	PC1d	1	5	538761	**2 608 900 583**

EXPERT HEX-9 MultiConstruction Drill Bit Sets

EXPERT



- Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, soft tile, sheet metal, wood and plastic.
- Best for building trades: maximum precision and highly versatile.
- Up to 5x more precise than Bosch CYL-3 Drill Bit.
- Hex shank for a strong connection and maximum torque transmission in three-jaw chucks and ¼" internal hex tool holders.





CENTERING GEOMETRY

UP TO 5× PRECISION

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece HEX-9 MultiConstruction drill bit set								
5	50	100	165.0 x 47.0 x 10	P1c	3	1	538778	**2 608 900 584**
6	60	100						
8	50	100						
5-piece HEX-9 MultiConstruction drill bit set								
4	45	90	135.0 x 73.0 x 15	P1h	5	1	538785	**2 608 900 585**
5	50	100						
6	60	100						
6	60	100						
8	50	100						
5.5	60	100	135.0 x 73.0 x 15	P1h	5	1	538792	**2 608 900 586**
6	60	100						
6	60	100						
7	60	100						
8	50	100						

EXPERT CYL-9 MultiConstruction Drill Bits

EXPERT



- Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, soft tile, sheet metal, wood and plastic.
- Best for building trades: maximum precision and highly versatile.
- Up to 5x more precise than Bosch CYL-3 Drill Bit.
- Cylindrical shank compatible with three-jaw drill chucks.





CENTERING GEOMETRY | UP TO 5× PRECISION

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 1							
3	40	70	PC1d	1	5	538938	**2 608 900 600**
3.5	40	70	PC1d	1	1	538952	**2 608 900 602**
4	40	75	PC1d	1	5	538976	**2 608 900 604**
4	80	130	PC1d	1	5	538983	**2 608 900 605**
5	50	85	PC1d	1	5	538990	**2 608 900 606**
5	90	150	PC1d	1	5	539003	**2 608 900 607**
5.5	50	85	PC1d	1	5	539027	**2 608 900 609**
5.5	100	150	PC1d	1	5	539034	**2 608 900 610**
6	60	100	PC1d	1	5	539041	**2 608 900 611**
6	90	150	PC1d	1	5	539058	**2 608 900 612**
6	200	250	PC1d	1	1	596488	**2 608 901 481**
6.5	60	100	PC1d	1	5	539089	**2 608 900 615**
6.5	90	150	PC1d	1	5	539096	**2 608 900 616**
6.5	200	250	PC1d	1	1	596495	**2 608 901 482**
7	60	100	PC1d	1	5	539119	**2 608 900 618**
7	90	150	PC1d	1	5	539126	**2 608 900 619**
7	200	250	PC1d	1	1	596501	**2 608 901 483**
8	80	120	PC1d	1	5	539140	**2 608 900 621**
8	90	150	PC1d	1	5	539157	**2 608 900 622**
8	200	250	PC1d	1	1	596518	**2 608 901 484**
9	80	120	PC1d	1	5	539188	**2 608 900 625**
10	80	120	PC1d	1	5	539195	**2 608 900 626**
10	90	150	PC1d	1	5	539201	**2 608 900 627**
10	200	250	PC1d	1	1	596525	**2 608 901 485**
11	90	150	PC1d	1	5	539232	**2 608 900 630**
12	90	150	PC1d	1	5	539249	**2 608 900 631**
12	200	250	PC1d	1	1	596549	**2 608 901 486**
14	150	200	PC1d	1	1	596556	**2 608 901 487**
14	200	250	PC1d	1	1	596570	**2 608 901 488**
16	150	200	P1c	1	1	596594	**2 608 901 489**
Pack of 8							
10	80	120	P1h	8	1	539379	**2 608 900 644**
Pack of 10							
4	40	75	P1h	10	1	539300	**2 608 900 637**
5	50	85	P1h	10	1	539317	**2 608 900 638**
5.5	50	85	P1h	10	1	539324	**2 608 900 639**
6	60	100	P1h	10	1	539331	**2 608 900 640**
7	60	100	P1h	10	1	539355	**2 608 900 642**
8	80	120	P1h	10	1	539362	**2 608 900 643**

EXPERT CYL-9 MultiConstruction Drill Bit Sets

EXPERT



- Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, soft tile, sheet metal, wood and plastic.
- Best for building trades: maximum precision and highly versatile.
- Up to 5x more precise than Bosch CYL-3 Drill Bit.
- Cylindrical shank compatible with three-jaw drill chucks.





CENTERING GEOMETRY | UP TO 5× PRECISION

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
4-piece Robust Line CYL-9 MultiConstruction drill bit set								
4	40	75	156.5 x 69.5 x 23	P1k	4	1	539386	**2 608 900 645**
5	50	85						
6	60	100						
8	80	120						
5.5	50	85	156.5 x 69.5 x 23	P1k	4	1	539393	**2 608 900 646**
6	60	100						
7	60	100						
8	80	120						
4-piece CYL-9 MultiConstruction drill bit set								
4	40	75	158.0 x 57.0 x 16	P1k	4	5	539423	**2 608 900 649**
5	50	85						
6	60	100						
8	80	120						
5.5	50	85	158.0 x 57.0 x 16	P1k	4	1	539430	**2 608 900 650**
6	60	100						
7	60	100						
8	80	120						
7-piece Robust Line CYL-9 MultiConstruction drill bit set								
4	40	75	197.0 x 87.5 x 23	P1k	7	1	539409	**2 608 900 647**
5	50	85						
6	60	100						
6	60	100						
8	80	120						
10	80	120						
12	90	150						
5	50	85	197.0 x 87.5 x 23	P1k	7	1	539416	**2 608 900 648**
5.5	50	100						
6	60	150						
6	90	150						
7	90	150						
8	90	150						
10	90	85						

LONG LIFE DRILLING HARD TILES

EXPERT HEX-9 HardCeramic Drill Bits

: Ø 3mm - 12mm

EXPERT

1. Extremely durable drill bit tip with Bosch Carbide Technology
2. High-performance carbide tip manufactured by fine grinding
3. Efficient drilling in hard materials with a multi-faceted design
4. Start holes accurately with a specially-designed centering tip




CARBIDE TECHNOLOGY

EXPERT HEX-9 HardCeramic Drill Bits

EXPERT



- Ideal for drilling holes in bathroom tiles, e.g. to install a shower partition wall; and drilling in roof tiles, without the need for cooling. Drills comfortably in tiles up to a hardness of PEI 5.
- Best for interior fitters and roofers: long lasting and practical.
- Lasts up to 10x longer than Bosch CYL-9 Ceramic Drill bit.
- Hex shank for a strong connection and maximum torque transmission in three-jaw chucks and ¼" internal hex tool holders.





CARBIDE TECHNOLOGY | UP TO 10× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter (D) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
Pack of 1							
	3	90	PC1d	1	1	232397	2 608 900 587
	4	90	PC1d	1	1	232403	2 608 900 588
	5	90	PC1d	1	1	232410	2 608 900 589
	6	90	PC1d	1	1	232427	2 608 900 590

EXPERT HEX-9 HardCeramic Drill Bits

EXPERT


PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
7	90	PC1d	1	1	232434	**2 608 900 591**
8	90	PC1d	1	1	232441	**2 608 900 592**
10	90	PC1d	1	1	232458	**2 608 900 593**
12	90	PC1d	1	1	232465	**2 608 900 594**

EXPERT HEX-9 HardCeramic Drill Bit Sets

EXPERT



- Ideal for drilling holes in bathroom tiles, e.g. to install a shower partition wall; and drilling in roof tiles, without the need for cooling. Drills comfortably in tiles up to a hardness of PEI 5.
- Best for interior fitters and roofers: long lasting and practical.
- Lasts up to 10x longer than Bosch CYL-9 Ceramic Drill Bit.
- Hex shank for a strong connection and maximum torque transmission in three-jaw chucks and ¼" internal hex tool holders.






CARBIDE TECHNOLOGY

UP TO 10× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
3-piece HEX-9 HardCeramic tile drill bit set							
5 **6** **8**	-	90	P1c	3	1	232472	**2 608 900 595**
5-piece HEX-9 HardCeramic tile drill bit set							
4 **5** **6** **8** **10**	-	90	P1h	5	1	232496	**2 608 900 597**

CYL-9 SoftCeramic Tile Drill Bits



- **Suitable for** all soft density tiles and non-toughened glass
- Drill bit colour: white
- **Note:** Use with low speeds and without impact. No cooling required.



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1						
3	70	PC1d	1	5	599184	**2 608 587 157**
4	70	PC1d	1	5	599191	**2 608 587 158**
5	70	PC1d	1	5	599207	**2 608 587 159**
6	80	PC1d	1	5	599221	**2 608 587 161**
7	80	PC1d	1	5	599245	**2 608 587 163**
8	80	PC1d	1	5	599252	**2 608 587 164**
12	90	PC1d	1	5	599276	**2 608 587 166**
14	90	PC1d	1	5	599283	**2 608 587 167**
Pack of 1						
10	90	PC1d	1	5	599269	**2 608 587 165**

CYL-9 SoftCeramic Tile Drill Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece CYL-9 SoftCeramic tile drill bit set						
4	70	P1k	5	1	599306	**2 608 587 169**
5	70					
6	80					
8	80					
10	90					

PICK AND CLICK

Build your own screwdriver bit sets.

The best your tool can get. Bosch Professional Accessories.





SCREWDRIVER BITS FROM BOSCH

Equipped for any application.



Impact Control



Extra Hard

Page number	86	98
Available bit types		
Length mm	25 – 150	25 – 152
Customizable sets	✓	–

SET CONTENTS


Insert bits	✓	✓
Power bits	✓	✓
Double ended bits	✓	✓
Twist drill bits with hex shank	✓	✓
Multi Construcion drill bits with hex shank	✓	✓
Concrete drill bits with hex shank	✓	✓
Brad point drill bits with hex shank	–	✓
Nut setters	✓	✓
Universal holder	✓	✓

BIT TYPES

- Phillips®
- Sec Torx®
- Slotted
- Pozidriv
- Internal hex
- Internal Torx®
- Internal square

Impact Control Screwdriver Bit Sets


Impact Control



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
36-Piece screwdriver bit and nutsetter set with double-ended bits, Universal Holder Quick Release and Standard Magnetic						
PH2 (2x)	60	PC1b	36	6	851558	**2 608 522 365**
PZ2 (2x)	60					
T20, T25, T30	50					
PH1, PH2 (3x), PH3	50					
PZ2 (2x), PZ3	50					
T15, T20 (2×), T25 (2×), T30 (2×), T40	25					
PH1-PH2	25					
PH2-PH3	25					
PH2-PZ2 (2x)						
SL1x5.5						
T15-T20 (2x)						
T25-T30						
Nutsetter 8/10/13 mm						
Universal Holder Quick Release						
Universal Holder Standard Magnetic						

IMPACT CONTROL BITS

Highly robust – even withstand impact drivers.



Impact Control Screwdriver Bit Packs

Impact Control

PICK & CLICK | highly ROBUST | torsionzone



PRODUCT PROPERTIES			ORDERING INFORMATION				
	Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 8 (Index)							
○ **H5 (4x), H6 (4x)**		50	PC1a	8	5	851220	**2 608 522 332**

Impact Control Screwdriver Bit Packs



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 7 (Index)						
Universal Holder **Quick Release** **PH2** **PZ2** **T15, T20, T25, T30**	60 50 50 50	PC1a	7	5	851176	**2 608 522 327**

Impact Control Sockets

Impact Control

highly ROBUST



PRODUCT PROPERTIES					ORDERING INFORMATION				
Width across flat mm	Outer diameter (D1) mm	Outer diameter (D2) mm	For thread	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Internal square drive 1/2", ISO 1174-1									
10	15	22	M 6	77	P1e	1	1	813891	**2 608 522 302**
11	16.3	22	M 7	77	P1e	1	1	813907	**2 608 522 303**
13	19.5	18.8	M 8	77	P1e	1	1	813914	**2 608 522 304**
17	19.5	23.8	M 10	77	P1e	1	1	813921	**2 608 522 305**
19	19.5	25.85	M 12	77	P1e	1	1	813938	**2 608 522 306**
21	19.5	27.8	-	77	P1e	1	1	813952	**2 608 522 308**
22	19.5	29.8	M 14	77	P1e	1	1	813969	**2 608 522 309**
24	19.5	31.75	M 16	77	P1e	1	1	813976	**2 608 522 310**
27	19.5	35.75	M 18	77	P1e	1	1	813983	**2 608 522 311**

Socket Sets



PRODUCT PROPERTIES				ORDERING INFORMATION				
Width across flat mm	Length mm	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece socket set							
17 **19** **21**	85	1/2	M0a	3	1	704168	**2 608 551 102**

Impact Control Screwdriver Bit Sets


















PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode …	Part number
Modular 24-piece Impact Tough Screwdriver Bit Set						
PH1 (2x), PH2 (3x), PH3	25	M0a	24	3		**2 610 045 672**
PH2R	25					
R1 (2x), R2 (2x), R3	25					
T15, T20 (2x)	25					
P2R2	50					
PH2 (2x)	50					
R2 (2x)	50					
T25, T30						
Universal Holder Standard Magnetic						
Modular 44-piece Impact Tough Screwdriver Bit Set						
PH1 (2x), PH2 (5x), PH3 (2x)	25	PC1a	44	3		**2 610 045 673**
PH2R (2x)	25					
R1 (2x), R2 (3x), R3 (2x)	25					
T15 (2x), T20, T25 (2x), T30 (2x), T40 (2x)	25					
P2R2 (2x)	50					
PH1, PH2 (2x), PH3	50					
R1 (2x), R2 (2x), R3	50					
T15, T20, T25 (2x), T30, T40						
Universal Holder Standard Magnetic						
Modular 48-piece Impact Tough Screwdriver Bit Set						
PH1 (2x), PH2 (6x), PH3 (2x)	25	PC1a	52	3		**2 610 045 674**
PH2R (2x)	25					
R1 (2x), R2 (6x), R3 (2x)	25					
T15 (5x), T20 (2x), T25	25					
P2R2 (2x)	50					
PH2 (4x), PH3	50					
R1 (2x), R2 (2x), R3	50					
T20 (2x), T25 (2x)	50					
PH2-PH2	60					
R2-R2	60					
T25-T25	60					
Universal Holder Standard Magnetic						

Impact Control Screwdriver Bit Sets

PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode ...	Part number
Impact Tough Modular Set, Medium Empty Modular Case						
-	-	M0a	1	3		**2 610 046 117**
Impact Tough Modular Set, Large Empty Modular Case						
-	-	PC1b	1	3		**2 610 046 119**
Impact Tough Modular Set, Case in Case Storage Box						
-	-	PC1c	1	5		**2 610 046 121**

Impact Tough Screwdriver Bits









PRODUCT PROPERTIES			ORDERING INFORMATION				
	Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode ...	Part number
Pack of 1							
	P2R2	50	PC1c	1	5		**2 610 039 573**
	PH1	150	PC1c	1	5		**2 610 039 593**
	PH1	90	PC1c	1	5		**2 610 039 582**
	PH1	50	PC1c	1	5		**2 610 039 564**
	PH2	50	PC1c	1	5		**2 610 039 565**
	PH2	90	PC1c	1	5		**2 610 039 583**
	PH2	150	PC1c	1	5		**2 610 039 594**
	PH3	90	PC1c	1	5		**2 610 039 584**
	PH3	150	PC1c	1	5		**2 610 039 595**
	PZ2	50	PC1c	1	5		**2 610 050 956**
	R1	150	PC1c	1	5		**2 610 039 596**
	R1	90	PC1c	1	5		**2 610 039 585**
	R2	150	PC1c	1	5		**2 610 039 597**
	R2	50	PC1c	1	5		**2 610 039 569**
	R2	90	PC1c	1	5		**2 610 039 586**
	R3	150	PC1c	1	5		**2 610 039 598**
	R3	50	PC1c	1	5		**2 610 039 572**
	R3	90	PC1c	1	5		**2 610 039 587**
	T15	50	PC1c	1	5		**2 610 039 575**
	T20	50	PC1c	1	5		**2 610 039 576**
	T25	50	PC1c	1	5		**2 610 039 578**
	T40	50	PC1c	1	5		**2 610 039 581**
	HEX4	50	PC1d	1	5		**2 610 050 957**
	HEX5	50	PC1c	1	5		**2 610 050 958**
	HEX5	90	PC1d	1	5		**2 610 050 964**
	HEX5	150	PC1d	1	5		**2 610 050 965**
	HEX6	50	PC1c	1	5		**2 610 050 959**
Pack of 1							
	PH3	50	PC1c	1	5		**2 610 039 567**
Pack of 1							
	T30	50	PC1c	1	5		**2 610 039 580**
Pack of 2							
	PH2	25	PC1c	2	5		**2 610 039 544**
	PH1	25	PC1c	2	5		**2 610 039 536**
	PH2	25	PC1c	2	5		**2 610 039 538**
	PH3	25	PC1c	2	5		**2 610 039 542**
	R1	25	PC1c	2	5		**2 610 039 551**
	R2	25	PC1c	2	5		**2 610 039 554**
	R3	25	PC1c	2	5		**2 610 039 557**
	T10	25	PC1d	2	5		**2 610 050 953**
	T15	25	PC1c	2	5		**2 610 039 558**
	T20	25	PC1c	2	5		**2 610 039 559**
	T25	25	PC1c	2	5		**2 610 039 560**
	T27	25	PC1d	2	5		**2 610 050 954**
	T30	25	PC1c	2	5		**2 610 039 561**
	T40	25	PC1c	2	5		**2 610 039 562**

Impact Tough Screwdriver Bits








PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode ...	Part number
Pack of 3						
T15, T20, T25						
-	50	PC1c	3	5		2 610 050 955
Pack of 5						
P2R2	50	PC1c	5	5		2 610 039 574
PH2	25	PC1c	5	5		2 610 039 539
PH2	50	PC1c	5	5		2 610 039 566
R2	25	PC1c	5	5		2 610 039 555
R2	50	PC1c	5	5		2 610 039 571
HEX5	50	PC1c	5	5		2 610 050 960
Pack of 15						
PH2	25	P1k	15	5		2 610 039 540
PH2	50	P1k	15	5		2 610 041 078
R2	25	P1k	15	5		2 610 039 556
R2	50	P1k	15	5		2 610 041 079


Impact Tough Screwdriver Bit Packs












Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode …	Part number
PRODUCT PROPERTIES		**ORDERING INFORMATION**				
Pack of 8						
PH1 (2x), PH2 (4x), PH3 (2x)	25	P1d	8	5		**2 610 046 083**
PH1 (8x)	25	PC1c	8	5		**2 610 046 085**
R1 (2x), R2 (4x) R3 (2x)	25	PC1c	8	5		**2 610 046 087**
T15, T20 (2x), T25 (3x), T30, T40	25	PC1c	8	5		**2 610 046 089**
PH2 (3x)	25	PC1c	8	5		**2 610 046 091**
R2 (2x)	25					
T25 (3x)	25					

Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode …	Part number
Pack of 8						
PH1 (2x), PH2 (4x), PH3 (2x)	50	PC1c	8	5		**2 610 046 093**
PH2 (8x)	50	PC1c	8	5		**2 610 046 095**
R1 (2x), R2 (4x), R3 (2x)	50	PC1c	8	5		**2 610 046 097**
		PC1c	8	5		**2 610 046 099**
PH2 (3x)	50	PC1c	8	5		**2 610 046 101**
R2 (2x)	50					
T25 (3x)	50					
HEX5 (8x)	50	PC1c	8	5		**2 610 050 961**
HEX3, HEX4 (2x), HEX5 (3x), HEX6 (2x)	50	PC1d	8	5		**2 610 050 962**



Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode …	Part number
Pack of 4						
PH1, PH2, PH3	65	PC1c	4	5		**2 610 046 103**
R1, R2, R3	65	PC1c	4	5		**2 610 046 105**
T15-T20, T25, T30-T40	65	PC1c	4	5		**2 610 046 107**
PH2	65	PC1c	4	5		**2 610 046 109**
R2	65					
T25	65					
P2R2	65					



Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode …	Part number
Pack of 4 1/4", 5/16", 3/8", 7/16"						
-	50	PC1c	4	5		**2 610 046 111**

Impact Tough Screwdriver Bit Packs



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode ...	Part number
Pack of 7						
PH2	50	PC1c	7	5		2 610 050 963
R1, R2	50					
HEX5 (8x)	50					
T25	50					
P2R2	50					
Universal Holder Quick Release	50					

Impact Tough Screwdriver Double-Ended Bits





PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode ...	Part number
Pack of 1						
P2R2	90	PC1c	1	5		2 610 039 627
P2R2	150	PC1c	1	5		2 610 039 639
PH2	90	PC1c	1	5		2 610 039 622
PH2	150	PC1c	1	5		2 610 039 634
R2	90	PC1c	1	5		2 610 039 625
R2	150	PC1c	1	5		2 610 039 637
T15	150	PC1c	1	5		2 610 039 641
T20	150	PC1c	1	5		2 610 039 642
T25	150	PC1c	1	5		2 610 039 643
T30	150	PC1c	1	5		2 610 039 644



Pack of 3						
PH2	65	PC1c	3	5		2 610 039 606
Pack of 3						
R2	65	PC1c	3	5		2 610 039 610
P2R2	65	PC1c	3	5		2 610 039 614
HEX5	65	PC1c	3	5		2 610 050 966

Impact Tough Screwdriver Double-Ended Bit Mixed Packs







PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode …	Part number
Pack of 3						
◆ PH2-PH2 ◆ R2-R2 ○ T25-T25	65 65 65	PC1c	3	5		**2 610 041 081**
◆ PH2 ○ PZ2	65 65	PC1c	3	5		**2 610 050 968**
◆ PH1-PH2 ◆ PH2-PH2 ◆ PH2-PH3	65 65 65	PC1c	3	5		**2 610 039 608**
◆ R1-R2 ◆ R2-R2 ◆ R2-R3	65 65 65	PC1c	3	5		**2 610 039 613**
○ T15-T20 ○ T25-T25 ○ T25-T30	65 65 65	PC1c	3	5		**2 610 039 620**
Pack of 3						
◆ PH2 ○ HEX5	65 65	PC1c	3	5		**2 610 050 967**

Impact Tough Nutsetters



PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Width across flat inches	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode ...	Part number
1/4", 5/16", 3/8" nutsetters							
50	1/4 5/16 3/8	1/4	PC1c	3	5		**2 610 039 652**
65	1/4 5/16 3/8	1/4	PC1c	3	5		**2 610 039 658**



1/4" nutsetter							
65	1/4	-	PC1c	1	5		**2 610 039 653**
5/16" nutsetter							
65	5/16	-	PC1c	1	5		**2 610 039 654**
1/2" nutsetter							
65	1/2	-	PC1c	1	5		**2 610 039 657**
7/16" nutsetter							
65	7/16	-	PC1c	1	5		**2 610 039 656**
3/8" nutsetter							
65	3/8	-	PC1c	1	5		**2 610 039 655**

Impact Tough Bit Holders



PRODUCT PROPERTIES		ORDERING INFORMATION				
Drive end Inch	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode ...	Part number
Magnetic sleeve for use with Impact Tough double-ended bits						
1/4	-	PC1c	1	5		**2 610 039 646**
Quick Change bit holder						
-	60	PC1c	1	5		**2 610 039 563**

Impact Tough Socket Adapters









PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Shank inch	Width across flat inches	Packaging type	Pack quantity	Minimum order quantity	Barcode ...	Part number
Socket Adaptor 1/4" Hex to 1/4" Square							
-	-	-	P1e	1	5		**2 610 039 695**
Socket Adaptor 1/4" Hex to 3/8" Square							
-	-	-	P1e	1	5		**2 610 039 696**
Socket Adaptor 1/4" Hex to 1/2" Square							
-	-	-	P1e	1	5		**2 610 039 697**
1/4" Adapters for 1/4", 3/8" and 1/2" sockets							
47.6	1/4	1/4 3/8 1/2	PC1c	3	5		**2 610 050 969**

Extra Hard for Phillips cross head screws

PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Drive ISO 1173 C6.3, 1/4" external hex shank						
PH2	25	PC1d	3	5	300377	**2 607 001 511**
PH2	25	PC1d	10	1	300384	**2 607 001 512**
PH1	25	P1b	25	1	300360	**2 607 001 510**
PH3	25	P1b	25	1	300421	**2 607 001 516**
PH2	25	P1b	100	1	300407	**2 607 001 514**
PH3	25	P1b	100	1	300438	**2 607 001 517**
Drive ISO 1173 C6.3, 1/4" external hex shank						
PH2	51	PC1d	3	5	300483	**2 607 001 522**
Drive ISO 1173 E6.3, 1/4" external hex shank						
PH1	49	PC1d	3	5	300520	**2 607 001 526**
PH2	49	PC1d	3	5	300544	**2 607 001 528**
Drive ISO 1173 E6.3, 1/4" external hex shank						
PH2	89	PC1d	3	5	300612	**2 607 001 535**
Drive ISO 1173 E6.3, 1/4" hex shank with spring ring for screw gun MA55						
PH2	145	PC1d	1	5	632850	**2 608 522 068**
Drive ISO 1173 E6.3, 1/4" hex shank						
PH2	152	PC1d	1	5	300667	**2 607 001 540**

Extra Hard for Pozidriv cross head screws

Drive ISO 1173 C6.3, 1/4" external hex shank						
PZ1	25	P1b	25	1	300827	**2 607 001 556**
PZ2	25	P1b	25	1	300865	**2 607 001 560**
PZ3	25	P1b	25	1	300902	**2 607 001 564**
Drive ISO 1173 E6.3, 1/4" external hex shank						
PZ2	49	PC1d	3	5	301039	**2 607 001 577**
Drive ISO 1173 E6.3, 1/4" external hex shank						
PZ2	89	PC1d	3	5	301091	**2 607 001 583**
Drive ISO 1173 E6.3, 1/4" external hex shank with spring ring for screw gun MA55						
PZ2	145	PC1d	1	5	632867	**2 608 522 069**
Drive ISO 1173 E6.3, 1/4" external hex shank						
PZ2	152	PC1d	1	5	301145	**2 607 001 588**

Extra Hard for internal Torx® screws





PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Drive ISO 1173 C6.3, 1/4" external hex shank						
T10	25	PC1d	3	5	301305	**2 607 001 604**
T27	25	PC1d	3	5	301459	**2 607 001 619**
T15	25	PC1d	10	1	301343	**2 607 001 608**
T20	25	PC1d	10	1	301381	**2 607 001 612**
T25	25	PC1d	10	1	301428	**2 607 001 616**



Drive ISO 1173 E6.3, 1/4" external hex shank						
T20	49	PC1d	1	5	301626	**2 607 001 636**
T25	49	PC1d	1	5	301640	**2 607 001 638**
T30	49	PC1d	1	5	301688	**2 607 001 642**

Extra Hard for internal hex screws





Drive ISO 1173 E6.3, 1/4" external hex shank						
HEX4	49	PC1d	3	5	302586	**2 607 001 733**
HEX5	49	PC1d	3	5	302593	**2 607 001 734**
HEX6	49	PC1d	3	5	302609	**2 607 001 735**

Extra Hard for internal square screws









Drive ISO 1173 C6.3, 1/4" external hex shank						
R1	25	P1b	25	1	447287	**2 608 521 111**
Drive ISO 1173 E6.3, 1/4" external hex shank						
R2	49	PC1d	3	5	447324	**2 608 521 115**
Drive ISO 1173 E6.3, 1/4" external hex shank						
R2	89	PC1d	3	5	447362	**2 608 521 118**

Extra Hard 5-piece Screwdriver Bit Packs


▶ Torx® = T



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece screwdriver bit pack, Extra Hard version (Torx®)						
T10, T15, T20, T25, T30	25	PC1d	5	5	302937	**2 607 001 768**

Extra Hard Double-Ended Bit Packs

▶ Slotted screw = S, Phillips = PH, Pozidriv = PZ



PRODUCT PROPERTIES			ORDERING INFORMATION				
Dimensions, 1st bit	Dimensions, 2nd bit	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
PH2	PH2	45	PC1d	1	5	302654	**2 607 001 740**
PZ2	PZ2	45	PC1d	1	5	302678	**2 607 001 742**
PH2	S1.0x5.5	45	PC1d	1	5	302630	**2 607 001 738**

Extra Hard Robust Line Screwdriver Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
18+1-piece Robust Line screwdriver bit set L, Extra Hard version Bit length 25 mm, ISO 1173 C6.3, with quick-change universal holder						
PH1, PH2, PH3 **PZ1, PZ2, PZ3** **T10, T15, T20, T25, T30, T40** **S0.6x4.5, S0.8x5.5, S1.2x8.0** **HEX4, HEX5, HEX6 + QC UH**	25	P1k	19	5	401517	**2 607 002 568**

Extra Hard 32-piece Screwdriver Bit Sets



32-piece screwdriver bit set with quick-change universal holder						
PH1, PH2 (2x), PH3 **PZ1, PZ2 (2x), PZ3** **HEX 3/4/5/6** **T10, T15, T20 (2x), T25, T27, T30, T40** **S 3/4/5/6** **Th 10/15/20/25/27/30/40**	25	P1k	32	10	761734	**2 607 017 319**

Extra Hard Nutsetters for Hex Screws



PRODUCT PROPERTIES					ORDERING INFORMATION				
Length mm	Width across flat mm	Width across flat inches	Diameter (D1) mm	For thread	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Nutsetter with permanent magnet									
50	6	-	-	M 3.5	PC1a	1	5	081474	**2 608 550 069**
50	8	-	-	M 5	PC1a	1	5	084987	**2 608 550 080**
50	10	-	-	M 6	PC1a	1	5	084994	**2 608 550 081**
50	-	1/4	-	-	PC1a	1	5	081511	**2 608 550 073**
50	-	3/8	-	-	PC1a	1	5	085007	**2 608 550 082**



Nutsetter with permanent magnet									
In conjunction with depth stops 3 600 552 506 and 3 600 552 507									
GSR 6-25 TE Professional									
65	8	-	12.6	M 5	PC1a	1	5	044509	**2 608 550 037**
65	10	-	14.5	M 6	PC1a	1	5	044523	**2 608 550 039**
65	-	5/16	12.6	-	PC1a	1	5	044486	**3 608 550 504**
65	-	3/8	14.1	-	PC1a	1	5	044493	**3 608 550 505**



Nutsetter with permanent magnet									
In conjunction with depth stop 2 607 002 586									
GSR 6-25 TE (0 601 441 3..) Professional									
65	8	-	13	M 5	PC1a	1	5	409957	**2 608 550 560**
65	-	1/4	12	-	PC1a	1	5	409971	**2 608 550 562**

Extra Hard Nutsetter Sets for Hex Screws



PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Width across flat mm	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece nutsetter pack							
Nutsetter with permanent magnet							
50	8 10 13	1/4	PC1a	3	5	700955	**2 608 551 078**

Extra Hard Nutsetter Sets for Hex Screws



PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Width across flat mm	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece nutsetter set							
Nutsetter with permanent magnet							
50	6 7 8 10 12 13	1/4	C0a	6	10	700962	**2 608 551 079**

Adapter for Screwdriver Bits

Impact Control

PICK CLICK | highly ROBUST | 1/4"



PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Shank	External square drive end, inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Adapter for sockets 1/4" external hex shank drive, ISO 1173 C6.3							
50	1/4" external hex	1/2	PC1a	1	5	704212	**2 608 551 107**

SDS CHISELS

Remove material more effectively.

The best your tool can get. Bosch Professional Accessories.





CHISEL WITH SDS PLUS SHANK

The right chisel for any application.



Self-sharpening Pointed chisel



Pointed chisel



Self-sharpening Flat chisel



Flat chisel

Page number	108	108	108	108
Total length mm	250	140 / 250	250	140 / 250
Cutting edge mm	–	–	20	20

MATERIALS

Masonry	✓	✓	✓	✓
Concrete	✓	✓	✓	✓



Self-sharpening Spade chisel



Spade chisel



Self-sharpening Tile chisel


Page number	109	109	109
Total length mm	250	140 / 250	260
Cutting edge mm	40 / 60	40	40

MATERIALS

Masonry	✓	✓	–
Concrete	✓	✓	–
Tiles	–	–	✓
Bricks	–	–	–
Asphalt	✓	✓	–
Wood	–	–	–
Mortar	–	–	–

POINTED CHISEL WITH SDS-PLUS SHANK

High demolition power.



Pointed Chisels with SDS plus Shank

long LIFE SDS plus

- For use via SDS plus chisel attachment or directly in SDS plus hammers with rotation stop.

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Pointed chisel, Long Life with 30% longer lifetime and 15% higher material removal rate SDS plus pointed chisel is ideal for precision jobs in concrete without any work interruptions and with less jamming						
	250	P1e	1	1	370936	**2 609 390 576**

Flat Chisels with SDS plus Shank

long LIFE SDS plus

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Flat chisel, Long Life with 30% longer lifetime and 15% higher material removal rate SDS plus flat chisel is ideal for various applications in concrete with less jamming and more progress							
	250	20	P1e	1	1	308908	**2 609 390 394**

Spade Chisels with SDS plus Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Spade chisel, self-sharpening, Long Life with 30% higher material removal rate The SDS plus spade chisel delivers a high material removal rate in masonry and mortar						
250	40	P1e	1	1	425940	**2 608 690 101**

Tile Chisels with SDS plus Shank



Tile chisel, angled, self-sharpening, Long Life with 30% higher material removal rate SDS plus tile chisel delivers clean and fast removal of wall and floor tiles						
260	40	P1e	1	1	328012	**2 608 690 091**

CHISEL WITH SDS MAX SHANK

The right chisel for any application.



Self-sharpening Pointed chisel



Pointed chisel



Self-sharpening Flat chisel



Flat chisel

Page number	114	114	114	114
Total length mm	400	280 / 300 / 400 / 600	400	280 / 300 / 400 / 600
Cutting edge mm	–	–	25	25
MATERIALS				
Masonry	✓	✓	✓	✓
Concrete	✓	✓	✓	✓

CHISEL WITH SDS MAX SHANK

The right chisel for any application.



Self-sharpening Spade chisel



Spade chisel



Self-sharpening Tile chisel

Page number	114	114	115
Total length mm	350 / 400	300 / 350 / 400	300
Cutting edge mm	50 / 80 / 115	50 / 80 / 115	50
Dimension mm	–	–	–

MATERIALS

Masonry	✓	✓	–
Concrete	✓	✓	–
Tiles	–	–	✓
Bricks	–	–	–
Compact soil and gravel	–	–	–
Asphalt	✓	✓	–
Earth rods	–	–	–
Mortar and plaster	–	–	–

			
	Tile chisel	**Excavation chisel**	**Asphalt cutter**
	115	**115**	**115**
	300	**400**	**400**
	80	**110**	**90**
	–	–	–
	–	–	–
	–	–	–
	✓	–	–
	–	–	–
	–	✓	–
	–	–	✓
	–	–	–
	–	–	–

Chisels for heavy rotary and demolition hammers

Pointed Chisels RTec Speed with SDS max Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
RTec Speed pointed chisel, self-sharpening with 30% higher material removal rate SDS max RTec Speed pointed chisel is ideal for precision jobs in concrete						
	400	P1e	1	1	533621	**2 608 690 167**

Pointed Chisels with SDS max Shank



Pointed chisel SDS max pointed chisel delivers standard chiselling in concrete and brick for various demolition applications						
	300	P1e	1	1	038942	**1 618 600 015**
	600	P1e	1	1	022118	**1 618 600 012**

Flat Chisels RTec Sharp with SDS max Shank



PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
RTec Sharp flat chisel, self-sharpening, Long Life with 100% higher material removal rate SDS max RTec Sharp flat chisel is ideal for various applications in concrete							
	400	25	P1e	1	1	460385	**2 608 690 124**
			C0a	10	1	530200	**2 608 690 166**

Flat Chisels with SDS max Shank



Flat chisel SDS max flat chisel provides standard chiselling for various demolition applications in concrete and brick						
	300	25	P1e	1	1	038966	**1 618 600 204**
	600	25	P1e	1	1	022132	**1 618 600 203**

Spade Chisels with SDS max Shank



Spade chisel, self-sharpening, Long Life with 30% higher material removal rate The SDS max spade chisel delivers a high material removal rate in masonry and mortar						
	350	50	P1e	1	1	397315	**2 608 690 097**

Spade Chisels with SDS max Shank



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Spade chisel						
SDS max spade chisel offers standard chiselling for various demolition applications in concrete and brick						
300	80	P1e	1	1	033398	**1 618 601 008**
350	115	P1e	1	1	022156	**1 618 601 007**

Tile Chisels with SDS max Shank



Tile chisel, self-sharpening, Long Life with 30% higher material removal rate						
SDS max tile chisel is ideal for the clean removal of wall and floor tiles						
300	50	P1e	1	1	397322	**2 608 690 098**



Tile chisel						
SDS max tile chisel is equipped for the standard removal of wall and floor tiles						
300	80	P1e	1	1	052979	**1 618 601 019**

Excavation Chisels with SDS max Shank



Excavation chisel						
SDS max excavation chisel delivers easy loosening of heavily compacted soil and ground to make digging possible						
400	110	P1e	1	1	049283	**1 618 601 017**

Asphalt Cutters with SDS max Shank



Asphalt cutter						
SDS max asphalt cutter is ideal for the targeted breaking up of road surfaces to restore asphalt covering						
400	90	P1e	1	1	079761	**2 608 690 003**

Chisels with 28 mm Hex Shank

Pointed Chisels with 28 mm Hex Shank

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Pointed chisel, self-sharpening Pointed chisel delivers a constantly high material removal rate	**400**	U0	1	1	425995	**2 608 690 106**
 Pointed chisel has a pointed tip for precise adjustment work in concrete	**520**	U0	1	1	042543	**1 618 600 019**

Flat Chisels with 28 mm Hex Shank

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Flat chisel provides standard chiselling for various demolition applications in concrete and brick						
520	35	U0	1	1	042550	**1 618 600 206**

Chisels with 30 mm Hex Shank

Pointed Chisels with 30 mm Hex Shank

long LIFE



PRODUCT PROPERTIES	ORDERING INFORMATION					
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pointed chisel, self-sharpening Pointed chisel delivers a constantly high material removal rate					
400	U0	1	1	426046	**2 608 690 111**

Flat Chisels with 30 mm Hex Shank

long LIFE



PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Flat chisel provides standard chiselling for various demolition applications in concrete and brick						
400	35	U0	1	1	426053	**2 608 690 112**

Spade Chisels with 30 mm Hex Shank

long LIFE



Spade chisel offers standard chiselling for various demolition applications in concrete and brick						
450	75	U0	1	1	426060	**2 608 690 113**

DIAMOND ACCESSORIES

Cut, grind, and drill in the toughest materials.

The best your tool can get. Bosch Professional Accessories.





DIAMOND CUTTING DISCS CERAMIC

For angle grinders.







	Hard Ceramic	Best for Ceramic Extraclean Turbo	Standard for Ceramic
	EXPERT		
Page number	127	129	130
Diameter mm	76 – 125	115 – 125	110 – 230
Cutting width mm	1.4 – 1.9	1.4 – 1.8	1.6
Bore diameter	10.0 / 22.23	22.23	22.23
X-LOCK	✓	✓	✓
	UP TO 3×* PRECISION DIAMOND TECHNOLOGY		

MATERIALS

Hard Ceramic (Porcelain tiles)	✓	–	–
Drywall board, fiber cement board	✓	✓	✓
Ceramic tiles	✓	✓	✓
Polystyrene, cardboard	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products

DIAMOND CUTTING DISCS STONE

For angle grinders.



Best for Stone



Standard for Stone

Page number	131	131
Diameter mm	115 – 300	115 – 300
Cutting width mm	2.2 – 2.8	1.6 – 3.1
Bore diameter	22.23	22.23

MATERIALS

Granite	✓	✓
Natural stone	✓	✓
Concrete	✓	✓
Pavement / garden slabs	✓	✓

DIAMOND CUTTING DISCS UNIVERSAL
For angle grinders.





	Multi Material Discs EXPERT	Best for Universal Turbo
Page number	132	133
Diameter mm	115 – 300	115 – 230
Cutting width mm	2.2 – 2.8	2.2 – 2.5
Bore diameter	22.23	22.23
X-LOCK	✓	–
	UP TO 4x* LONG LIFE DIAMOND TECHNOLOGY	

MATERIALS

Building site material	✓	✓
Concrete	✓	✓
Reinforced concrete	✓	–
Brick	✓	✓
Sand-, limestone	✓	✓
Rooftile	✓	✓

*Bosch EXPERT products vs. Bosch standard products

		
	Standard for Universal	**Standard for Universal Turbo**
	135	**134**
	115 – 300	**115 – 300**
	2.0 – 3.3	**2.0 – 3.0**
	22.23	**22.23**
	✓	–
	✓	✓
	✓	✓
	✓	–
	✓	✓
	✓	✓
	✓	✓

DIAMOND CUTTING DISCS CONCRETE

For angle grinders.






	Best for Concrete	Standard for Concrete
Page number	**136**	**136**
Diameter mm	**115 – 300**	**115 – 300**
Cutting width mm	**2.2 – 2.8**	**1.6 – 3.1**
Bore diameter	**22.23**	**22.23**
MATERIALS		
Concrete	✓	✓
Reinforced concrete	✓	✓
Garden slabs	✓	✓

*Only cut through reinforcement if approval has been given by a structural engineer.

DIAMOND CUTTING DISCS MARBLE

For angle grinders.



Best for Marble

Page number	137
Diameter mm	115 – 230
Cutting width mm	2.2
Bore diameter	22.23

MATERIALS

Marble	✓
Limestone	✓
Perspex	✓

DIAMOND CUTTING DISCS ABRASIVE

For angle grinders.



Best for Abrasives



Standard for Abrasives

Page number	138	138
Diameter mm	115 – 230	115 – 230
Cutting width mm	2.2 – 2.4	1.6 / 2.3
Bore diameter	22.23	22.23

MATERIALS

Limestone / sandstone	✓	✓
Brick	✓	✓
Fresh concrete	✓	✓
Porous concrete	✓	✓
Rooftile	✓	✓


HIGH PRECISION CUTTING TILES

EXPERT HardCeramic X-LOCK Discs

: Ø 85 mm – 125 mm

EXPERT

1. Clean, high quality cutting with Bosch Diamond Technology
2. Efficient thin blade cuts smoothly and stays cool
3. Chip-free cut with purpose-designed Continuous Rim
4. Reinforced centre reduces vibration for cleaner cut




EXPERT HardCeramic X-LOCK Diamond Cutting Discs

EXPERT



- Ideal for clean, straight cuts in hard ceramic tiles; cuts wall tiles in bathrooms and kitchens; and floor tiles such as those used in patios and gardens, as well as indoors.
- Best for tilers: top precision and quality finish.
- Up to 2x more precise than Bosch 2607019473 Ceramic Diamond Disc.
- With 22.23 mm bore for standard locking nut angle grinders.



DIAMOND TECHNOLOGY | UP TO 2× PRECISION


PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
85	22.23	1.6	7	•	C1a	1	1	539911	**2 608 900 656**
115	22.23	1.4	10	•	C1a	1	1	539928	**2 608 900 657**
125	22.23	1.4	10	•	C1a	1	1	539935	**2 608 900 658**

EXPERT HardCeramic Diamond Cutting Discs

EXPERT



- Ideal for clean, straight cuts in hard ceramic tiles; cuts wall tiles in bathrooms and kitchens; and floor tiles such as those used in patios and gardens, as well as indoors.
- Best for tilers: top precision and quality finish.
- Up to 2x more precise than Bosch 2607019473 Ceramic Diamond Disc.
- With 22.23 mm bore for standard locking nut angle grinders.





DIAMOND TECHNOLOGY | UP TO 2× PRECISION


PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
85	22.23	1.6	7	C1a	1	1	539881	**2 608 900 653**
115	22.23	1.4	10	C1a	1	1	539898	**2 608 900 654**

EXPERT HardCeramic 76 mm Diamond Cutting Discs

EXPERT



- Ideal for clean, straight cuts in hard ceramic tiles; cuts wall tiles in bathrooms and kitchens; and floor tiles such as those used in patios and gardens, as well as indoors.
- Best for tilers: top precision and quality finish.
- Up to 2x more precise than Bosch 2607019473 Ceramic Diamond Disc.
- With 10 mm bore for mini grinder.






DIAMOND TECHNOLOGY | UP TO 2× PRECISION

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
76	10.00	1.5	10	PC1b	1	1	539874	**2 608 900 652**

BEST FOR CERAMIC EXTRACLEAN TURBO

Focus on cutting speed.



FAST CUT
Sintered cutting rim

REDUCED CHIPPING
Turbo design

X-LOCK	✓
M14/Ø 22,23	✓

X-LOCK Diamond cutting discs Best for Ceramic Extraclean Turbo

best Ceramic extraclean

X-LOCK	✓
M14/Ø 22,23	✓

extra clean CUT | fast CUT



- Changing diamond discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK diamond discs also fit on standard angle grinders.
- The diamond cutting disc for the highest demands with regard to accurate, chip-free cuts in hard materials such as hard porcelain, extremely hard fine stoneware and natural stone.
- High cutting speed in all tiles.
- Sintered cutting rim.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	1.4	7	C1c	1	1	933308	**2 608 615 132**



Diamond cutting discs Best for Ceramic Extraclean Turbo

best Ceramic extraclean

extra clean CUT | fast CUT



- The diamond cutting disc for the highest demands with regard to accurate, chip-free cuts in hard materials such as hard porcelain, extremely hard fine stoneware and natural stone.
- High cutting speed in all tiles.
- Sintered cutting rim.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	1.4	7	C1c	1	1	518086	**2 608 602 478**
125	22.23	1.4	7	C1c	1	1	518093	**2 608 602 479**

X-LOCK Diamond cutting discs Standard for Ceramic

standard Ceramic

XLOCK	✓
M14/Ø 22,23	✓



- Changing diamond discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK diamond discs also fit on standard angle grinder.
- For clean cut edges in ceramic tiles. The affordable solution for all-round use in tiles.
- Sintered cutting rim.



Pack of 1

125	22.23	1.6	7	C1c	1	1	933360	**2 608 615 138**

Diamond cutting discs Standard for Ceramic

standard Ceramic



- For clean cut edges in ceramic tiles. The affordable solution for all-round use in tiles.
- Sintered cutting rim.



Pack of 1

115	22.23	1.6	7	C1c	1	1	441292	**2 608 602 201**
125	22.23	1.6	7	C1c	1	1	441308	**2 608 602 202**
180	22.23	1.6	7	C1c	1	1	441322	**2 608 602 204**
230	22.23	1.9	7	C1c	1	1	441339	**2 608 602 205**

Diamond cutting discs Best for Stone

best for Stone

long LIFE fast CUT

- For extremely hard stone such as granite.
- Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Up to 15 mm segment height enables a long lifetime, even in the most demanding materials (valid for 230 mm and 300 mm diameter discs).
- Excellent cutting speed thanks to the “Speed Stripes” for less side friction.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	12	C1c	1	1	581479	**2 608 602 641**
125	22.23	2.2	12	C1c	1	1	581486	**2 608 602 642**
180	22.23	2.4	12	C1c	1	1	581509	**2 608 602 644**
230	22.23	2.4	15	C1c	1	1	581516	**2 608 602 645**

Diamond cutting discs Standard for Stone

standard for Stone

- For hard materials such as granite, natural stone.
- Sintered diamond cutting segments.





Pack of 1

115	22.23	1.6	10	C1c	1	1	581035	**2 608 602 597**
125	22.23	1.6	10	C1c	1	1	581042	**2 608 602 598**
180	22.23	2	10	C1c	1	1	581066	**2 608 602 600**
230	22.23	2.3	10	C1c	1	1	581073	**2 608 602 601**

LONG LIFE CUTTING CONSTRUCTION MATERIALS

EXPERT MultiMaterial Discs

4

: Ø 115mm - 450mm

EXPERT

1. Extremely durable cutting edge using Bosch Diamond Technology
2. Low Friction Segments designed to minimise wear on sides
3. Segments laser-welded to steel body for the strongest connection




EXPERT MultiMaterial X-LOCK Diamond Cutting Discs

EXPERT



- Ideal for cutting construction materials, such as bricks and reinforced concrete; makes straight cuts in paving slabs; cutting bricks to size for bricklaying; cuts common materials used in housebuilding.
- Best for construction workers: long lasting and highly versatile.
- Lasts up to 4x longer than Bosch 2608615028 Multi Material Diamond Disc.
- With 22.23 mm bore for standard locking nut angle grinders.



DIAMOND TECHNOLOGY

UP TO 4x LONG LIFE


PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	2.4	12	•	C1a	1	1	540047	**2 608 900 669**
125	22.23	2.4	12	•	C1a	1	1	540054	**2 608 900 670**

EXPERT MultiMaterial Diamond Cutting Discs

EXPERT



- Ideal for cutting construction materials, such as bricks and reinforced concrete; makes straight cuts in paving slabs; cutting bricks to size for bricklaying; cuts common materials used in housebuilding.
- Best for construction workers: long lasting and highly versatile.
- Lasts up to 4x longer than Bosch 2608615028 Multi Material Diamond Disc.
- With 22.23 mm bore for standard locking nut angle grinders.





DIAMOND TECHNOLOGY | UP TO 4× LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	2.2	12	C1b	1	1	539959	**2 608 900 660**
150	22.23	2.4	12	C1b	1	1	539966	**2 608 900 661**
230	22.23	2.4	15	C1b	1	1	539980	**2 608 900 663**
300	22.23	2.8	15	C1d	1	1	539997	**2 608 900 664**

Diamond cutting discs Best for Universal Turbo

best Universal

fast CUT | clean CUT



- Excellent cutting performance in all building materials, particularly suitable for clean cut edges without material break out thanks to continuous cutting rim.
- Our best Turbo diamond cutting disc.
- Sintered cutting rim.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	12	C1c	1	1	581776	**2 608 602 671**
125	22.23	2.2	12	C1c	1	1	581783	**2 608 602 672**
180	22.23	2.5	12	C1c	1	1	581806	**2 608 602 674**
230	22.23	2.5	15	C1c	1	1	581813	**2 608 602 675**

Diamond cutting discs Standard for Universal

standard Universal

- The diamond cutting disc that is a problem solver in all building materials.
- Sintered diamond cutting segments.





PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
115	22.23	2	10	C1c	1	1	869676	**2 608 615 057**
125	22.23	2	10	C1c	1	1	869690	**2 608 615 059**
230	22.23	2.6	10	C1c	1	1	869751	**2 608 615 065**

Diamond cutting discs Standard for Universal Turbo

standard Universal

- The solution in all building materials with clean cut edges.
- Sintered cutting rim.

extra high SPEED






Pack of 1								
115	22.23	2	10	C1c	1	1	510004	**2 608 602 393**
125	22.23	2	10	C1c	1	1	510011	**2 608 602 394**
180	22.23	2.5	10	C1c	1	1	510035	**2 608 602 396**
230	22.23	2.5	10	C1c	1	1	510042	**2 608 602 397**

STANDARD FOR UNIVERSAL

Focus on cutting speed.



OUTSTANDING LIFETIME AND SPEED

10 mm segment height with homogenous diamond distribution

HIGH SPEED

Unique segment design allows low friction between segment and material

HIGH PERFORMANCE

In reinforced concrete and masonry thanks to optimized diamond quality and grit size.

X-LOCK	✓
M14/Ø 22,23	✓

X-LOCK Standard for Universal diamond cutting discs

standard **Universal**

X-LOCK	✓
M14/Ø 22,23	✓

- Changing diamond discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK diamond discs also fit on standard angle grinder.
- Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Sintered diamond cutting segments.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 1								
125	22.23	2	10	C1c	1	1	933834	**2 608 615 166**



Diamond cutting discs Best for Concrete

best Concrete

long LIFE



- Ideal for all types of hardened concrete and reinforced concrete.
- Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Excellent cutting speed thanks to the “Speed Stripes” for less side friction.
- Up to 15 mm segment height for a long lifetime, even in demanding materials.
- Laser-welded diamond cutting segments.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	12	C1c	1	1	581578	**2 608 602 651**
125	22.23	2.2	12	C1c	1	1	581585	**2 608 602 652**
180	22.23	2.4	12	C1c	1	1	581608	**2 608 602 654**
230	22.23	2.4	15	C1c	1	1	581615	**2 608 602 655**

Diamond cutting discs Standard for Concrete

standard Concrete

- The affordable diamond cutting disc that is a problem solver in concrete.
- Sintered diamond cutting segments.





Pack of 1

115	22.23	1.6	10	C1c	1	1	441247	**2 608 602 196**
125	22.23	1.6	10	C1c	1	1	441254	**2 608 602 197**
150	22.23	2	10	C1c	1	1	441261	**2 608 602 198**
180	22.23	2	10	C1c	1	1	441278	**2 608 602 199**
230	22.23	2.3	10	C1c	1	1	441285	**2 608 602 200**

Diamond cutting discs Best for Marble

best for Marble

- Perfectly clean cut edges without material break out in marble, limestone and perspex thanks to electroplated cutting rim.
- For the highest demands on speed and cut quality.


Diamond cutting discs Best for Abrasive

best Abrasive

long LIFE fast CUT



- For all softer and abrasive materials such as brick, sandstone or limestone. The hard bond ensures cutting speed in abrasive materials as well as long lifetime with up to 15 mm segment height.
- Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Excellent cutting speed thanks to the “Speed Stripes” for less side friction.
- Laser-welded diamond segments.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	2.2	12	C1c	1	1	581851	**2 608 602 679**
125	22.23	2.2	12	C1c	1	1	581868	**2 608 602 680**
180	22.23	2.4	12	C1c	1	1	581882	**2 608 602 682**
230	22.23	2.4	15	C1c	1	1	581899	**2 608 602 683**

Diamond cutting discs Standard for Abrasive

standard Abrasive

- The affordable solution for soft and abrasive materials.
- Sintered diamond cutting segments.





115	22.23	1.6	10	C1c	1	1	581219	**2 608 602 615**
125	22.23	1.6	10	C1c	1	1	581226	**2 608 602 616**
180	22.23	2	10	C1c	1	1	581240	**2 608 602 618**
230	22.23	2.3	10	C1c	1	1	581257	**2 608 602 619**

DIAMOND CUTTING DISCS CERAMIC

For tile cutting machines and table saws.



Standard for Ceramic


Page number	145
Diameter mm	180 – 350
Cutting width mm	1.6 – 2.0
Bore diameter	25.40 / 30.00

MATERIALS


Ceramic tiles	✓

DIAMOND CUTTING DISCS STONE

For table saws and petrol saws.



Best for Stone



Standard for Stone

Page number	100172783	100172785
Diameter mm	300 – 450	300 – 450
Cutting width mm	2.8 – 3.8	3.1 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Granite	✓	✓
Natural stone	✓	✓
Concrete	✓	✓
Pavement / garden slabs	✓	✓

DIAMOND CUTTING DISCS CONCRETE

For table saws and petrol saws.



Best for Concrete



Standard for Concrete

Page number	146	146
Diameter mm	300 – 450	300 – 500
Cutting width mm	2.8 – 3.6	2.8 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Concrete	✓	✓
Reinforced concrete	✓	✓
Garden slabs	✓	✓

DIAMOND CUTTING DISCS UNIVERSAL

For table saws and petrol saws.



	Multi Material Discs
	EXPERT
Page number	147
Diameter mm	300 – 450
Cutting width mm	2.8 – 3.3
Bore diameter	20.00 / 25.40
	UP TO 4x* LONG LIFE DIAMOND TECHNOLOGY


MATERIALS

Building site material	✓
Concrete	✓
Reinforced concrete	✓
Brick	✓
Sand-, limestone, Rooftile	✓

*Bosch EXPERT products vs. Bosch standard products

DIAMOND CUTTING DISCS MARBLE

For table saws and petrol saws.



Best for Marble

Page number	100172798
Diameter mm	300 / 350
Cutting width mm	2.6
Bore diameter	25.40

MATERIALS

Marble	✓
Limestone	✓
Perspex	✓

DIAMOND CUTTING DISCS ABRASIVE AND ASPHALT

For table saws and petrol saws.



Best for Asphalt



Standard for Asphalt

Page number	148	148
Diameter mm	300 – 450	300 – 400
Cutting width mm	3.2 – 3.6	2.8 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Asphalt	✓	✓
Bitumen	✓	✓
Limestone / sandstone	–	–
Brick	–	–
Fresh concrete	✓	✓
Porous concrete	–	–
Rooftile	–	–

Diamond cutting discs Standard for Ceramic

standard Ceramic




- For clean cut edges in ceramic tiles. The affordable solution for all-round use in tiles.
- Sintered cutting rim.
- * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
180	25.40	1.6	7	C1c	1	1	576406	**2 608 602 536**
200	25.40	1.6	7	C1c	1	1	576413	**2 608 602 537**
230	25.40	1.6	7	C1c	1	1	576420	**2 608 602 538**
250	30.00/25.40*	1.6	7	C1c	1	1	576437	**2 608 602 539**
300	30.00/25.40*	2	7	C1a	1	1	576444	**2 608 602 540**
350	30.00/25.40*	2	7	C1a	1	1	576451	**2 608 602 541**

Diamond cutting discs Best for Concrete

best for Concrete




- Ideal for all types of hardened concrete and reinforced concrete.
- Laser-welded diamond cutting segments.
- Low friction segments: designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Up to 15 mm segment height for a long lifetime, even in demanding materials.
- * With reduction ring.

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
450	25.40	3.6	12	C0a	1	1	581660	**2 608 602 660**



Diamond cutting discs Standard for Concrete

standard for Concrete



- The affordable diamond cutting disc that is a problem solver in concrete.
- Laser-welded diamond cutting segments.
- * With reduction ring.

300	20.00/25.40*	2.8	10	C1a	1	1	576475	**2 608 602 543**
350	20.00/25.40*	2.8	10	C1a	1	1	576482	**2 608 602 544**
450	25.40	3.6	10	C1a	1	1	576505	**2 608 602 546**




EXPERT MultiMaterial Diamond Cutting Discs

EXPERT



- Ideal for cutting construction materials, such as bricks and reinforced concrete; makes straight cuts in paving slabs; cutting bricks to size for bricklaying; cuts common materials used in housebuilding.
- Best for construction workers: long lasting and highly versatile.
- Lasts up to 3x longer than Bosch 2608615034 Multi Material Diamond Disc.
- With 25.4 mm bore, fits 20 mm bores with reduction rings.





DIAMOND TECHNOLOGY

UP TO 3× LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
300	20.00+25.40*	3	15	C1d	1	1	540009	**2 608 900 665**
350	20.00/25.40*	3.3	15	C1d	1	1	540016	**2 608 900 666**
400	20.00/25.40*	3.3	12	C1d	1	1	540023	**2 608 900 667**
450	25.40	3.3	12	C1d	1	1	540030	**2 608 900 668**

Diamond cutting discs Best for Asphalt

best for Asphalt

long LIFE fast CUT

- Ideal for cutting asphalt and asphalt over concrete. It is also possible to cut fresh concrete and occasionally concrete.
- Laser-welded diamond segments.
- Protective segments prevent premature wear of the base blade and guarantee long lifetime.
- * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
400	20.00/25.40*	3.2	12	C1a	1	1	739740	**2 608 603 642**
450	25.40	3.6	12	C1a	1	1	739757	**2 608 603 643**

Diamond cutting discs Standard for Asphalt

standard for Asphalt

- Ideal for asphalt and occasional work in concrete.
- Laser-welded diamond cutting segments.
- * With reduction ring.



350	20.00/25.40*	3.2	10	C1a	1	1	581318	**2 608 602 625**

DIAMOND CUTTING DISCS CONCRETE

For joint cutters.



Best for Concrete



Standard for Concrete

Page number	150	150
Diameter mm	300 – 450	300 – 450
Cutting width mm	2.8 –3.6	2.8 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Concrete	✓	✓
Reinforced concrete	✓	✓
Pavement / garden slabs	✓	✓

*Only cut through reinforcement if approval has been given by a structural engineer.

Diamond cutting discs Best for Concrete

best Concrete

- Ideal for all types of hardened concrete and reinforced concrete.
- Laser-welded diamond cutting segments up to a diameter of 450 mm. Diamond cutting segments for diameters of 800 and 900 mm.
- Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- Up to 15 mm segment height for a long lifetime, even in demanding materials.
- * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
450	25.40	3.6	12	C0a	1	1	581660	**2 608 602 660**

Diamond cutting discs Standard for Concrete

standard Concrete

- The affordable diamond cutting disc that is a problem solver in concrete.
- Laser-welded diamond cutting segments.
- * With reduction ring.



300	20.00/25.40*	2.8	10	C1a	1	1	576475	**2 608 602 543**
350	20.00/25.40*	2.8	10	C1a	1	1	576482	**2 608 602 544**
450	25.40	3.6	10	C1a	1	1	576505	**2 608 602 546**

DIAMOND CUTTING DISCS ASPHALT

For joint cutters.



Best for Asphalt



Standard for Asphalt

Page number	152	152
Diameter mm	350 – 450	300 – 450
Cutting width mm	3.2 – 3.6	2.8 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Asphalt	✓	✓
Fresh concrete	✓	✓
Bitumen	✓	✓

Best for Asphalt diamond cutting discs

best for Asphalt

long LIFE fast CUT

- Ideal for cutting asphalt and asphalt over concrete. It is also possible to cut fresh concrete and occasionally concrete.
- Protective segments prevent premature wear of the base blade and guarantee long lifetime.
- Laser-welded diamond cutting segments up to a diameter of 450 mm. Diamond cutting segments for diameters of 800 and 900 mm.
- * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
400	20.00/25.40*	3.2	12	C1a	1	1	739740	**2 608 603 642**
450	25.40	3.6	12	C1a	1	1	739757	**2 608 603 643**

Diamond cutting discs Standard for Asphalt

standard for Asphalt

- Ideal for asphalt and occasional work in concrete.
- Laser-welded diamond cutting segments.
- * With reduction ring.



350	20.00/25.40*	3.2	10	C1a	1	1	581318	**2 608 602 625**
450	25.40	3.2	10	C0a	1	1	581332	**2 608 602 627**

DIAMOND CORE CUTTERS AND CORE EDGE SINKERS

For universal use.



Diamond dry drill bits



Diamond cutters

Page number	154	156
Shank	13 mm or Hex	M 14
Water cooling	–	–
Diameter mm	6.0 – 14.0	14.0 – 83.0
Drilling depth mm	33	30 – 35
X-LOCK	–	✓

MATERIALS

Tiles, porcelain	✓	✓
Stoneware	✓	✓
Marble	✓	✓
Concrete	–	–
Reinforced concrete	–	–
Limestone	–	–
Brick	–	–

Diamond dry drill bits

Diamond drill bits Easy Dry

best Ceramic

long LIFE


- **Suitable for** soft wall tiles through to very hard floor tiles such as fine stoneware.
- For use in cordless screwdrivers and drills with **13 mm chuck**.
- **Note:** drill without impact. Optimum speed: 1500 rpm.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	15/64	33	P1p	1	1	577915	**2 608 587 139**
8	5/16	33	P1p	1	1	577939	**2 608 587 141**
14	9/16	33	P1p	1	1	577960	**2 608 587 144**

Diamond cutters Dry Speed

best Ceramic






- **Suitable for** soft wall tiles through to very hard floor tiles and natural stone.
- For use on angle grinders.

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
14	9/16	30	P1h	1	1	577656	**2 608 587 113**
16	5/8	30	P1h	1	1	577663	**2 608 587 114**
20	25/32	35	P1h	1	1	577670	**2 608 587 115**
22	7/8	35	P1h	1	1	577687	**2 608 587 116**
25	1	35	P1h	1	1	577694	**2 608 587 117**
38	1 1/2	35	P1h	1	1	577748	**2 608 587 122**
40	1 9/16	35	P1h	1	1	577755	**2 608 587 123**
51	2	35	P1h	1	1	577779	**2 608 587 125**
55	2 11/64	35	P1h	1	1	577786	**2 608 587 126**
57	2 1/4	35	P1h	1	1	577793	**2 608 587 127**
60	2 3/8	35	P1h	1	1	577809	**2 608 587 128**
65	2 9/16	35	P1h	1	1	577816	**2 608 587 129**
68	2 11/16	35	P1h	1	1	577830	**2 608 587 131**
70	2 3/4	35	P1h	1	1	577847	**2 608 587 132**

X-LOCK Diamond cutters Dry Speed

best Ceramic



- Changing diamond cutters is fast and convenient thanks to the keyless X-LOCK system.
- **Suitable for** soft wall tiles through to very hard floor tiles and natural stone.
- For use on X-LOCK angle grinders.





Milling Cutter



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Diameter (D) inch	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
14	9/16	30	P1h	1	1	933636	**2 608 599 027**
22	7/8	35	P1h	1	1	933667	**2 608 599 030**
25	1	35	P1h	1	1	933674	**2 608 599 031**
27	1 1/16	35	P1h	1	1	933681	**2 608 599 032**
30	1 3/16	35	P1h	1	1	933698	**2 608 599 033**
32	1 1/4	35	P1h	1	1	933704	**2 608 599 034**
35	1 3/8	35	P1h	1	1	933711	**2 608 599 035**
38	1 1/2	35	P1h	1	1	933728	**2 608 599 036**
40	1 9/16	35	P1h	1	1	925501	**2 608 599 014**
45	1 49/64	35	P1h	1	1	925518	**2 608 599 015**
51	2	35	P1h	1	1	925525	**2 608 599 016**
55	2 11/64	35	P1h	1	1	925532	**2 608 599 017**
57	2 1/4	35	P1h	1	1	925549	**2 608 599 018**
60	2 3/8	35	P1h	1	1	925556	**2 608 599 019**
65	2 9/16	35	P1h	1	1	925563	**2 608 599 020**
67	2 5/8	35	P1h	1	1	925570	**2 608 599 021**
70	2 3/4	35	P1h	1	1	925594	**2 608 599 023**
75	2 61/64	35	P1h	1	1	925600	**2 608 599 024**
80	3 5/32	35	P1h	1	1	925617	**2 608 599 025**
83	3 1/4	35	P1h	1	1	925624	**2 608 599 026**
16	5/8	30	P1h	1	1	933643	**2 608 599 028**
20	7/8	35	P1h	1	1	933742	**2 608 599 038**
68	2 11/16	35	P1h	1	1	925587	**2 608 599 022**

X-LOCK Diamond cutter set Dry Speed

best for Ceramic





PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
5-piece diamond cutter set including 20mm milling cutter						
68	33	M0a	5	1	933735	**2 608 599 037**
51	33					
35	33					
25	33					
20	33					

Accessories for diamond core edge sinkers with Power-Change adapter

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Tungsten carbide pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 118° drill bit tip. Centred, special multi-purpose diamond-ground carbide tips						
7.15	120	PC1d	1	1	375924	**2 608 584 777**

Accessories for Diamond Socket Core Cutters with M16 Shank





PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Diameter/width across flats mm	Adapter for machine side	Total length mm	Shank	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hex shank for core cutters with M16									
-	11	-	220	Hexagon	P1e	1	1	096744	**2 608 598 109**
SDS plus shank for core cutters with M16									
-	-	-	105	SDS plus	P1e	1	1	046138	**2 608 550 057**
-	-	-	220	SDS plus	P1e	1	1	096751	**2 608 598 110**

DISCS FOR CUTTING, GRINDING AND BRUSHING

Change them faster with X-Lock.

The best your tool can get. Bosch Professional Accessories.





CARBIDE MULTI WHEEL

Make your angle grinder more versatile.



	Carbide Multi Wheel
	EXPERT
Page number	161
Diameter mm	115 – 125
Thickness mm	1
Fitting tool	Angle grinder
X-LOCK	✓
	LONG LIFE CARBIDE TECHNOLOGY

MATERIALS

Softwood / hardwood	✓
Construction timber	✓
Plywood/Chipboard	✓
MDF/Laminate board	✓
Wood with nails	✓
Plastic	✓
Plaster	✓
Copper pipe	✓

*Bosch EXPERT products vs. Bosch standard products


LONG LIFE CUTTING MULTIPLE MATERIALS

EXPERT Carbide Multi Wheel X-LOCK Cutting Discs

: Ø 76 – 125 mm


EXPERT

1. Exceptional durability is built in with Bosch Carbide Technology
2. Advanced steel body keeps constant speed and depth
3. Extra strong laser bonding of carbide grit and steel body



EXPERT Carbide Multi Wheel X-LOCK Cutting Discs

EXPERT





- Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- Best for shopfitters: long lasting and highly versatile.
- Carbide Technology for Long Life Cutting Multi Materials.
- With 22.23 mm bore for standard locking nut angle grinders.

CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	C1a	10	1	567525	**2 608 901 194**
125	22.23	PC1d	1	1	567518	**2 608 901 193**
		C1a	10	1	567532	**2 608 901 195**

EXPERT Carbide Multi Wheel Cutting Discs

EXPERT



- Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- Best for shopfitters: long lasting and highly versatile.
- Carbide Technology for Long Life Cutting Multi Materials.
- With 22.23 mm bore for standard locking nut angle grinders.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	PC1d	1	1	567464	**2 608 901 188**
125	22.23	PC1d	1	1	567471	**2 608 901 189**

EXPERT Carbide Multi Wheel Cutting Discs

EXPERT



- Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- Best for shopfitters: long lasting and highly versatile.
- Carbide Technology for Long Life Cutting Multi Materials.
- With 10 mm bore for mini grinder.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
For cordless angle grinders with 10 mm fitting						
76	10.00	PC1a	1	1	567549	**2 608 901 196**

DIAMOND METAL WHEEL

The new way of cutting metal.



	Diamond for metal wheel
	EXPERT
Page number	164
Diameter mm	105 - 355
Fitting tool	Angle grinder, marble cutter, chop saw, petrol saw
X-LOCK	✓
	UP TO 100x* LONG LIFE DIAMOND TECHNOLOGY

MATERIALS

Cast iron	✓
Steel profiles	✓
Stainless steel	✓
Brass, bronze	✓
Copper	✓
Fiber glass	✓

*Bosch EXPERT products vs. Bosch standard products

EXPERT Diamond Metal Wheel X-LOCK Cutting Discs 125 mm

EXPERT



- Ideal for cutting cast iron, rebar, steel, stainless steel as well as non-ferrous metals including copper, brass and fibre glass. Don't use it to cut aluminium, concrete or stone.
- Best for construction and rescue workers: long lasting and efficient.
- Lasts up to 100x longer than Bosch 2608603171 Cutting Disc.
- With 22.23 mm bore for standard locking nut angle grinders.



DIAMOND TECHNOLOGY | UP TO 100× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore diameter mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	●	C1b	1	1	536828	**2 608 900 533**

EXPERT Diamond Metal Wheel Large Size Cutting Discs

EXPERT



- Ideal for cutting cast iron, rebar, steel, stainless steel as well as non-ferrous metals including copper, brass and fibre glass. Don't use it to cut aluminium, concrete or stone.
- Best for construction and rescue workers: long lasting and efficient.
- Lasts up to 30x longer than Bosch 2610065817 Bonded Cutting Disc.
- With 22.23 mm bore for standard locking nut angle grinders.



DIAMOND TECHNOLOGY | UP TO 30× LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
180	22.23	C1b	1	1	536842	**2 608 900 535**
230	22.23	C1b	1	1	536859	**2 608 900 536**

CUTTING DISCS

For angle grinders and petrol saws.



Expert for Inox



Standard for Inox



Expert for Metal

Page number	167	169	171
Diameter mm	115 – 230	115 – 230	115 – 400
Thickness mm	1.0 – 3.0	1.0 – 1.9	1.0 – 3.5
Disc types			
Grit	30 – 60	36 – 60	30 – 60
Fitting tool	Angle grinder	Angle grinder	Angle grinder, cut-off saw
X-LOCK	–	✓	✓
MATERIALS			
Non-alloyed and alloyed structural steel	✓	✓	✓
Square-edged steel profiles	✓	✓	✓
Tool steel	✓	✓	✓
Stainless and acid-resistant steel	✓	✓	–
Square-edged stainless steel profiles	✓	✓	–
Cast iron	✓	–	✓

DISC TYPES

 Straight

 With depressed centre



Standard for Stone



Multi construction

Page number	172	173
Diameter mm	115-230	115-230
Thickness mm	2.5-3.0	1.0-1.9
Disc types		
Grit	30	46/60
Fitting tool	Angle grinder	Angle grinder
X-LOCK	–	✓

MATERIALS

Non-alloyed and alloyed steel	–	✓
Stainless and acid-resistant steel	–	✓
Rail	–	–
Aluminium alloy	–	✓
Brass, bronze	–	✓
Cast iron	–	✓
Copper	–	✓
Slate	✓	✓
Tiles	✓	✓
Brick	✓	✓
Concrete	✓	–
Marble	✓	✓
Limestone	✓	–
Plastics	–	✓

THE MASTERS IN INOX AND METAL
Perfect for cutting.

FAST AND PRECISION CUTTING
Thanks to the 1 mm disc thickness

HIGH DISC STABILITY
Because of the precision manufactured glass fibre net



PERFECT SURFACE QUALITY AFTER CUTTING
Due to high quality abrasive grains and functional fillers

X-LOCK	✓
M14/Ø 22,23	✓

X-LOCK Expert for INOX+Metal cutting discs

expert Inox+Metal

Rapido

X-LOCK	✓
M14/Ø 22,23	✓

fast CUT | Metal | Inox

- Changing cutting discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK cutting discs also fit on standard angle grinders.
- Cutting discs for both stainless steel and metal for high requirements
- Maximum circumferential speed: 80 m/s
- Fe/S/Cl < 0.1%



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
Rapido, fast and clean cuts without burr formation or blue discolouration								
AS 60 T INOX BF	125	22.23	1	U0	1	25	947541	**2 608 619 264**

X-LOCK Expert for INOX cutting discs

expert for Inox

X-LOCK	✓
M14/Ø 22,23	✓

- Changing cutting discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK cutting discs also fit on standard angle grinders.
- Cutting discs for INOX for high requirements
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%

Inox



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
AS 46 T INOX BF	125	22.23	1.6	U0	1	25	947558	**2 608 619 265**

Expert for INOX cutting discs

expert for Inox

Rapido

- Cutting discs for INOX for high requirements
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%

fast CUT



Straight

Rapido, fast and clean cuts without burr formation or blue discolouration

A 46 X BF	105	-	1	U0	1	25	642309	**2 608 603 047**



Straight

Rapido, fast and clean cuts without burr formation or blue discolouration

AS 60 T INOX BF	125	22.23	1	U0	1	25	219624	**2 608 600 549**

X-LOCK Standard for INOX cutting discs



- Changing cutting discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK cutting discs also fit on standard angle grinders.
- Cutting discs for INOX with good performance at an attractive price
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%

Rapido



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight Rapido, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	125	22.23	1	U0	1	25	947527	**2 608 619 262**

Rapido



Straight 10 Rapido discs in a reclosable tin								
WA 60 T BF	125	22.23	1	M1a	10	10	947572	**2 608 619 267**



Straight **Rapido**, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	125	22.23	1.6	U0	1	25	991032	**2 608 619 363**



Straight **Rapido**, fast and clean cuts without burr formation or blue discolouration								
WA 60 T BF	125	22.23	1.6	M1a	10	10	991049	**2 608 619 364**

Standard for INOX cutting discs

standard for Inox

Rapido

- Cutting discs for INOX with good performance at an attractive price
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%

fast CUT +30% LONGER LIFE



Straight

Rapido, fast and clean cuts without burr formation or blue discolouration

Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
WA 60 T BF	105	16.00	1	C0a	100	1	786447	**2 608 601 263**

Straight

Rapido, fast and clean cuts without burr formation or blue discolouration

Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
WA 60 T BF	115	22.23	1	C0a	100	1	786454	**2 608 601 264**



Straight **Rapido**, fast and clean cuts without burr formation or blue discolouration

Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
WA 60 T BF	125	22.23	1	C0a	100	1	786461	**2 608 601 265**

10pcs Inox cutting discs with counter top display

Straight

Rapido, fast and clean cuts without burr formation or blue discolouration

Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
WA 60 T BF	105	-	1	M1a	10	10	723480	**2 608 603 464** [i]
WA 60 T BF	115	-	1	M1a	10	10	723503	**2 608 603 467** [i]
WA 60 T BF	125	-	1	U0	10	10	723527	**2 608 603 470** [i]

i = 06.2024

Cutting discs – Metal

X-LOCK Expert for Metal cutting discs

expert Metal

X-LOCK	✓
M14/⌀ 22,23	✓

- Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK cutting discs also fit on standard angle grinders.
- Cutting discs for metal for high requirements
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)

Metal



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
With depressed centre								
A 30 S BF	125	22.23	2.5	U0	1	25	947473	**2 608 619 257**

Metal Cutting Discs



PRODUCT PROPERTIES			ORDERING INFORMATION				
Specification	Diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
straight							
A 30 S BF	100	2.5	U0	1	50	642187	**2 608 603 035** i
A 30 S BF	115	2.5	U0	1	50	642194	**2 608 603 036** i
A 30 S BF	125	2.8	U0	1	50	642200	**2 608 603 037** i
A 30 S BF	180	2.8	U0	1	40	642217	**2 608 603 038** i
A 30 S BF	230	2.8	U0	1	25	642224	**2 608 603 039** i
			U0	1	25	642231	**2 608 603 040** i
A 30 S BF	355	3	U0	1	20	642255	**2 608 603 042** i
Straight **Appropriate for** chop saws / stationary pendulum action cutters/grinders Maximum drive power of 3 bhp/2.4 kW							
A 30 S BF	300	3	U0	1	25	642248	**2 608 603 041** i

i = 06.2024

Cutting discs – Stone

Standard for Stone cutting discs

standard for Stone

- Cutting discs for stone with good performance at an attractive price
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
C 30 S BF	100	22.23	3.2	U0	1	50	642330	**2 608 603 050**
C 30 S BF	115	22.23	3.2	U0	1	50	642347	**2 608 603 051** i
C 30 S BF	125	22.23	3.2	U0	1	50	642354	**2 608 603 052** i
C 30 S BF	180	22.23	3.2	U0	1	50	064507	**2 608 603 053** i
C 30 S BF	230	22.23	3.2	U0	1	25	642361	**2 608 603 054** i
C 30 S BF	230	-	3.2	U0	1	25	642378	**2 608 603 055**


i = 06.2024

Cutting discs – Multi Material

X-LOCK Multi Material cutting discs

Rapido MultiConstruction

X-LOCK	✓
M14/Ø 22,23	✓



- Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK cutting discs also fit on standard angle grinders.
- Cutting discs for multi materials
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Straight								
Cut virtually everything without disc changes								
Cutting disc for metal, inox, non-ferrous metal, stone, soft tile, marble and plastic								
ACS 60 V BF	125	22.23	1	U0	1	25	947596	**2 608 619 269**
ACS 46 V BF	125	22.23	1.6	U0	1	25	947602	**2 608 619 270**

Multi Material cutting discs

Rapido MultiConstruction



- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%
- The thin Rapido disc offers many advantages: fast and clean cutting with little exertion of force, very accurate, less noise and dust, and no blue discolouration or burr formation

Straight								
Cut virtually everything without disc changes								
Cutting disc for metal, inox, non-ferrous metals, stone, soft tiles, marble and plastics								
AS 60 V BF	105	16.00	1	U0	1	25	642262	**2 608 603 043**

GRINDING DISCS
For angle grinders.



Expert for Metal



Standard for Metal

Page number	175	175
Diameter mm	100 – 230	115 – 230
Thickness mm	4.0 – 8.0	6.0
Grit	30	24
X-LOCK	✓	–

MATERIALS

Non-alloyed and alloyed steel	✓	✓
Welded seams	✓	✓
Stainless and acid-resistant steel	–	–
Aluminium alloy	–	–
Cast iron	✓	✓

Grinding discs – Metal

Standard for Metal grinding discs

standard for Metal

+30% LONGER LIFE

- Grinding discs for metal with good performance at an attractive price
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 24 P BF	100	16.00	4	U0	1	25	642385	**2 608 603 056** i
A 24 P BF	100	16.00	6	U0	1	25	642392	**2 608 603 057** i
A 24 P BF	115	22.20	6	U0	1	25	642408	**2 608 603 058** i
A 24 P BF	125	22.20	6.8	U0	1	20	642415	**2 608 603 059** i
A 24 P BF	180	22.20	6.8	U0	1	20	642422	**2 608 603 060** i
A 24 P BF	230	22.20	6.8	U0	1	10	642439	**2 608 603 061** i

i = 06.2024

X-LOCK Expert for Metal grinding discs

expert for Metal

X-LOCK	✓
M14/Ø 22,23	✓

Metal

- Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK grinding discs also fit on standard angle grinders.
- Grinding discs for metal for high requirements
- **Appropriate for** hand-held angle grinders
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)




A 30 T BF	125	22.23	6	U0	1	10	947497	**2 608 619 259**

X-LOCK Standard for Metal grinding discs

standard Metal

X-LOCK	✓
M14/ø 22,23	✓

Metal +30% LONGER LIFE





PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
A 24 P BF	125	22.23	6	U0	1	10	991063	**2 608 619 366**

Stone grinding discs



PRODUCT PROPERTIES			ORDERING INFORMATION				
Specification	Diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
C 24 R BF	100	6	U0	1	25	642446	**2 608 603 062**
C 24 R BF	115	6	U0	1	25	642453	**2 608 603 063**
C 24 R BF	125	6.8	U0	1	20	642460	**2 608 603 064**

Accessories for **Bosch GWS 12V-76 V-EC Professional cordless angle grinder**

Expert for Inox cutting discs for GWS 12V-76 Professional

expert for Inox

- **Appropriate for** GWS 12V-76 Professional cordless angle grinder with 10 mm toolholder
- Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- Fe/S/Cl < 0.1%

Stainless Inox Nirosta



PRODUCT PROPERTIES				ORDERING INFORMATION				
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5								
For cordless angle grinders with 10mm fitting								
A 60 R INOX BF	76	10.00	1	C1a	5	1	830560	**2 608 601 520**

Tungsten carbide grinding heads for angle grinders

Tungsten carbide grinding heads for angle grinders

- The Carbide Grinding Head for angle grinders has a high material removal rate with minimal force required
- Suitable for grinding and carving cork, soft and hard wood, glass fibre plastic and rubber, removing formwork protrusions on exposed concrete, residual concrete on formwork boards, tile glue from wall, shaping aerated concrete, limstone and marble, hoof care for hoofed animals, removing coatings and paintings on wood and building materials
- For hand-held angle grinders at maximum circumferential speed of 80 m/s (depending on rpm and disc diameter)



Slanted

Suitable for all 100 mm M10 angle grinders

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Grade	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100	Coarse	16	C1a	1	1	139953	**2 608 600 249**
100	Medium	16	C1a	1	1	139960	**2 608 600 250**
100	Fine	16	C1a	1	1	139977	**2 608 600 251**



Flat

Suitable for all 115 and 125 mm M14 angle grinders

For dust-free working, select the right Bosch extraction guard for your Bosch angle grinder: 2605510224 or 1605510281

115	Coarse	22.23	C1a	1	1	103824	**2 608 600 175**
115	Medium	22.23	C1a	1	1	103831	**2 608 600 176**



slanted

Suitable for all 115 and 125 mm M14 angle grinders

115	Medium	22.23	C1a	1	1	103862	**2 608 600 179**
115	Fine	22.23	C1a	1	1	103879	**2 608 600 180**



Flat

Suitable for all 180 and 230 mm M14 angle grinders

180	Coarse	22.23	C1a	1	1	168434	**2 608 600 364**
180	Medium	22.23	C1a	1	1	168427	**2 608 600 363**
180	Fine	22.23	C1a	1	1	168410	**2 608 600 362**



slanted

Suitable for all 180 and 230 mm M14 angle grinders

180	Medium	22.23	C1a	1	1	168458	**2 608 600 366**
180	Fine	22.23	C1a	1	1	168441	**2 608 600 365**

Grinding wheels for double-wheeled bench grinders

Grinding wheels for double-wheeled bench grinders - Aluminium oxide



- With **fine** grit: **Suitable for** fine grinding of hardened and non-hardened steel, twist drill bits (not masonry bits), planer blades, chisels, scrapers, punches, lawn mower blades
- With **coarse** grit: **Suitable for** pre-grinding of hardened and non-hardened steel, wood chisels, planer blades, chisels, axes, etc.
- Ceramic bonding, aluminium oxide, cylindrical

PRODUCT PROPERTIES					ORDERING INFORMATION				
Specification	Disc diameter mm	Thickness (b1) mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
GBG 60-20 Professional									
A 36 P4 V6	200	25	32	36	C1a	1	1	084833	**2 608 600 111**
A 60 P4 V6	200	25	32	60	C1a	1	1	084840	**2 608 600 112**

Grinding wheels for double-wheeled bench grinders - SiC



- **Suitable for** grinding masonry drill bits, tungsten carbide and tungsten carbide tipped tools, and cast iron parts
- Ceramic bonding, SiC, cylindrical

GBG 60-20 Professional									
GC 46 M5 VG	200	25	32	46	C1a	1	1	084789	**2 608 600 106**

WIRE BRUSHES
For angle grinders and drills.



	Steel brushes	Stainless steel brushes	Brass brushes	Steel brushes	Stainless steel brushes	Brass brushes	Nylon bristle
Page number	182	184	185	186	188	189	190
Wire types	≋ ⌇	≋ ⌇	≋	≋ ⌇	≋ ⌇	≋	≋
Wire thickness mm	0.30	0.30 – 0.50	0.30	0.20 – 0.50	0.20 – 0.35	0.20	1.00 / 1.10
X-LOCK	✓	✓	✓	–	–	–	–
BRUSH TYPES							
Pencil brush ⌀ mm	–	–	–	10 – 25	10 – 25	–	–
Cup brush ⌀ mm	75 – 101	65 – 100	70 / 75	50 – 70	50 / 60	50	50 / 75
Tapered brush ⌀ mm	100 / 115	100 / 115	–	–	–	–	–
Wire wheel ⌀ mm	115	115	–	30 – 100	30 – 100	75 / 80	75 / 100
TOOLS							
Angle grinder	M14 / M10	M14 / M10	M14 / M10	–	–	–	–
Drill	–	–	–	⌀ 6 mm	⌀ 6 mm	⌀ 6 mm	⌀ 6 mm
MATERIALS							
Metal	✓	✓	✓	✓	✓	✓	✓
Inox	–	✓	–	–	✓	–	–
Non-ferrous metals	–	–	✓	–	–	✓	–
Wood	–	–	✓	–	–	✓	✓
Paint	–	–	✓	–	–	✓	✓
PVC	–	–	–	–	–	–	✓

WIRE TYPES

≋ **Crimped wires** ⌇ **Knotted wires**

BRUSHES – SOLUTIONS FOR ALL APPLICATIONS

Appropriate for angle grinders and drills.

THE RIGHT BRUSH FOR AN OPTIMUM WORK RESULT WITH DIFFERENT TOOLS

X-LOCK and M14 for angle grinders, ⌀ 6mm shank for drills



THE OPTIMUM SOLUTION FOR LIGHT AND HEAVY DUTY APPLICATIONS


Knotted and crimped wire with different thickness

FOR USE ON DIFFERENT MATERIALS

Steel, stainless steel, non-ferrous metal, wood, paint, PVC

X-LOCK

X-LOCK Steel brushes



▶ Changing brushes is fast and convenient thanks to the keyless X-LOCK system.

heavy for Metal





PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Wire cup brush – knotted wire									
Suitable for heavy duty cleaning work on medium to large metal surfaces, such as removing heavy rust, underseal, paint or varnish.									
Appropriate for X-LOCK angle grinders									
75	0.35	12,500	-	125	C1a	1	1	954129	**2 608 620 726**
75	0.5	12,500	-	125	C1a	1	1	954136	**2 608 620 727**

X-LOCK Steel brushes

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

clean for Metal

Wire cup brush – crimped wire

Suitable for light to medium duty cleaning work on medium to large metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for X-LOCK angle grinders

75	0.3	12,500	-	125	C1a	1	1	954112	**2 608 620 725**



heavy for Metal


Wire wheel – knotted wire

Ideal for cleaning welded seams.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for X-LOCK angle grinders

115	0.5	12,500	12	-	C1a	1	1	954174	**2 608 620 731**



clean for Metal

Wire wheel – crimped wire

Ideal for removing annealing colour on welded seams.


Suitable for light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.

Appropriate for X-LOCK angle grinders

115	0.3	12,500	-	-	C1a	1	1	954181	**2 608 620 732**



X-LOCK Stainless steel brushes



▶ Changing brushes is fast and convenient thanks to the keyless X-LOCK system.

heavy for Inox



Wire cup brush – knotted wire, stainless

Suitable for heavy duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing heavy rust or removing paint or varnish.

Appropriate for X-LOCK angle grinders



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
75	0.5	12,500	125	C1a	1	1	954150	**2 608 620 729**

clean for Inox



Wire cup brush – crimped wire, stainless


Suitable for light to medium duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

Appropriate for X-LOCK angle grinders



75	0.3	12,500	125	C1a	1	1	954143	**2 608 620 728**

heavy for Inox




Wire wheel – knotted wire, stainless

Ideal for cleaning welded seams on stainless steel.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for X-LOCK angle grinders




115	0.5	12,500	-	C1a	1	1	954198	**2 608 620 733**

X-LOCK Brass brushes

clean for Metal

▶ Changing brushes is fast and convenient thanks to the keyless X-LOCK system.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Wire cup brush – crimped wire, brass-coated								
Suitable for light to medium duty cleaning work on medium to large metal and non-ferrous metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.								
Appropriate for X-LOCK angle grinders								
Advantage: corrosion protection provided by brass-coated wire.								
75	0.3	12,500	115	C1a	1	1	954167	**2 608 620 730**



Wire brushes for angle grinders and straight grinders with thread M10 / M14



Steel brushes



PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

heavy for Metal



Wire cup brush – knotted wire

Suitable for heavy duty cleaning work on medium to large metal surfaces, such as removing heavy rust, underseal, paint or varnish.

Appropriate for angle grinders with M10

75	0.5	12,500	-	10	125	C1a	1	1	102711	**2 608 622 063**



Wire cup brush – knotted wire

Suitable for heavy duty cleaning work on medium to large metal surfaces, such as removing heavy rust, underseal, paint or varnish.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

75	0.5	12,500	-	14	125	C1a	1	1	026628	**1 608 622 029**
90	0.5	8,500	-	14	150	C1a	1	1	003124	**1 608 614 001**
100	0.8	8,500	-	14	180	C1a	1	1	026574	**1 608 614 002**

clean for Metal



Wire cup brush – crimped wire

Suitable for light to medium duty cleaning work on medium to large metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional



70	0.3	12,500	-	14	125	C1a	1	1	631785	**2 608 622 098**
100	0.5	8,500	-	14	180	C1a	1	1	026611	**1 608 614 011**

heavy for Metal





Wire wheel – knotted wire

Ideal for cleaning welded seams.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.


Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.5	12,500	12	14	-	C1a	1	1	087254	**2 608 622 059**



Steel brushes

clean for Metal



Wire wheel – crimped wire

Ideal for removing annealing colour on welded seams.


Suitable for light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	0.3	11,000	-	14	-	C1a	1	1	631808	**2 608 622 100**



heavy for Metal



Bevel Brush – knotted wire

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).


Suitable for heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling, cleaning welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

100	0.5	12,500	12	14	-	C1a	1	1	036023	**2 608 622 011**
115	0.5	12,500	-	14	-	C1a	1	1	087247	**2 608 622 058**



clean for Metal



Bevel brush – crimped wire

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping, removing annealing colour on welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

100	0.3	12,500	-	14	-	C1a	1	1	087230	**2 608 622 057**



Stainless steel brushes



PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

heavy for Inox



Wire cup brush – knotted wire, stainless

Suitable for heavy duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing heavy rust or removing paint or varnish.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

75	0.5	12,500	14	125	C1a	1	1	087261	**2 608 622 060**
100	0.35	8,500	14	180	C1a	1	1	631853	**2 608 622 105**



clean for Inox



Wire cup brush – crimped wire, stainless

Suitable for light to medium duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

65	0.3	12,500	14	115	C1a	1	1	087278	**2 608 622 061**



Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

Wire cup brush – crimped wire, stainless

Suitable for light to medium duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

100	0.3	8,500	14	180	C1a	1	1	631839	**2 608 622 103**

heavy for Inox



Wire wheel – knotted wire, stainless

Ideal for cleaning welded seams on stainless steel.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.5	12,500	14	-	C1a	1	1	631860	**2 608 622 106**



clean for Inox




Wire wheel – crimped wire, stainless

Ideal for removing annealing colour from welded seams on stainless steel.

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional


115	0.3	8,500	14	-	C1a	1	1	631877	**2 608 622 107**



Stainless steel brushes

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

heavy for Inox





Bevel brush – knotted wire, stainless


Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling, cleaning welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.35	12,500	14	-	C1a	1	1	631891	**2 608 622 109**

clean for Inox



Bevel Brush – crimped wire, stainless

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).


Suitable for light to medium duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing, removing annealing colour on welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

100	0.35	12,500	14	-	C1a	1	1	631884	**2 608 622 108**

Brass brushes

clean for Metal



Wire cup brush – crimped wire, brass-coated

Suitable for light to medium duty cleaning work on medium to large metal and non-ferrous metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for angle grinders with M10 or M14 thread and GGS 6 S Professional

Advantage: corrosion protection provided by brass-coated wire.


70	0.3	12,500	14	115	C1a	1	1	003131	**1 608 614 020**
75	0.3	12,500	10	125	C1a	1	1	102704	**2 608 622 062**



Wire brushes for drills (6 mm shank)



Steel brushes












PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Wire cup brush – crimped wire								
Suitable for light to medium duty cleaning work on small to medium metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.								
50	0.2	4,500	-	C1d	1	1	049832	**2 608 622 022**
End brush – crimped wire								
Ideal for working on very hard-to-reach areas.								
Suitable for light duty cleaning work in corners and working on the inside of pipes and profiles, such as removing rust, roughing, matt sanding, paint stripping.								
25	0.3	4,500	-	C1d	1	1	004503	**1 609 200 269**

Nylon bristle with aluminium oxide





Wire cup brush – Nylon bristle with aluminium oxide coated abrasive K80								
Suitable for paint stripping, removing rust, smoothing, matt sanding and cleaning wood, metal and PVC on smaller to medium surfaces, texturing wood.								
Adapts perfectly to the contours of the workpiece, without severely altering the surface.								
Works at constant material removal rate because abrasive grains are continuously released.								
50	1	4,500	-	C1d	1	1	082112	**2 608 622 052**
75	1	4,500	-	C1d	1	1	082105	**2 608 622 051**







CIRCULAR SAW BLADES

Discover precision and durability.

The best your tool can get. Bosch Professional Accessories.





CIRCULAR SAW BLADES FOR A VARIETY OF WOODWORKING APPLICATIONS

High precision of cuts and outstanding blade lifetime.

	 Best for Wood	 Expert for Wood
Page number	**196**	**199**
Optimized for cordless saws	–	–
Diameter mm	165 – 500	120 – 450
TOOLS		
Hand-held / Plunge	✓	✓
Mitre	✓	✓
Table	✓	✓
Panel-sizing	✓	✓
Hand dry cutters	–	–
MATERIALS		
Hardwood and softwood	✓	✓
Timber and composites for construction	–	–
Wooden panel composites	✓	✓
Plywood	✓	✓
Fiberboards	✓	✓
Laminate flooring	✓	✓

		
	Optiline Wood	**Best for Laminate**
	206	**197**
	–	–
	85 – 400	**216 – 305**
	✓	–
	✓	✓
	✓	–
	–	–
	–	–
	✓	–
	–	–
	✓	✓
	✓	–
	✓	–
	✓	✓

Tool reference list

CIRCULAR SAW BLADES FOR UNIVERSAL AND SPECIAL APPLICATIONS

High precision of cuts and outstanding blade lifetime.





	Best for Multi Material	Expert for Multi Material
Page number	198	205
Optimized for cordless saws	—	—
Diameter mm	165 – 305	210 – 305
TOOLS		
Hand-held / Plunge	✓	–
Mitre	✓	✓
Table	–	–
MATERIALS		
Hardwood and softwood	✓	✓
Wooden panel composites	✓	✓
Fiberboards	✓	✓
Laminate flooring	✓	✓
High pressure laminate panels, Trespa©	✓	✓
Sandwich panels	–	–
Porous concrete	–	–
Fiber cement, Eternit©	–	–
Plasterboard		–
Corian©	–	–
Aluminium and other non-ferrous metals	✓	✓
Plastics, Epoxy	✓	✓

CIRCULAR SAW BLADES FOR METALWORKING APPLICATIONS

High precision of cuts and outstanding blade lifetime.






	Expert for Aluminium	Standard for Steel
Page number	202	207
Optimized for cordless saws	–	
Diameter mm	140 – 315	136 – 173
TOOLS		
Hand-held / Plunge	✓	–
Mitre	✓	–
Table	✓	–
Hand dry cutters	–	✓
Mitre dry cutters	–	–
MATERIALS		
Steel*	–	✓
Stainless steel, Inox	–	–
Aluminium and other non-ferrous metals	✓	–
Plastics, Epoxy	✓	–
Hardwood and softwood	✓	–
Panel composites	✓	–
Fiberboards	✓	–
Laminate boards	✓	–


*Not for Inox

Top Precision Best for Wood

Circular saw blades for plunge and hand-held circular saws





- For precise, clean and quiet cuts in all types of wood with plunge and hand-held circular saws.



TOP Precision best for **Wood**








PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
165	20	1.8/1.3	48	ATB	11,500	5	15	C1a	1	1	636858	**2 608 642 384**

Best for Laminate

Circular saw blades for mitre saws and sliding mitre saws





- A durable blade for all types of laminate flooring.



best for Laminate









PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
254	30	2.5/1.8	84	HLTCG	7,500	5	15	C1c	1	1	579575	**2 608 642 135**
305	30	2.5/1.8	96	HLTCG	6,200	5	18	C1c	1	1	579582	**2 608 642 137**

Top Precision Best for Multi Material

Circular saw blades for plunge and hand-held circular saws







- For excellent results in non-ferrous metals, aluminium, plastics, epoxy and wood with plunge and hand-held circular saws.

TOP Precision best **MultiMaterial**








PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
165	20	1.8/1.3	48	HLTCG	11,500	0	17	C1a	1	1	636896	**2 608 642 388**

Expert for Wood

Circular saw blades for plunge and hand-held circular saws





- For effortlessly clean cross and rip cuts in all types of wood and wood-based materials. Microteq teeth for long lifetime.



expert for Wood







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
184	20	2.6/1.6	40	ATB	10,300	2/6/32.5	10	15	C1a	1	1	796057	**2 608 644 039**

EXPERT FOR WOOD FOR MITRE SAWS

Perfect cuts in wood and wood based materials.





LONG LIFETIME

Due to the MicroteQ teeth made of extra hard durable carbide grains from in-house production




DURABLE CUTTING PERFORMANCE

Due to friction reducing, anti-corrosive ProteQtion coating

Circular saw blades for mitre saws and sliding mitre saws





- For effortlessly clean cuts in all types of wood and wood-based materials. Microteq teeth for long lifetime.



expert for Wood








PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
250	30	2.4/1.8	60	ATB	7,600	2/7/42 2/9.5/ 46.5 2/9/46 2/10/60	-5	15	C1a	1	1	648233	**2 608 642 498**

Circular saw blades for mitre saws and sliding mitre saws


PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
250	30	2.4/1.8	40	ATB	7,600	2/9.5/46.5 2/9/46 2/10/60 2/7/42	-5	15	C1a	1	1	796460	**2 608 644 080**

Expert for Aluminium

Circular saw blades for plunge and hand-held circular saws





- For clean cuts in non-ferrous metals such as aluminium. Also suitable for cutting plastics and epoxy, raw chipboard, acoustic panels, lightweight building panels, abrasive panel materials laminated on one or two sides, and fibre materials such as MDF and OSB boards. Microteq teeth for long lifetime.
- Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metal such as aluminium.



expert for Aluminium







PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
184	16	2.6/1.6	48	HLTCG	10,300	2/6/32.5	-5	15	C1a	1	1	796644	**2 608 644 098**

Expert for Steel

Circular saw blades for mitre dry cutters





- Clean and safe cuts through mild steel.
- Long lifetime.



expert for Steel







PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
254	25.4	2.6/2.2	60	HLTCG	1,900	0	12	C1a	1	1	737722	**2 608 643 059**
305	25.4	2.6/2.2	60	HLTCG	1,800	0	12	C1a	1	1	737739	**2 608 643 060**
355	25.4	2.6/2.2	80	HLTCG	1,600	0	12	C1a	1	1	737753	**2 608 643 062**

Expert for Stainless Steel

Circular saw blades for Mitre Dry Cutters




- Clean and safe cuts in stainless steel material.
- ResisteQ teeth manufactured from advanced metallic composites for outstanding wear resistance.
- Long lifetime.

Stainless steel

expert StainlessSteel






PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
305	25.4	2.5/2.2	80	HLTCG	2,500	0	10	C1a	1	1	839969	**2 608 644 284**

Expert for Multi Material

Circular saw blades for mitre saws and sliding mitre saws





- For excellent results in non-ferrous metals, aluminium, plastics, epoxy and wood.



expert MultiMaterial








PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
250	30	2.4/1.8	80	TCG	7,600	-5	15	C1a	1	1	648196	**2 608 642 494**

Optiline Wood

Optiline Wood for hand-held circular saws





- The precise blade for quality cuts in all types of wood.



optiline WOOD








PRODUCT PROPERTIES										ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85	15	-	1.1/0.7	20	ATB	18,000	-	15	13	C1a	1	1	754279	**2 608 643 071**


Optiline Wood for mitre saws







optiline WOOD









305	30	-	2.5/1.8	96	ATB	5,000	-	-5	15	C1a	1	1	317405	**2 608 640 442**

Standard for Steel


Circular saw blades for cordless hand dry cutters




- Extra thin kerf for **maximum battery runtime**.
- High-quality carbide teeth support clean and precise results.

standard for **Steel**








PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
136	20	1.6/1.2	30	HB	5,400	6	10	C1a	1	1	813860	**2 608 644 225**

Standard for Multi Material

Circular saw blades for mitre saws and table saws







- Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metals such as aluminium.

MULTI MATERIAL









PRODUCT PROPERTIES											ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
305	30	-	3.2/2.5	80	HLTCG	5,000	-	-5	15	C1a	1	1	317504	**2 608 640 452**

General Purpose

General purpose circular saw blades for handheld circular saws









PRODUCT PROPERTIES							ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	25.4	16 19 20	24	ATB	9,500	16	PC1b	1	1	965682	**2 608 644 560**
160	25.4	16 19 20	40	ATB	9,500	13	PC1b	1	1	965699	**2 608 644 561**
160	25.4	16 19 20	60	ATB	9,500	13	PC1b	1	1	965705	**2 608 644 562**
184	20	16	20	ATB	8,000	13	PC1b	1	1	965712	**2 608 644 563**
184	20	16	40	ATB	8,000	12	PC1b	1	1	965729	**2 608 644 564**
184	20	16	60	ATB	8,000	14	PC1b	1	1	965736	**2 608 644 565**
210	25	16 20	24	ATB	7,000	14	PC1b	1	1	965743	**2 608 644 566**
210	25	16 20	40	ATB	7,000	15	PC1b	1	1	965750	**2 608 644 567**
210	25	16 20	60	ATB	7,000	15	PC1b	1	1	965767	**2 608 644 568**
235	25	16 20	20	ATB	6,500	14	PC1b	1	1	965798	**2 608 644 571**
235	25	16 20	40	ATB	6,500	14	PC1b	1	1	965804	**2 608 644 572**
235	25	16 20	60	ATB	6,500	13	PC1b	1	1	965811	**2 608 644 573**
184	20	16	20	ATB	8,000	13	P0a	10	1	965934	**2 608 644 585**
235	25	20 16	20	ATB	6,500	14	P0a	10	1	965958	**2 608 644 587**

General purpose circular saw blade sets for handheld circular saws









184	20	16	20 40	ATB	8,000 8,000	13 12	PC1b	2	1	965910	**2 608 644 583**
184	20	16	16 24 40	ATB	8,000 8,000 8,000	10 10 12	PC1b	3	1	965927	**2 608 644 584**
235	25	20 16	20 40 60	ATB	6,500 6,500 6,500	14 14 13	PC1b	3	1	965941	**2 608 644 586**

General purpose circular saw blades for mitre saws and table saws









PRODUCT PROPERTIES						ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
216	30	25	24	ATB	7,000	PC1b	1	1	965774	**2 608 644 569**
216	30	25	48	ATB	7,000	PC1b	1	1	965781	**2 608 644 570**
254	30	25.4 25 20 16	24	ATB	6,000	PC1b	1	1	965828	**2 608 644 574**
254	30	25.4 25 20 16	40	ATB	6,000	PC1b	1	1	965835	**2 608 644 575**
254	30	25.4 25 20 16	60	ATB	6,000	PC1b	1	1	965842	**2 608 644 576**
254	30	25.4 25 20 16	80	ATB	6,000	PC1b	1	1	965859	**2 608 644 577**
254	30	25.4 25 20 16	100	ATB	6,000	PC1b	1	1	965866	**2 608 644 578**
305	30	25.4 25 20 16	40	ATB	5,000	PC1b	1	1	965873	**2 608 644 579**
305	30	25.4 25 20 16	60	ATB	5,000	PC1b	1	1	965880	**2 608 644 580**
305	30	25.4 25 20 16	80	ATB	5,000	PC1b	1	1	965897	**2 608 644 581**
305	30	25.4 25 20 16	100	ATB	5,000	PC1b	1	1	965903	**2 608 644 582**


Cordless Wood


Wood circular saw blades for cordless handheld circular saws














PRODUCT PROPERTIES								ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
136	20	-	1.4/0.76	24	ATB	10,400	14	PC1b	1	1	229663	**2 608 840 001**
160	20	16	1.6/1.05	20	ATB	9,500	10	PC1b	1	1	965965	**2 608 644 588**
160	20	16	1.6/1.05	40	ATB	9,500	15	PC1b	1	1	965972	**2 608 644 589**
165	20	10	1.6/1.02	18	ATB	8,800	14	PC1b	1	1	229670	**2 608 840 002**
165	20	10	1.6/1.02	24	ATB	8,800	14	PC1b	1	1	229687	**2 608 840 003**
165	20	10	1.6/1.02	40	ATB	8,800	14	PC1b	1	1	229694	**2 608 840 004**
184	20	16	1.6/1.05	20	ATB	8,000	12	PC1b	1	1	965989	**2 608 644 590**
184	20	16	1.6/1.05	40	ATB	8,000	11	PC1b	1	1	965996	**2 608 644 591**
210	25	16	1.8/1.25	20	ATB	7,000	12	PC1b	1	1	966009	**2 608 644 592**
210	25	16	1.8/1.25	40	ATB	7,000	15	PC1b	1	1	966016	**2 608 644 593**
235	25	16 20	1.8/1.25	60	ATB	6,500	15	PC1b	1	1	966023	**2 608 644 594**
160	20	16	2.5/1.8	40	ATB	6,000	14	P0a	10	1	966047	**2 608 644 596**


Wood Circular Saw Blades for Cordless Mitre and Table Saws














PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Circular saw blade wood for cordless table saws.					
	PC1b	1	1	986151	**2 608 644 647**
	PC1b	1	1	986168	**2 608 644 648**
	PC1b	1	1	986144	**2 608 644 646**


Wood circular saw blade sets for cordless handheld circular saws













PRODUCT PROPERTIES							ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
184	20	16	20	ATB	8,000	12	PC1b	2	1	966030	**2 608 644 595**
			40		8,000	11					

Ferrous Metal

Ferrous Metal circular saw blades for handheld dry-cutters









PRODUCT PROPERTIES						ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	20	32	ATB	5,000	12	PC1b	1	1	966160	**2 608 644 608**
180	20	38	ATB	4,500	12	PC1b	1	1	966177	**2 608 644 609**

Fibre Cement

Fibre Cement circular saw blades for handheld circular saws









PRODUCT PROPERTIES							ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
182	20	16	6	HLTCG	10,000	15	PC1b	1	1	966184	**2 608 644 610**

Multi Material

Multi Material circular saw blades for handheld circular saws









PRODUCT PROPERTIES							ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
160	25.4	16 19 20	60	HLTCG	9,500	16	PC1b	1	1	966054	**2 608 644 597**
184	20	16	60	HLTCG	8,000	15	PC1b	1	1	966061	**2 608 644 598**
235	25	16 20	80	HLTCG	6,500	15	PC1b	1	1	966092	**2 608 644 601**
210	25	16 20	60	HLTCG	7,000	16	PC1b	1	1	966078	**2 608 644 599**

Multi Material circular saw blades for mitre saws and table saws







216	30	25	80	HLTCG	7,000	16	PC1b	1	1	966085	**2 608 644 600**
254	30	25.4 25 20	60	HLTCG	6,000	16	PC1b	1	1	966108	**2 608 644 602**
254	30	25.4 25 20	80	HLTCG	6,000	16	PC1b	1	1	966115	**2 608 644 603**
254	30	25.4 25 20	100	HLTCG	6,000	17	PC1b	1	1	966122	**2 608 644 604**
254	30	25.4 25 20	120	HLTCG	6,000	17	PC1b	1	1	966139	**2 608 644 605**
305	30	25.4 25 20	60	HLTCG	5,000	15	PC1b	1	1	966146	**2 608 644 606**
305	30	25.4 25 20	100	HLTCG	5,000	15	PC1b	1	1	966153	**2 608 644 607**

Accessories for Circular Saws

Reducing Rings for Circular Saw Blades



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Bore size mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Reduction rings for circular saw blades Base blade thickness of 1.4 mm up to max. 1.7 mm							
25	16	1.2	P1b	1	1	433686	**2 600 100 202**
25	20	1.2	P1b	1	1	433693	**2 600 100 203**
Reduction rings for circular saw blades Base blade thickness of 1.7 mm up to max. 2.2 mm							
25.4	16	1.5	P1b	1	1	433839	**2 600 100 217**
25.4	20	1.5	P1b	1	1	433853	**2 600 100 219**





ROUTER BITS AND PLANER KNIVES

Get that perfect finishing cut.

The best your tool can get. Bosch Professional Accessories.





Accessories for Biscuit Joiners

Biscuit dowels for Bosch biscuit joiners

- For perfect joints.



PRODUCT PROPERTIES				ORDERING INFORMATION				
	Length mm	Width mm	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Biscuit dowels GR 10								
	55	19	4	P1d	50	1	093880	**2 607 000 797**
Biscuit dowels GR 20								
	60	23	4	P1d	50	1	012829	**2 607 000 103**

UNIVERSAL PLANER KNIVES

Fit for use on all common handheld planers.



Woodrazor Carbide Riversible Planer Knife



Standard for Wood Carbide Riversible Planer Knife

Page number	220	220
MEASUREMENT		
82.4 × 5.5 × 1.1 mm	✓	✓
56.0 × 5.5 × 1.1 mm	✓	✓
82.0 × 29.0 × 3.0 mm	–	–
MATERIALS		
Hardwood	✓	✓
Softwood	✓	✓
Wooden composites	✓	✓

Universal planer knives for hand-held planers

Carbide reversible planer knives

▸ **Appropriate for** planers from the brands Bosch, AEG, Black+Decker, Fein, Haffner, Hitachi, Holz-Her, Mafell, Makita, Metabo, Skil



PRODUCT PROPERTIES			ORDERING INFORMATION				
Length mm	Width mm	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Planer blade straight, tungsten carbide, 40° length x width: 82.4 mm x 5.5 mm							
82.4	5.5	1.1	PC1d	2	5	010450	**2 607 000 096**

WOOD RAZOR



Planer blade Sharp, straight, tungsten carbide, 40° Sharp planing blade, ideal for Bosch Woodrazor System. length x width: 82.4 mm x 5.5 mm							
82.4	5.5	1.1	PC1d	1	5	200783	**2 608 635 376**

WOOD RAZOR



Planer blade for GHO 12V-20 Straight, tungsten carbide, 40° length x width: 56 mm x 5.5 mm							
56	5.5	1.1	PC1d	2	1	934084	**2 608 000 672**

JIGSAW BLADES

Cut every material effectively.

The best your tool can get. Bosch Professional Accessories.





JIGSAW BLADES FOR WOOD
The classics.










	Hardwood 2-Side Clean	Laminate Clean	Wood 2-Side Clean	Clean for Hardwood	Speed for Hardwood
	EXPERT	EXPERT	EXPERT		
Page number	229	231	233	232	232
Available blade types	2	1	3	5	2
T-Shank	✓	✓	✓	✓	✓
U-Shank	–	–	–	✓	–
	PRECISION	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY	PRECISION		

MATERIALS

Softwood	–	–	✓	–	–
Plywood	–	–	✓	–	–
Hardwood, chipboard, MDF	✓	–	–	✓	✓
Laminated boards, kitchen worktops	✓	–	–	✓	–
Laminate, vinyl flooring	–	✓	–	–	–
WPC (wood plastic composites)	–	–	–	–	–
Construction wood	–	–	–	–	✓

*Bosch EXPERT products vs. Bosch standard products







	Progressor for Wood	Precision for Wood	Clean for Wood	Speed for Wood	Basic for Wood
	235	234	235	236	237
	1	5	5	4	3
	✓	✓	✓	✓	✓
	✓	–	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	–	–
	–	–	–	–	–
	–	–	–	–	–
	–	–	–	–	–
	–	–	–	–	–
	–	✓	–	✓	–

JIGSAW BLADES FOR METAL

Make the cut you need.







	Stainless Steel	Basic for Inox	Progressor for Metal
	EXPERT		
Page number	238	239	239
Available blade types	2	2	1
T-Shank	✓	✓	✓
U-Shank	–	–	–
	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY		

MATERIALS

Sheet metal	–	–	✓
Perforated sheet metal	–	–	✓
Aluminium, non-ferrous metals	–	–	✓
Stainless steel sheets	✓	✓	–
Profiles, pipes (closed)	–	–	–
Profiles (open)	–	–	–
Metal sandwich	–	–	–

*Bosch EXPERT products vs. Bosch standard products






	Flexible for Metal	Basic for Metal	Special for Alu	Flexible for Metal-Sandwich
	239	240	241	241
	5	6	2	1
	✓	✓	✓	✓
	–	✓	✓	–
	✓	✓	–	–
	✓	–	–	–
	–	–	✓	–
	–	–	–	–
	✓	✓	–	–
	✓	–	–	–
	–	–	–	✓

JIGSAW BLADES FOR WOOD AND METAL

Nails? No problem.



Progressor for Wood and Metal

Page number	242
Available blade types	1
T-Shank	✓
U-Shank	–

MATERIALS

Construction timber with hardened screws and nails	–
Construction timber with nails	✓
Profiles, pipes, thickwalled	✓
Aluminium, non-ferrous metals	✓
Glass fibre reinforced plastic/epoxy	✓

*Bosch EXPERT products vs. Bosch standard products

JIGSAW BLADES FOR PLASTICS

For the most advanced materials.







	Plastic Composites clean	Carbon Fiber clean	Clean for PC
	EXPERT	EXPERT	
Page number	243	244	245
Available blade types	1	1	1
T-Shank	✓	✓	✓
U-Shank	–	–	–
	LONG LIFE CARBIDE TECHNOLOGY	LONG LIFE CARBIDE TECHNOLOGY	
MATERIALS			
PP, PE	–	–	–
PVC, PA, PS	–	–	–
PMMA	–	–	–
PC	–	–	✓
WPC (wood plastic composites)	✓	–	–
CFRP (carbon fiber reinforced polymer)	–	✓	–
GFRP (glass fiber reinforced polymer)	✓	✓	–
Solid surface composites (Corian, Varicor)	✓	–	–

JIGSAW BLADES FOR SPECIAL APPLICATIONS

Unusual jigsaw jobs.








	Fiber Plaster	Soft Tile clean	Special for Ceramics	Special for Soft-Materials
	EXPERT	EXPERT		
Page number	246	246	246	246
Available blade types	2	1	1	2
T-Shank	✓	✓	✓	✓
U-Shank	–	–	–	–
	LONG LIFE, CARBIDE TECHNOLOGY	PRECISION, DIAMOND TECHNOLOGY		

MATERIALS

Drywall board, fiber cement board	✓	–	–	–
Porous concrete	✓	–	–	–
Ceramic tiles	–	✓	✓	–
Polystyrene, cardboard	–	–	–	✓
Rubber	–	–	–	✓
Fiber insulation materials	–	–	–	✓


HIGH PRECISION TEAR-FREE CUTTING LAMINATED WORKTOPS

EXPERT ‘Hardwood 2-Side Clean’ Blades

: T 308 BF

EXPERT

1. Cuts tear-free on both sides with 2-Side Clean geometry
2. Extra sharp teeth produced by precision grinding
3. Combines hard teeth and flexible body through Bi-Metal welding



EXPERT Hardwood 2-side clean T308BF Jigsaw Blades

EXPERT



- Ideal for making tear-free straight cuts in plastic-coated board materials such as kitchen counter tops.
- Best for shopfitters and carpenters: precise and quality finish.
- Very clean finish top and bottom.
- Fits all T-shank jigsaws.





PRECISION

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2	13	5	50	C1b	3	10	537672	**2 608 900 543**
					C1b	5	10	537689	**2 608 900 544**
					P1h	25	1	537696	**2 608 900 545**
					C0a	100	1	537702	**2 608 900 546**

HIGH PRECISION TEAR-FREE CUTTING LAMINATED WORKTOPS

EXPERT 'Hardwood 2-Side Clean' Blades

: T 308 BFP

EXPERT

1. Cuts tear-free on both sides with 2-side clean geometry
2. Extra sharp teeth produced by precision grinding
3. Combines hard teeth and flexible body through Bi-Metal welding
4. Thicker blade offers added stability for a precise cut



EXPERT Hardwood 2-side clean T308BFP Jigsaw Blades

EXPERT



- Ideal for making tear-free accurate angle cuts in very thick materials such as kitchen counter tops.
- Best for shopfitters and carpenters: precise and quality finish.
- Very clean finish top and bottom.
- Fits all T-shank jigsaws.





PRECISION

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2	13	5	50	C1b	3	10	537719	**2 608 900 547**
					P1h	25	1	549682	**2 608 901 181**

LONG LIFE CLEAN CUTTING LAMINATE

EXPERT ‘Laminate Clean’ Blades

: T 128 BHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Carbide strip provides rigidity and strength
3. Fine teeth cut thinner material with ease
4. Cuts clean on both sides with counter-directed teeth




CARBIDE TECHNOLOGY

EXPERT Laminate Clean T128BHM Jigsaw Blades

EXPERT



- Ideal for cutting laminate floorboards to length during shop fitting or other commercial installations; cutting fibre reinforced vinyl flooring boards; cutting HPL (high pressure laminate) such as cladding for houses.
- Best for shopfitters: long lasting and quality finish.
- Lasts up to 50x longer than Bosch T101B blade in tough materials.
- Fits all T-shank jigsaws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
92	1.8	14	2	15	C1b	3	1	537665	**2 608 900 542**

Jigsaw blades - Clean for Hard Wood

Clean cut

clean HardWood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

T 101 AOF



BIM, pointed teeth, ground teeth and taper ground
Hardwood, laminated panels/HPL (1.5-15 mm), plywood, especially for curve cuts, no tears

83	1.4	C1b	5	10	091848	**2 608 634 233**

T 101 AIF



BIM, pointed teeth, ground teeth and taper ground
Hardwood, laminates, laminated panels/HPL (2-30 mm), no tearing

100	1.7	C1b	5	10	096355	**2 608 634 897**

T 101 BF



BIM, ground teeth and taper ground
Hardwood, laminates, laminated panels/HPL (3-30 mm)

100	2.7	PC1a	5	5	979610	**2 608 636 974**

T 101 BRF



BIM, ground teeth and taper ground
Hardwood, laminates, laminated panels (3-30 mm), kitchen worktops (<45 mm), clean surface

100	2.5	C1b	5	10	091862	**2 608 634 235**

Jigsaw blades - Speed for Hard Wood

Fast cut

speed HardWood

T 144 DF



BIM, side set, ground
Hardwood and softwood (5-50 mm), all types of panels, including laminates

100	4.0-5.2	C1b	5	10	009430	**2 608 634 567**

T 344 DF



BIM, side set, ground
Thick hardwood and softwood (5-100 mm), all types of panels, including laminates

152	4.0	C1b	5	10	091947	**2 608 634 243**

HIGH PRECISION TEAR-FREE CUTTING WOOD

EXPERT ‘Wood 2-Side Clean’ Blades

: T 308 B, T 308 BO, T 308 BP

EXPERT

1. Cuts tear-free on both sides with 2-Side Clean Geometry
2. Extra sharp teeth produced by precision grinding



EXPERT Wood 2-side clean T308B Jigsaw Blades

EXPERT



- Ideal for making tear-free straight cuts. Cuts solid wood up to 50mm, for example for building furniture without the need for sanding.
- Best for joiners: precise and quality finish.
- Very clean finish top and bottom.
- Fits all T-shank jigsaws.





PRECISION

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2.2	12	5	50	C1b	3	10	537740	**2 608 900 550**
					P1h	25	1	537764	**2 608 900 552**
					C0a	100	1	537771	**2 608 900 553**

EXPERT Wood 2-side clean T308BO Jigsaw Blades

EXPERT



- Ideal for making tear-free curved cuts. Cuts solid wood up to 50mm, for example for building furniture without the need for sanding.
- Best for joiners: precise and quality finish.
- Very clean finish top and bottom.
- Fits all T-shank jigsaws.





PRECISION

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2.2	12	5	50	C1b	3	10	537788	**2 608 900 554**
					C1b	5	10	537795	**2 608 900 555**
					P1h	25	1	537801	**2 608 900 556**

EXPERT Wood 2-side clean T308BP Jigsaw Blades

EXPERT



- Ideal for making tear-free accurate angle cuts. Cuts solid wood up to 50mm, for example for building furniture without the need for sanding.
- Best for joiners: precise and quality finish.
- Very clean finish top and bottom.
- Fits all T-shank jigsaws.





PRECISION


PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	2.2	12	5	50	C1b	3	10	537818	**2 608 900 557**
					C1b	5	10	537825	**2 608 900 558**

Jigsaw blades - Precision for Wood

Cuts at accurate angles

precision Wood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



T 144 DP



HCS, side set, ground
Softwood, chipboards, wood core plywood, fibre boards (5-50 mm), doors, kitchen worktops (<50 mm)

100	4.0	C1b	5	10	264181	**2 608 633 A35**
		PC1a	5	5	979498	**2 608 665 052**

Jigsaw blades - Precision for Wood

Cuts at accurate angles

precision Wood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 344 DP						
HCS, side set, ground Thick construction timber, softwood (5-100 mm), chipboards, wood core plywood, fibre boards						
152	4.0	C1b	5	10	264198	**2 608 633 A36**

Jigsaw blades - Progressor for Wood

Universal, clean through thin and thick

progressor Wood

T 234 X						
HCS, ground teeth and taper ground Softwood (3-65 mm), chipboards, wood core plywood, fibre boards						
117	2-3	PC1a	3	5	979580	**2 608 665 061**

Jigsaw blades - Clean for Wood

Clean cut

clean Wood

T 101 AO						
HCS, pointed teeth, ground teeth and taper ground Softwood, plywood, laminated panels (1.5-15 mm), especially for curve cuts						
83	1.4	PC1a	5	5	979528	**2 608 665 055**
T 101 B						
HCS, ground teeth and taper ground Softwood, chipboard, wood core plywood, fibre boards (3-30 mm)						
100	2.7	C1b	5	10	006781	**2 608 630 030**
		PC1a	5	5	979535	**2 608 665 056**
T 101 BR						
HCS, ground teeth and taper ground Softwood, chipboard, wood core plywood, fibre boards (3-30 mm), laminated panels, clean surface						
100	2.5	PC1a	5	5	979542	**2 608 665 057**

Jigsaw blades - Clean for Wood

Clean cut

clean Wood

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 101 D							
HCS, ground teeth and taper ground Softwood, chipboards, wood core plywood, fibre boards (10-45 mm)							
	100	4.0-5.2	PC1a	5	5	979559	**2 608 665 058**
			C1a	100	1	067447	**2 608 637 877**
T 301 CD							
HCS, ground teeth and taper ground Softwood, chipboards, wood core plywood, fibre boards (10-65 mm)							
	117	3.0	PC1a	5	5	979566	**2 608 665 059**

Jigsaw blades - Speed for Wood

Fast cut

speed Wood


T 144 D							
HCS, side set, ground Softwood (5-50 mm), chipboards, wood core plywood, fibre boards							
	100	4.0-5.2	C1b	5	10	006842	**2 608 630 040**
T 244 D							
HCS, side set, ground Softwood (5-50 mm), chipboards, wood core plywood, fibre boards, especially for curve cuts							
	100	4.0-5.2	PC1a	5	5	979504	**2 608 665 053**
T 344 D							
HCS, side set, ground Thick construction timber, softwood (5-100 mm), chipboards, wood core plywood, fibre boards							
	152	4.0	PC1a	5	5	979511	**2 608 665 054**
			C1b	5	10	264174	**2 608 633 A34**
T 744 D							
HCS, side set, ground Softwood/boards, thick construction timber, sandwich materials							
	180	4.0	C1c	3	5	348591	**2 608 663 314**

Jigsaw blades - Basic for Wood

Good and cost-effective

basic for Wood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number




T 119 BO



HCS, wavy set, milled
Softwood (2-15 mm), plywood, chipboard, wood core plywood, fibre boards, especially for curve cuts

83	2.0	PC1a	5	5	979474	**2 608 665 050**




T 119 B



HCS, wavy set, milled
Softwood (2-15 mm), plywood, chipboards, wood core plywood, fibre boards

92	1.9-2.3	C1b	5	10	006835	**2 608 630 037**



T 111 C



HCS, side set, milled
Softwood (4-50 mm), chipboard, wood core plywood, fibre boards, quick cut

100	3.0	PC1a	5	5	979481	**2 608 665 051**

LONG LIFE CUTTING STAINLESS STEEL SHEET

EXPERT ‘Stainless Steel’ Blades

: T 118 AHM, T 118 EHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Carbide strip provides rigidity and strength




CARBIDE TECHNOLOGY

EXPERT Stainless Steel T118AHM Jigsaw Blades

EXPERT



- Ideal for making straight cuts in stainless steel sheets, for example adjustment cuts in industrial fittings; mechanical engineering and machinery; and construction applications such as elevators and escalators.
- Best for metalworkers: long lasting and precise.
- Lasts up to 50x longer than Bosch T118G Jigsaw Blade in tough materials.
- Fits all T-shank jigsaws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
83	1.1	23	1.5	3	C1b	3	1	537856	**2 608 900 561**

Jigsaw blades - Basic for Inox

Good and cost-effective

basic for Inox

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 118 EFS						
BIM, wavy set, milled Sawing in Inox / stainless steel						
83	1.4	C1b	5	10	371018	**2 608 636 420**
		PC1a	5	5	979641	**2 608 636 977**

Jigsaw blades - Progressor for Metal

Universal. Fast in thin and thick material.

PROGRESSOR for Metal

T 123 XF						
BIM, side set, milled Thin to thick sheet metals (1.5-10 mm), pipes + profiles, including aluminium (diameter <30 mm)						
100	1.2-2.6	C1b	5	10	128056	**2 608 638 473**

Jigsaw blades - Flexible for Metal

Breakproof and durable

flexible for Metal

T 118 EOF						
BIM, wavy set, milled Thin sheet metals, perforated sheet metals (1.5-4 mm), especially for curve cuts						
83	1.5	C1b	5	10	091893	**2 608 634 237**
T 118 AF						
BIM, wavy set, milled Thin sheet metals, perforated sheet metals (1-3 mm)						
92	1.1-1.5	PC1a	5	5	979634	**2 608 636 976**
T 118 BF						
BIM, wavy set, milled Medium-thick sheet metals, perforated sheet metals (2.5-6 mm)						
92	1.9-2.3	C1b	5	10	007603	**2 608 634 503**

Jigsaw blades - Flexible for Metal

Breakproof and durable

flexible for Metal

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 318 AF							
BIM, wavy set, milled Thin sheet metals, perforated sheet metals (1-3 mm), sandwich materials (<65 mm), pipes + open profiles, including aluminium (diameter <65 mm), glass fibre reinforced plastic/epoxy (<65 mm)	**132**	1.1	C1b	5	10	091923	**2 608 634 241**
T 318 BF							
BIM, side set, milled Medium-thick sheet metals, perforated sheet metals (2.5-6 mm), sandwich materials (<65 mm), pipes + profiles, including aluminium (diameter <65 mm), glass fibre reinforced plastic/epoxy (<65 mm)	**132**	1.8	C1b	5	10	091930	**2 608 634 242**

Jigsaw blades - Basic for Metal

Good and cost-effective

basic for Metal


T 118 G							
HSS, wavy set, milled Very thin metal plate (0.5 - 1.5 mm)	**92**	0.7	C1b	5	10	007283	**2 608 631 012**
			PC1a	5	5	979658	**2 608 668 643**
T 118 A							
HSS, wavy set, milled Thin sheet metals (1-3 mm)	**92**	1.1-1.5	PC1a	5	5	979665	**2 608 668 644**
T 118 B							
HSS, wavy set, milled Medium-thick sheet metals (2.5-6 mm)	**92**	1.9-2.3	PC1a	5	5	979672	**2 608 668 645**
T 318 A							
HSS, wavy set, milled Thin sheet metals (1-3 mm), pipes + profiles, including aluminium (diameter <65 mm)	**132**	1.2	C1b	5	10	007375	**2 608 631 319**

Jigsaw blades - Basic for Metal

Good and cost-effective

basic for Metal

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number



T 318 B




HSS, wavy set, milled
Medium-thick sheet metals (2.5-6 mm), pipes + profiles, including aluminium (diameter <65 mm), cutting at accurate angles

132	2.0	C1b	5	10	007382	**2 608 631 404**

Jigsaw blades - Special for Alu

Aluminium and non-ferrous metal




T 127 D



HSS, side set, milled
Thin to thick sheet metals (3-15 mm), pipes + profiles, (diameter <30 mm)

100	-	C1b	2	10	639118	**2 608 668 173**



T 127 D



HSS, side set, milled
Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm)

100	3.0	C1b	5	10	007313	**2 608 631 017**
		PC1a	5	5	979689	**2 608 668 646**

T 227 D




HSS, side set, milled
Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm), especially for curve cuts

100	3.0	PC1a	5	5	979696	**2 608 668 647**

Jigsaw blades - Flexible for Metal-Sandwich

Breakproof and durable

flexible for MetalSandwich



T 718 BF



BIM, side set, milled
Sandwich materials (<120 mm)

180	2.0	C1b	3	5	309042	**2 608 636 335**

Jigsaw blades - Progressor for Wood and Metal

Universal, fast through thick and thin

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 345 XF 						
BIM, side set, milled Construction timber with nails (<65 mm), wood materials, plastics, sheet metals, pipes/profiles, including aluminium (diameter 3-10 mm)						
132	2.4-5.0	PC1a	3	5	979627	**2 608 636 975**


LONG LIFE CLEAN CUTTING SOLID SURFACE AND WPC

EXPERT ‘Plastic Composites Clean’ Blades

: T 301 CHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Very sharp Carbide teeth produced by cross-grinding
3. Carbide strip provides rigidity and strength




CARBIDE TECHNOLOGY

EXPERT Plastic Composites Clean T301CHM Jigsaw Blades

EXPERT



- Ideal for straight cuts in solid surface panels, required for building solid surface kitchens and bathrooms; straight cuts in Wood-Plastic Composite (WPC) boards during patio installation.
- Best for kitchen fitters: long lasting and quality finish.
- Carbide Technology For Long-life performance.
- Fits all T-shank jigsaws.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
117	3.3	8	6	65	C1b	3	1	537900	**2 608 900 566**


LONG LIFE CLEAN CUTTING CARBON FIBER

EXPERT ‘Carbon Fiber Clean’ Blades

: T 108 BHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Very sharp Carbide teeth produced by cross-grinding
3. Carbide strip provides rigidity and strength



CARBIDE TECHNOLOGY

EXPERT Carbon Fiber Clean T108BHM Jigsaw Blades

EXPERT



- Ideal for making straight cuts into carbon fibre boards and profiles, such as trimming structural components in advanced modern vehicles; jigsaw cutting in the aerospace and boatbuilding industries.
- Best for boatbuilders: long lasting and quality finish.
- Carbide Technology For Long-life performance.
- Fits all T-shank jigsaws.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
92	2.2	12	2	20	C1b	3	1	537894	**2 608 900 565**

Jigsaw blades - Clean for PC

clean for PC


PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
T 101 A 							
HSS, ground teeth and taper ground Perspex, polycarbonate (2-20 mm)							
	100	2.0	C1b	5	10	007276	**2 608 631 010**

EXPERT Fibre Plaster T341HM Jigsaw Blades

EXPERT



- Ideal for making straight cuts in plasterboard, such as cut outs in drywall; and adjustment cuts when installing fiber cement boards.
- Best for construction workers: long lasting and versatile.
- Carbide Technology For Long-life performance.
- Fits all T-shank jigsaws.





CARBIDE TECHNOLOGY LONG LIFE


PRODUCT PROPERTIES			ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952…	Part number
132	4.3	6	C1b	3	1	537887	**2 608 900 564**

Jigsaw blades - Special for Ceramics


Ceramic materials

special Ceramics

PRODUCT PROPERTIES	ORDERING INFORMATION				
Total length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number




T 130 RF




Carbide Technology, with grit of 30
Soft ceramic wall tiles, cast iron (5-15 mm), coarse cut

83	C1b	3	1	035286	**2 608 633 104**



T 150 RF



Carbide Technology, with grit of 50
Soft ceramic wall tiles, cast iron (5-10 mm), fine cut

83	C1b	3	1	035293	**2 608 633 105**

Jigsaw blades – Special for Soft Material

Soft materials

special Soft-Material



T 313 AW



HCS, blade with serrated edge
Cardboard, polystyrene, carpet, leather, rubber (<100 mm)

152	C1b	3	5	045926	**2 608 635 187**

Jigsaw Blades for Hardwood

Jigsaw blades - Clean for Hard Wood

Clean cut

clean HardWood

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
U 101 BF							
BIM, ground teeth and taper ground Hardwood and softwood, glass fibre reinforced plastics/epoxy (3-30 mm), laminated boards/HPL							
	100	2.7	C1b	3	10	264457	**2 608 636 236**

Jigsaw Blades for Wood

Jigsaw blades - Clean for Wood

Clean cut

clean for Wood

PRODUCT PROPERTIES		ORDERING INFORMATION				
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

U 1 AO



HCS, pointed teeth, ground teeth and taper ground
Softwood, plywood, laminated panels (1.5-15 mm), especially for curve cuts

70	1.4	C1b	3	10	038553	**2 608 637 724**

U 101 B



HCS, ground teeth and taper ground
Softwood, chipboard, wood core plywood, fibre boards (3-30 mm), plastics (3-30 mm)

100	2.7	C1b	3	10	006996	**2 608 630 565**

U 101 D



HCS, ground teeth and taper ground
Softwood (10-45 mm), chipboards, wood core plywood, fibre boards

100	4.0-5.2	C1b	3	10	038546	**2 608 637 723**

Jigsaw blades - Speed for Wood

Fast cut

speed for Wood

U 144 D



HCS, side set, ground
Softwood (5-50 mm), chipboards, wood core plywood, fibre boards

100	4.0-5.2	C1b	3	10	007023	**2 608 630 568**

Jigsaw blades - Basic for Wood

Good and cost-effective

basic for Wood

U 111 C



HCS, side set, milled
Softwood (4-50 mm), chipboards, wood core plywood, fibre boards

92	-	C1b	2	10	638920	**2 608 667 411**

Jigsaw Blades for Metal

Jigsaw blades - Basic for Metal


Good and cost-effective

basic for Metal

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
U 118 A							
HSS, wavy set, milled Thin sheet metals (1-3 mm)	**80**	1.1-1.5	C1b	3	10	007412	**2 608 631 511**
U 118 B							
HSS, wavy set, milled Medium-thick sheet metals (2.5-6 mm)	**80**	1.9-2.3	C1b	3	10	014076	**2 608 631 771**

EXPERT Wood 2-side clean Jigsaw Blade Sets

EXPERT






- Ideal for making tear-free cuts; T308BO for making tear-free curved cuts; T308BP for making tear-free accurate angle cuts. All cut solid wood up to 50 mm, for example for building furniture without the need for sanding.
- Best for joiners: precise and quality finish.
- Set with T 308 B and T 308 BO for cleaner cuts.
- Fits all T-shank jigsaws.


PRECISION

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Set contents	Material thickness [mm]	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece jigsaw blade set								
EXPERT 'Wood 2-side clean' T 308 B **EXPERT 'Wood 2-side clean' T 308 BO**		50	117	PC1a	3	10	537832	**2 608 900 559**

EXPERT Hardwood 2-side clean Jigsaw Blade Sets

EXPERT





- Ideal for making tear-free cuts. T308BF for making tear-free straight cuts in plastic-coated board materials; T308BFP for making tear-free accurate angle cuts in very thick materials such as kitchen counter tops.
- Best for shopfitters and carpenters: precise and quality finish.
- Set with T 308 BF and T 308 BFP for cleaner cuts.
- Fits all T-shank jigsaws.

PRECISION

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Set contents	Material thickness [mm]	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3-piece jigsaw blade set								
EXPERT 'Hardwood 2-side clean' T 308 BF **EXPERT 'Hardwood 2-side clean' T 308 BFP**		50	117	PC1a	3	10	537733	**2 608 900 549**

10-piece jigsaw blade sets (single lug shank)



PRODUCT PROPERTIES		ORDERING INFORMATION				
	Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10-piece jigsaw blade set Basic for Wood						
T 119 BO Basic for Wood **T 119 B Basic for Wood** **T 111 C Basic for Wood**		P1k	10	1	579353	**2 607 010 629**

10-piece jigsaw blade sets (single lug shank)



PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
10-piece jigsaw blade set Basic for Metal and Wood					
T 119 BO Basic for Wood **T 119 B Basic for Wood** **T 111 C Basic for Wood** **T 218 A Basic for Metal** **T 118 G Basic for Metal** **T 118 A Basic for Metal** **T 118 B Basic for Metal**	P1k	10	1	579360	**2 607 010 630**

Saw blades for **the Bosch Foam Rubber Cutter GSG 300 Professional**

Saw blade set for Bosch Foam Rubber Cutter GSG 300 Professional



PRODUCT PROPERTIES	ORDERING INFORMATION				
Material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2-piece saw blade set					
70	C0h	2	1	029858	**2 607 018 013**
130	C0h	2	1	029827	**2 607 018 010**
200	C0h	2	1	029834	**2 607 018 011**
300	C0h	2	1	029841	**2 607 018 012**

Saw blade guides for Bosch Foam Rubber Cutter GSG 300 Professional



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Saw blade guide for saw blade 2 607 018 010					
	C0a	1	1	030540	**2 608 135 020**
Saw blade guide for saw blade 2 607 018 011					
	C0a	1	1	030557	**2 608 135 021**
Saw blade guide for saw blade 2 607 018 012					
	C0a	1	1	030564	**2 608 135 022**
Saw blade guide for saw blade 2 607 018 013					
	C0a	1	1	030571	**2 608 135 023**



Sole plate GSG 300 Professional					
	P1d	1	1	052153	**2 608 000 908**

RECIPROCATING SAW BLADES

Cut tough materials with ease.

The best your tool can get. Bosch Professional Accessories.





BLADES FOR METAL

For reciprocating saw.













	Thick Tough Metal	Medium-Thick Tough Metal	Thin Tough Metal	Vehicle Rescue
	EXPERT	EXPERT	EXPERT	EXPERT
Page number	261	264	266	268
Available blade types	4	3	3	2
	UP TO 100x* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts High Strength Steel	✓	✓	✓	✓
Cuts Hardened Steel	✓	✓	✓	✓
Cuts Stainless Steel	✓	✓	✓	✓
Cuts Cement Cast Iron Pipes	–	–	–	–
Ideal for non-cement Cast Iron Pipes	✓	✓	–	–
Ideal for Rescue & Car Dismantling	–	–	–	✓
Ideal for regular strength 'mild' steel	–	–	–	–
Ideal for precise cuts in pipes & profiles	✓	✓	–	–
Ideal for thin and thick metal	–	–	–	–
Sufficient for non-ferrous metal	–	–	–	–

*Bosch EXPERT products vs. Bosch standard products

					
	Cement Cast Iron	Heavy for Metal	Progressor for Metal	Flexible for Metal	Basic for Metal
	EXPERT				
	270	272	273	274	275
	1	12	1	10	2
	LONG LIFE DIAMOND TECHNOLOGY				
	–	–	–	–	–
	–	–	–	–	–
	–	–	–	–	–
	✓	–	–	–	–
	–	–	–	–	–
	–	–	–	–	–
	–	✓	✓	✓	✓
	–	✓	–	–	–
	–	–	✓	–	–
	–	–	–	✓	✓

BLADES FOR MULTI-MATERIAL

For reciprocating saw.






	Wood with Metal Demolition	Window Demolition	Hard Nail Pallets	Wood with Metal
	EXPERT	EXPERT	EXPERT	EXPERT
Page number	276	278	279	280
Available blade types	3	1	1	1
	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts High Strength Steel Screws & Fasteners**	✓	✓	✓	✓
Cuts Hardened Steel Nails**	✓	✓	✓	✓
Cuts Stainless Steel Screws & Fasteners**	✓	✓	✓	✓
Cuts non-cement Cast Iron Pipes	✓	–	✓	–
Ideal for Demolition	✓	✓	–	–
Ideal for Pallet Repair	–	–	✓	–
Ideal for regular strength 'mild' steel**	–	–	–	–
Ideal for thin and thick material	–	–	–	–
Sufficient for non-ferrous metal**	–	–	–	–

* Bosch EXPERT products vs. Bosch standard products
** embedded in wood



	Multi Material	Heavy for Wood and Metal	Progressor for Wood and Metal	Flexible for Wood and Metal
	EXPERT			
	281	283	284	284
	3	7	1	7
	UP TO 50× LONG LIFE CARBIDE TECHNOLOGY			
	✓	–	–	–
	✓	–	–	–
	✓	–	–	–
	✓	–	–	–
	–	✓	–	–
	–	–	–	–
	–	✓	✓	✓
	–	–	✓	–
	–	–	✓	✓

BLADES FOR MINERAL MATERIAL

For reciprocating saw.





	Hollow Brick	Aerated Concrete
	EXPERT	EXPERT
Page number	286	288
Available blade types	3	3
	LONG LIFE CARBIDE TECHNOLOGY	LONG LIFE CARBIDE TECHNOLOGY

MATERIAL AND APPLICATION RECOMMENDATIONS


Cuts hollow brick blocks	✓	–
Cuts Aerated Concrete blocks	–	✓
Cuts Fiber Cement board	–	–
Cuts Concrete Backerboard	–	–
Cuts Drywall board	–	–
Cuts thick dense Fiber Insulation	–	–
Ideal for clean cuts in thin Fiber Insulation	–	–
Ideal for clean cuts in Soft Material	–	–
Ideal for frozen material	–	–

*Bosch EXPERT products vs. Bosch standard products

			
	Fiber Plaster	Special for Plaster	Special for Ice
	EXPERT		
	290	291	291
	1	2	1
	LONG LIFE CARBIDE TECHNOLOGY		
	–	–	–
	–	–	–
	✓	–	–
	✓	–	–
	✓	✓	–
	–	–	–
	–	–	–
	–	–	–
	–	–	✓

BLADES FOR WOOD

For reciprocating saw.



	Tough Wood	Top for Wood	Progressor for Wood	Basic for Wood
	EXPERT			
Page number	292	293	294	294
Available blade types	2	3	1	3
	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY			

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts Thick Tough Wood	✓	–	–	–
Cuts Thick Pressure Treated Lumber	✓	–	–	–
Cuts Thick Moist Wood	✓	–	–	–
Cuts Tough WPC Composites	✓	–	–	–
Sufficient for dry softwood	–	✓	✓	✓
Ideal for Wooden Roots and Soil Work	✓	–	–	–
Ideal for clean cuts in softwood	–	–	✓	–
Ideal for thin and thick material	–	–	✓	–
Ideal for firewood	✓	–	–	✓

*Bosch EXPERT products vs. Bosch standard products

LONG LIFE CUTTING THICK TOUGH METAL

EXPERT ‘Thick Tough Metal’ Blades

: S555CHC, S955CHC, S1155CHC, S1255CHC

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Thick gauge blade offers extra robustness and stability
3. Wide body for precise, straight cuts
4. Extra coating makes Carbide even tougher



CARBIDE TECHNOLOGY EXTRA

EXPERT Thick Tough Metal S555CHC Reciprocating Saw Blades

EXPERT



- Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- Best for utilities workers: long lasting and powerful.
- Lasts up to 100x longer than Bosch S1122BF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY EXTRA | UP TO 100× LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	100 x 25 x 1.25	CT	4	12	50	C1c	1	1	534541	**2 608 900 364**

EXPERT Thick Tough Metal S955CHC Reciprocating Saw Blades

EXPERT



- Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- Best for utilities workers: long lasting and powerful.
- Lasts up to 100x longer than Bosch S1122BF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY EXTRA | UP TO 100× LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	150 x 25 x 1.25	CT	4	12	100	C1c	1	1	534558	**2 608 900 365**
							C1c	3	1	534565	**2 608 900 366**
							P1h	10	1	534572	**2 608 900 367**

EXPERT Thick Tough Metal S1155CHC Reciprocating Saw Blades

EXPERT



- Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- Best for utilities workers: long lasting and powerful.
- Lasts up to 100x longer than Bosch S1122BF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY EXTRA | UP TO 100× LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	225 x 25 x 1.25	CT	4	12	175	C1c	1	1	534589	**2 608 900 368**
							C1c	3	1	534596	**2 608 900 369**
							P1h	10	1	534602	**2 608 900 370**

EXPERT Thick Tough Metal S1255CHC Reciprocating Saw Blades

EXPERT



- Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- Best for utilities workers: long lasting and powerful.
- Lasts up to 100x longer than Bosch S1122BF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY EXTRA | UP TO 100× LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952…	Part number
3	8	300 x 25 x 1.25	CT	4	12	250	C1c	1	1	534619	**2 608 900 371**
							P1h	10	1	534626	**2 608 900 372**

LONG LIFE CUTTING MEDIUM-THICK TOUGH METAL

EXPERT 'Medium-Thick Tough Metal' Blades

: S955HHM, S1155HHM, S1255HHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Wide body for precise, straight cuts
3. Fine teeth cut thinner material with ease



CARBIDE TECHNOLOGY

EXPERT Medium-Thick Tough Metal S955HHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting tough metal pipes and profiles with medium wall thickness; capable of cutting stainless steel; and any hardened, high alloy or high strength steel.
- Best for recycling and demolition workers: long lasting and powerful.
- Lasts up to 50x longer than Bosch S1122BF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
2.5	10	150 x 25 x 1	CT	3	8	100	C1c	1	1	534633	**2 608 900 373**

EXPERT Medium-Thick Tough Metal S1155HHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting tough metal pipes and profiles with medium wall thickness; capable of cutting stainless steel; and any hardened, high alloy or high strength steel.
- Best for recycling and demolition workers: long lasting and powerful.
- Lasts up to 50x longer than Bosch S1122BF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
2.5	10	225 x 25 x 1.1	CT	3	8	175	C1c	1	1	534640	**2 608 900 374**
							C1c	3	1	534657	**2 608 900 375**
							P1h	10	1	534664	**2 608 900 376**

EXPERT Medium-Thick Tough Metal S1255HHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting tough metal pipes and profiles with medium wall thickness; capable of cutting stainless steel; and any hardened, high alloy or high strength steel.
- Best for recycling and demolition workers: long lasting and powerful.
- Lasts up to 50x longer than Bosch S1122BF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
2.5	10	300 x 25 x 1.25	CT	3	8	250	C1c	1	1	534671	**2 608 900 377**


LONG LIFE CUTTING THIN TOUGH METAL

EXPERT ‘Thin Tough Metal’ Blades

: S522EHM, S922EHM, S1022EHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Extra-fine teeth cut very thin material with ease




CARBIDE TECHNOLOGY

EXPERT Thin Tough Metal S522EHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting thin stainless steel sheet
- Best for kitchen fitters: long lasting and quality finish.
- Lasts up to 50x longer than Bosch S922EF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES						ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
1.4	18	115 x 19 x 1	CT	1.5	4	C1c	1	1	534497	**2 608 900 359**

EXPERT Thin Tough Metal S922EHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting thin stainless steel pipes and profiles.
- Best for kitchen fitters: long lasting and quality finish.
- Lasts up to 50x longer than Bosch S922EF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
1.4	18	150 x 19 x 1	CT	1.5	4	100	C1c	1	1	534503	**2 608 900 360**
							C1c	3	1	534510	**2 608 900 361**
							P1h	10	1	534527	**2 608 900 362**

EXPERT Thin Tough Metal S1022EHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting thin stainless steel pipes and profiles.
- Best for kitchen fitters: long lasting and quality finish.
- Lasts up to 50x longer than Bosch S922EF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
1.4	18	200 x 19 x 1	CT	1.5	4	150	C1c	1	1	534534	**2 608 900 363**

LONG LIFE CUTTING MODERN AUTOMOTIVE STEEL

EXPERT ‘Vehicle Rescue’ Blades

: S957CHM, S1157CHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Thick gauge blade offers extra robustness and stability
3. First tooth designed to allow plunge cut
4. Tapered tip reaches deeper into tight spaces



CARBIDE TECHNOLOGY

EXPERT Vehicle Rescue S957CHM Reciprocating Saw Blades

EXPERT



- Ideal for rescue cuts into a vehicle at a road accident site. Designed for specific cuts common in modern rescue techniques; for example cutting a car’s B column and window; or creating a ‘third door’.
- Best for firefighters and rescue workers: long lasting and reliable.
- Lasts up to 50x longer than Bosch S1122BF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	150 x 20 x 1.35	CT	4	12	100	C1c	1	1	534688	**2 608 900 378**
							P1h	10	1	534695	**2 608 900 379**

EXPERT Vehicle Rescue S1157CHM Reciprocating Saw Blades

EXPERT



- Ideal for rescue cuts into a vehicle at a road accident site. Designed for specific cuts common in modern rescue techniques; for example cutting a car's B column and window; or creating a 'third door'.
- Best for firefighters and rescue workers: long lasting and reliable.
- Lasts up to 50x longer than Bosch S1122BF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	225 x 20 x 1.35	CT	4	12	175	C1c	1	1	534701	**2 608 900 380**
							C1c	3	1	534718	**2 608 900 381**
							P1h	10	1	534725	**2 608 900 382**

LONG LIFE CUTTING CEMENT CAST IRON PIPES

EXPERT 'Cement Cast Iron' Blades

: S1750RD

EXPERT

1. Extremely durable cutting edge using Bosch Diamond Technology
2. Thick gauge blade offers extra robustness and stability



DIAMOND TECHNOLOGY

EXPERT Cement Cast Iron S1750RD Reciprocating Saw Blades

EXPERT



- Ideal for straight cut-offs to cement cast iron pipes such as ductus ZMA or ductus ZMU, during municipal water repair works; also cuts non-cement cast iron pipes.
- Best for utilities workers: long lasting and specialised.
- Diamond Technology for Long Life Cutting Cement Cast Iron Pipes.
- Fits all S-shank reciprocating saws.





DIAMOND TECHNOLOGY | LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
GRIT 50	GRIT 50	250 x 19 x 1.25	DIA	2	6	200	C1c	1	1	534732	**2 608 900 383**

Reciprocating saw blades - Endurance for HeavyMetal - BIM

Long life in metal

endurance HeavyMetal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

S 927 BEF



BIM, Micro Edge Geometry, 2x2 Tooth Geometry with Full Contact Design
Medium-thick to thick sheet metals (2-6 mm), thin-walled closed and open profiles and pipes (<100 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	150 x 25 x 1.1	BIM	2	6	100	C1c	5	5	507158	**2 608 657 523** i

S 1127 BEF



BIM, Micro Edge Geometry, 2x2 Tooth Geometry with Full Contact Design
Medium-thick to thick sheet metals (2-6 mm), thin-walled closed and open profiles and pipes (<175 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	225 x 25 x 1.1	BIM	2	6	175	C1c	5	5	507165	**2 608 657 524** i

S 930 CF



BIM, Micro Edge Geometry, 2x2 Tooth Geometry
Thick sheet metal (4-12 mm), thick-walled, solid pipes and profiles (<100 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut.

2.5+3.2	8+10	150 x 22 x 1.6	BIM	4	12	100	C1c	5	5	507196	**2 608 657 527**

S 936 CHF



BIM, Micro Edge Geometry, 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<100 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	150 x 25 x 1.1	BIM	4	12	100	C1c	5	5	507172	**2 608 657 525** i

S 1136 CHF



BIM, Micro Edge Geometry, 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<175 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	225 x 25 x 1.1	BIM	4	12	175	C1c	5	5	507189	**2 608 657 526** i

S 1130 CF



BIM, Micro Edge Geometry, 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled, solid pipes and profiles (<175 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut

2.5+3.2	8+10	225 x 22 x 1.6	BIM	4	12	175	C1c	5	5	507202	**2 608 657 528**

i = 03.2025

Reciprocating saw blades - Heavy for Metal - BIM

Heavy-duty work, sturdy, precise

heavy for Metal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

S 926 BEF



BIM, 2x2 Tooth Geometry
Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<100 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	150 x 25 x 1.1	BIM	3	8	100	C1c	5	5	451888	**2 608 657 394** [i]

S 1226 BEF



BIM, 2x2 Tooth Geometry
Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<250 mm). Fine, precise cuts at accurate angles

1.4+1.8	14+18	300 x 25 x 1.1	BIM	3	8	250	C1c	5	5	451901	**2 608 657 396** [i]

S 926 CHF



BIM, 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<100 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	150 x 25 x 1.1	BIM	4	12	100	C1c	5	5	451918	**2 608 657 397** [i]

S 1226 CHF



BIM, 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<250 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	300 x 25 x 1.1	BIM	4	12	250	C1c	5	5	451932	**2 608 657 406** [i]

S 925 VF



BIM, vario-pitched teeth
Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<100 mm). Ideal for demolition work in metal. Effortless, fine cut.

1.8-2.6	10-14	150 x 19 x 1.25	BIM	2.5	10	100	C1c	5	5	451949	**2 608 657 407**

S 1025 VF



BIM, vario-pitched teeth
Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<150 mm). Ideal for demolition work in metal. Effortless, fine cut

1.8-2.6	10-14	200 x 19 x 1.25	BIM	2.5	10	150	C1c	5	5	235570	**2 608 656 265**

Reciprocating saw blades - Heavy for Metal - BIM

Heavy-duty work, sturdy, precise

heavy for Metal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

S 1125 VF



BIM, vario-pitched teeth
Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<175 mm). Ideal for demolition work in metal. Effortless, fine cut.

1.8-2.6	10-14	225 x 19 x 1.25	BIM	2.5	10	175	C1c	5	5	451956	**2 608 657 408**

S 1225 VF



BIM, vario-pitched teeth
Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<250 mm). Ideal for demolition work in metal. Effortless, fine cut.

1.8-2.6	10-14	300 x 19 x 1.25	BIM	2.5	10	250	C1c	5	1	451963	**2 608 657 409**

S 920 CF



BIM, patented 2x2 Tooth Geometry
Thick sheet metal (4-12 mm), thick-walled, solid pipes and profiles (<100 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut.

2.5+3.2	8+10	150 x 22 x 1.6	BIM	4	12	100	C1c	5	5	019262	**2 608 654 820** i

S 1120 CF



BIM, patented 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled, solid pipes and profiles (<175 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut

2.5+3.2	8+10	225 x 22 x 1.6	BIM	4	12	175	C1c	5	5	235471	**2 608 656 255** i

i = 03.2025

Reciprocating saw blades - Progressor for Metal - BIM

Universal, fast

progressor for Metal

S 123 XF



BIM, side set, milled
Thin to thick sheet metals (1-8 mm), thin to thick profiles (diameter <100 mm)

1.4-3.4	8-18	150 x 19 x 0.9	BIM	1	8	100	C1c	2	5	169554	**2 608 654 401**

Reciprocating saw blades - Flexible for Metal - BIM

flexible, break-resistant

flexible Metal

PRODUCT PROPERTIES								ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S 522 AF												
BIM, wavy set, milled Especially optimised for use in compact saws. Thin sheet metals (0.7-3 mm), effortless, fine cut												
1	24	100 x 19 x 0.9	BIM	0.7	3	-		C1c	2	5	235594	**2 608 656 267**
								C1c	5	5	093460	**2 608 656 010**
S 922 AF												
BIM, wavy set, milled Thin sheet metals (0.7-2 mm), fine pipes/profiles (diameter <100 mm), effortless, fine cut												
1.1	24	150 x 19 x 0.9	BIM	0.7	2	100		C1c	2	5	093385	**2 608 656 036**
								C1c	5	5	093491	**2 608 656 013**
S 1122 AF												
BIM, wavy set, milled Thin sheet metals (0.7-2 mm), fine pipes/profiles (diameter <175 mm), effortless, fine cut, flexible flush cut												
1.1	24	225 x 19 x 0.9	BIM	0.7	2	175		C1c	5	5	093545	**2 608 656 018**
S 922 EF												
BIM, side set, milled Thin sheet metals (1.5-4 mm), pipes/profiles (diameter <100 mm)												
1.4	18	150 x 19 x 0.9	BIM	1.5	4	100		C1c	2	5	093408	**2 608 656 038**
								C1c	5	5	093514	**2 608 656 015**
S 1122 EF												
BIM, side set, milled Thin sheet metals (1.5-4 mm), pipes/profiles (diameter <175 mm), flexible flush cut												
1.4	18	225 x 19 x 0.9	BIM	1.5	4	175		C1c	2	5	093446	**2 608 656 042**
								C1c	5	5	093569	**2 608 656 020**
S 922 BF												
BIM, side set, milled Thick sheet metals (2.5-8 mm), solid pipes/profiles (diameter <100 mm), quick cut												
2	14	150 x 19 x 0.9	BIM	2.5	8	100		C1c	2	5	093392	**2 608 656 037**
								C1c	5	5	093507	**2 608 656 014**
S 1122 BF												
BIM, side set, milled Thick sheet metals (2.5-8 mm), solid pipes/profiles (diameter <175 mm), flexible flush cut, quick cut												
2	14	225 x 19 x 0.9	BIM	2.5	8	175		C1c	2	5	093439	**2 608 656 041**
								C1c	5	5	093552	**2 608 656 019**

Reciprocating saw blades - Basic for Metal - BIM

Good and cost-effective

basic Metal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S 918 AF											
BIM, wavy set, milled Thin sheet metals (1-3 mm), fine, closed pipes/profiles (diameter <100 mm)											
1	24	150 x 16 x 0.9	BIM	1	3	100	C1c	2	5	235839	**2 608 651 944**
							C1c	5	5	016117	**2 608 651 780**
S 918 BF											
BIM, side set, milled Medium-thick sheet metals (2-8 mm), closed pipes/profiles (diameter <100 mm)											
1.8	14	150 x 16 x 0.9	BIM	2	8	100	C1c	2	5	035354	**2 608 651 821**
							C1c	5	5	016124	**2 608 651 781**

LONG LIFE CUTTING METAL EMBEDDED WOOD

EXPERT 'Wood with Metal Demolition' Blades

: S967XHM, S1167XHM, S1267XHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Reinforced teeth withstand the extreme abuse of demolition work
3. Progressive tooth pitch to cut material of every thickness
4. Tapered tip reaches deeper into tight spaces
5. Thick gauge blade offers extra robustness and stability



CARBIDE TECHNOLOGY

EXPERT Wood with Metal Demolition S967XHM Reciprocating Saw Blades

EXPERT



- Ideal for all-round demolition use, including the toughest jobs such as cutting thick roof beams fixed with nail plate on a building renovation site; or cutting through mixed materials with hard nails and screws.
- Best for demolition workers: long lasting and versatile.
- Lasts up to 50x longer than Bosch S1111DF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.5-5.0	5-7	150 x 25 x 1.25	CT	100	C1c	1	1	534862	**2 608 900 396**
					P1h	10	1	534879	**2 608 900 397**

EXPERT Wood with Metal Demolition S1167XHM Reciprocating Saw Blades

EXPERT



- Ideal for all-round demolition use, including the toughest jobs such as cutting thick roof beams fixed with nail plate on a building renovation site; or cutting through mixed materials with hard nails and screws.
- Best for demolition workers: long lasting and versatile.
- Lasts up to 50x longer than Bosch S1111DF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.5-5.0	5-7	225 x 25 x 1.25	CT	175	C1c	1	1	534886	**2 608 900 398**
					P1h	10	1	534909	**2 608 900 400**

EXPERT Wood with Metal Demolition S1267XHM Reciprocating Saw Blades

EXPERT



- Ideal for all-round demolition use, including the toughest jobs such as cutting thick roof beams fixed with nail plate on a building renovation site; or cutting through mixed materials with hard nails and screws.
- Best for demolition workers: long lasting and versatile.
- Lasts up to 50x longer than Bosch S1111DF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.5-5.0	5-7	300 x 25 x 1.25	CT	250	C1c	1	1	534916	**2 608 900 401**
					P1h	10	1	534923	**2 608 900 402**

LONG LIFE CUTTING WINDOW STOCKS OF ANY MATERIAL

EXPERT ‘Window Demolition’ Blades

: S956DHM

EXPERT


1. Extreme durability is built in with Bosch Carbide Technology
2. Tapered tip reaches deeper into tight spaces
3. Side set teeth to cut thicker materials effectively
4. First tooth designed to allow plunge cut



CARBIDE TECHNOLOGY

EXPERT Window Demolition S956DHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting out windows; can cut through a window fixing screw so window parts can be removed; can cut though composite window stocks of any kind; and it can also cut through doors and hinges.
- Best for window fitters: long lasting and powerful.
- Lasts up to 50x longer than Bosch S611DF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
4	6	150 x 25 x 1.25	CT	100	P1h	10	1	534763	**2 608 900 386**

LONG LIFE CUTTING HARD NAILS PALLETS

EXPERT ‘Hard Nail Pallets’ Blades

: S1122CHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Highly flexible body can be bent for flush cuts
3. Reverse tip prevents jamming and kickback
4. Reinforced shank transition for longer shank life



CARBIDE TECHNOLOGY

EXPERT Hard Nail Pallets S1122CHM Reciprocating Saw Blades

EXPERT



- Ideal for pallet repair - replacing broken parts of a pallet.
- Best for pallet repair workers: long lasting and specialised.
- Lasts up to 50x longer than Bosch S1122HF blade in tough material.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3	8	225 x 19 x 1	CT	175	C1c	1	1	534770	**2 608 900 387**
					P1h	10	1	534787	**2 608 900 388**


LONG LIFE CURVE CUTTING WOOD WITH EMBEDDED METAL

EXPERT ‘Wood with Metal’ Blades

: S715LHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Narrow blade is perfect for curved cuts



CARBIDE TECHNOLOGY

EXPERT Wood with Metal S715LHM Reciprocating Saw Blades

EXPERT



- Ideal for curved cuts in wood with metal, such as those required for chimney pipe or ventilation pipe outlets through a roof; curved cuts in plaster board during renovation work.
- Best for construction workers: long lasting and versatile.
- Lasts up to 50x longer than Bosch S611DF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5	5	190 x 12 x 1.5	CT	140	C1c	1	1	534749	**2 608 900 384**

LONG LIFE CUTTING TOUGH BUILDING MATERIALS

EXPERT ‘Multi Material’ Blades

: S956XHM, S1156XHM, S1256XHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Progressive tooth pitch to cut material of every thickness
3. Tapered tip reaches deeper into tight spaces
4. Thick gauge blade offers extra robustness and stability
5. Wide body for precise, straight cuts



CARBIDE TECHNOLOGY

EXPERT Multi Material S956XHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting all materials found in construction; ideal for roofing or renovation work as it cuts all building materials tradesmen are likely to encounter.
- Best for construction workers: long lasting and versatile.
- Lasts up to 50x longer than Bosch S3456XF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.0-4.0	6-8	150 x 25 x 1.25	CT	100	C1c	1	1	534794	**2 608 900 389**
					P1h	10	1	534800	**2 608 900 390**

EXPERT Multi Material S1156XHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting all materials found in construction; ideal for roofing or renovation work as it cuts all building materials tradesmen are likely to encounter.
- Best for construction workers: long lasting and versatile.
- Lasts up to 50x longer than Bosch S3456XF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.0-4.0	6-8	225 x 25 x 1.25	CT	175	C1c	1	1	534817	**2 608 900 391**
					C1c	3	1	534824	**2 608 900 392**
					P1h	10	1	534831	**2 608 900 393**

EXPERT Multi Material S1256XHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting all materials found in construction; ideal for roofing or renovation work as it cuts all building materials tradesmen are likely to encounter.
- Best for construction workers: long lasting and versatile.
- Lasts up to 50x longer than Bosch S3456XF blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
3.0-4.0	6-8	300 x 25 x 1.25	CT	250	C1c	1	1	534848	**2 608 900 394**
					P1h	10	1	534855	**2 608 900 395**

Reciprocating saw blades - Heavy for Wood and Metal - BIM

Heavy-duty work, sturdy, fast

heavy WoodMetal

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

S 611 DF



BIM, side set, milled
Wood with nails/metal, chipboard (<100 mm), plastic profiles (<100 mm), glass fibre reinforced plastic/epoxy (<50 mm), window frames: wood + metal, especially for plunge cuts

4.3	6	150 x 19 x 1.25	BIM	100	C1c	5	5	235501	**2 608 656 258**

S 711 DF



BIM, side set, milled
Wood with nails/metal, chipboard (<100 mm), glass fibre reinforced plastic/epoxy (<50 mm), especially for curve cuts

4.3	6	150 x 12 x 1.25	BIM	100	C1c	2	5	235877	**2 608 656 272**
					C1c	5	5	235525	**2 608 656 260**

S 1111 DF



BIM, side set, milled
Wood with nails/metal, chipboard (<175 mm), plastic profiles (diameter <175 mm), glass fibre reinforced plastic/epoxy (<50 mm)

4.3	6	225 x 19 x 1.25	BIM	175	C1c	2	5	235884	**2 608 656 273**
					C1c	5	5	235532	**2 608 656 261**

S 1411 DF



BIM, side set, milled
Wood with nails/metal, chipboard (<250 mm), glass fibre reinforced plastic/epoxy (<60 mm)

4.3	6	300 x 19 x 1.25	BIM	250	C1c	2	5	036139	**2 608 654 834**
					C1c	5	5	016285	**2 608 654 763**
					P1h	25	1	515306	**2 608 657 562**

S 610 VF



BIM, special vario-pitched teeth for wood
Wood with nails/metal, wood, chipboard (<100 mm), glass fibre reinforced plastic/epoxy, wall cutouts: wood+metal (<100 mm), for rescue/demolition work

3.2-5.1	5-8	150 x 22 x 1.6	BIM	100	C1c	5	5	543347	**2 608 657 608**

S 1110 VF



BIM, special vario-pitched teeth for wood
Wood with nails/metal, wood, chipboard (<175 mm), glass fibre reinforced plastic/epoxy, wall cutouts: wood+metal (<175 mm), for rescue/demolition work

3.2-5.1	5-8	225 x 22 x 1.6	BIM	175	C1c	5	5	543354	**2 608 657 610**

Reciprocating saw blades - Heavy for Wood and Metal - BIM

Heavy-duty work, sturdy, fast

heavy for Wood and Metal

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

S 1210 VF



BIM, special vario-pitched teeth for wood
Wood with nails/metal, wood, chipboard (<250 mm), glass fibre reinforced plastic/epoxy, wall cutouts: wood+metal (<250 mm), for rescue/demolition work

3.2-5.1	5-8	300 x 22 x 1.6	BIM	250	C1c	5	5	543378	**2 608 657 612**

Reciprocating saw blades - Progressor for Wood and Metal - BIM

Universal, fast

PROGRESSOR for Wood and Metal

Wood with nails/metal, chipboard (<150 mm), sheet



S 3456 XF

BIM, side set, milled

2.2-4.6	6-12	200 x 19 x 1.25	BIM	150	C1c	2	5	169592	**2 608 654 405**

S 3456 XF



BIM, side set, milled
Wood with nails/metal, chipboard (<150 mm), sheet metals, aluminium profiles (3-18 mm), glass fibre reinforced plastic/epoxy (<150 mm)

2.2-4.6	6-12	200 x 19 x 1.25	BIM	150	C1c	5	5	169608	**2 608 654 406**

Reciprocating saw blades - Flexible for Wood and Metal - BIM

flexible, break-resistant

flexible for Wood and Metal

PRODUCT PROPERTIES							ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

S 922 HF



BIM, side set, milled
For pallet repair, wood with nails/metal (<100 mm), sheet metals, pipes, aluminium profiles (3-12 mm)

2.5	10	150 x 19 x 0.9	BIM	-	-	100	C1c	2	5	093415	**2 608 656 039**
							C1c	5	5	093521	**2 608 656 016**

Reciprocating saw blades - Flexible for Wood and Metal - BIM — flexible, break-resistant

flexible WoodMetal

S 1122 HF



BIM, side set, milled
For pallet repair, wood with nails/metal (<175 mm), sheet metals, pipes, aluminium profiles (3-12 mm), flexible flush cut

Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2.5	10	225 x 19 x 0.9	BIM	-	-	175	C1c	2	5	235853	**2 608 656 270**
							C1c	5	5	093576	**2 608 656 021**

S 922 VF



BIM, vario-pitched teeth
Wood with nails/metal (<100 mm), sheet metals, pipes, aluminium profiles (3-10 mm), glass fibre reinforced plastic/epoxy (<100 mm)

Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.8-2.6	10-14	150 x 19 x 0.9	BIM	3	10	100	C1c	2	5	093422	**2 608 656 040**
							C1c	5	5	093538	**2 608 656 017**

S 1122 VF



BIM, vario-pitched teeth
Wood with nails/metal (<175 mm), sheet metals, aluminium profiles (3-10 mm), glass fibre reinforced plastic/epoxy (<175 mm), flexible flush cut

Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.8-2.6	10-14	225 x 19 x 0.9	BIM	-	-	175	C1c	5	5	079365	**2 608 654 981**

S 1222 VF



BIM, vario-pitched teeth
Wood with nails/metal (<250 mm), sheet metals, aluminium profiles (3-10 mm), glass fibre reinforced plastic/epoxy (<250 mm), flexible flush cut

Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.8-2.6	10-14	300 x 19 x 0.9	BIM	-	-	250	C1c	2	5	093453	**2 608 656 043**
							C1c	5	5	093583	**2 608 656 022**


LONG LIFE CUTTING HOLLOW BRICK

EXPERT ‘Hollow Brick’ Blades

: S1543HM, S1243HM, S2243HM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Thick gauge blade offers extra robustness and stability
3. Wide body for precise, straight cuts
4. Large gullet teeth chew through the toughest materials fast



CARBIDE TECHNOLOGY

EXPERT Hollow Brick S1243HM Reciprocating Saw Blades

EXPERT



- Ideal for cutting hollow bricks during construction work, for example cutting down a large format hollow brick block to fit into wall; or making a cut-out in a brick wall to increase access for electricity and/or water installation.
- Best for builders: long lasting and powerful.
- Carbide Technology for Long Life Cutting Hollow Brick.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	300 x 50 x 1.5	CT	250	C1c	1	1	535074	**2 608 900 417**

EXPERT Hollow Brick S1543HM Reciprocating Saw Blades

EXPERT



- Ideal for cutting hollow bricks during construction work, for example cutting down a large format hollow brick block to fit into wall; or making a cut-out in a brick wall to increase access for electricity and/or water installation.
- Best for builders: long lasting and powerful.
- Carbide Technology for Long Life Cutting Hollow Brick.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	240 x 23 x 1.5	CT	190	C1c	3	1	535050	**2 608 900 415**
					P1h	10	1	535067	**2 608 900 416**

EXPERT Hollow Brick S2243HM Reciprocating Saw Blades

EXPERT



- Ideal for cutting hollow bricks during construction work, for example cutting down a large format hollow brick block to fit into wall; or making a cut-out in a brick wall to increase access for electricity and/or water installation.
- Best for builders: long lasting and powerful.
- Carbide Technology for Long Life Cutting Hollow Brick.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	455 x 50 x 1.5	CT	405	C1c	1	1	535081	**2 608 900 418**


LONG LIFE CUTTING AERATED CONCRETE

EXPERT 'Aerated Concrete' Blades

: S1141HM, S1241HM, S2041HM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Thick gauge blade offers extra robustness and stability
3. Wide body for precise, straight cuts
4. Large gullet teeth chew through the toughest materials fast



CARBIDE TECHNOLOGY

EXPERT Aerated Concrete S1141HM Reciprocating Saw Blades

EXPERT



- Ideal for precise straight cuts in aerated concrete, such as cutting a large format breeze block to fit into a wall; cutting aerated concrete blocks on a new building construction site; cutting other aerated concrete building materials.
- Best for builders: long lasting and powerful.
- Carbide Technology for Long Life Cutting Aerated Concrete.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8.5	3	225 x 19 x 1.25	CT	175	C1c	1	1	534985	**2 608 900 408**
					P1h	10	1	534992	**2 608 900 409**

EXPERT Aerated Concrete S1241HM Reciprocating Saw Blades

EXPERT



- Ideal for precise straight cuts in aerated concrete, such as cutting a large format breeze block to fit into a wall; cutting aerated concrete blocks on a new building construction site; cutting other aerated concrete building materials.
- Best for builders: long lasting and powerful.
- Carbide Technology for Long Life Cutting Aerated Concrete.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8.5	3	300 x 22 x 1.5	CT	250	C1c	1	1	535005	**2 608 900 410**
					C1c	3	1	535012	**2 608 900 411**
					P1h	10	1	535029	**2 608 900 412**

EXPERT Aerated Concrete S2041HM Reciprocating Saw Blades

EXPERT



- Ideal for precise straight cuts in aerated concrete, such as cutting a large format breeze block to fit into a wall; cutting aerated concrete blocks on a new building construction site; cutting other aerated concrete building materials.
- Best for builders: long lasting and powerful.
- Carbide Technology for Long Life Cutting Aerated Concrete.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
12.7	2	400 x 22 x 1.5	CT	350	C1c	1	1	535036	**2 608 900 413**

LONG LIFE CUTTING FIBRE PLASTER MATERIAL

EXPERT ‘Fiber Plaster’ Blades

: S641HM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Tapered tip reaches deeper into tight spaces
3. Thick gauge blade offers extra robustness and stability




CARBIDE TECHNOLOGY

EXPERT Fiber Plaster S641HM Reciprocating Saw Blades

EXPERT



- Ideal for cut-outs in drywall, Gypsum fibreboard, concrete backer board or similar materials; working in drywall construction environments such as kitchen or bathroom renovation.
- Best for construction workers: long lasting and powerful.
- Lasts up to 50x longer than Bosch S628DF blade in tough materials.
- Fits all S-shank reciprocating saws.






CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
4.3	6	150 x 19 x 1.25	CT	100	C1c	1	1	534978	**2 608 900 407**

Reciprocating saw blades - Special for Plaster - BIM

Plasterboard

special Plaster



S 628 DF



BIM, side set, milled
Plasterboard, Gypsum fibreboard (<100 mm), especially for plunge cuts, tear-free cuts

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
4.2	6	150 x 19 x 1.25	BIM	100	C1c	2	5	235891	**2 608 656 274**

Reciprocating saw blades - Special for Ice - Inox

Frozen materials

special Ice



S 1211 K



Stainless steel (Inox), side set, milled
Frozen materials (<250 mm)

8.5	3	300 x 19 x 1.25	HAS	250	C1c	5	5	017817	**2 608 652 900**


LONG LIFE CUTTING TOUGH WOOD

EXPERT ‘Tough Wood’ Blades

: S1142KHM, S1242KHM

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Tapered tip reaches deeper into tight spaces
3. Thick gauge blade offers extra robustness and stability
4. Wide body for precise, straight cuts
5. Large gullet teeth chew through the toughest materials fast



CARBIDE TECHNOLOGY

EXPERT Tough Wood S1142KHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting tough wood of any kind, such as: wet or pressure-treated lumber; dirty wood in an outdoor setting, such as cutting out roots; and thick planks.
- Best for gardners and landscapers: long lasting and efficient.
- Lasts up to 50x longer than Bosch S1542K blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8	3	225 x 25 x 1.25	CT	175	C1c	1	1	534930	**2 608 900 403**
					C1c	3	1	534947	**2 608 900 404**
					P1h	10	1	534954	**2 608 900 405**

EXPERT Tough Wood S1242KHM Reciprocating Saw Blades

EXPERT



- Ideal for cutting tough wood of any kind, such as: wet or pressure-treated lumber; dirty wood in an outdoor setting, such as cutting out roots; and thick planks.
- Best for gardners and landscapers: long lasting and efficient.
- Lasts up to 50x longer than Bosch S1542K blade in tough materials.
- Fits all S-shank reciprocating saws.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
8	3	300 x 25 x 1.25	CT	250	C1c	1	1	534961	**2 608 900 406**

Reciprocating saw blades - Top for Wood - HCS

Sharp, fast, efficient

top Wood

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

S 644 D



HCS, side set, ground
Construction wood (<100 mm), wooden wall (<100 mm), boards: chipboard, MDF (6-60 mm), plywood, plastic (<100 mm), especially for plunge cuts

4	6	150 x 19 x 1.25	HCS	100	C1c	2	5	007689	**2 608 650 614**
					C1c	5	5	016025	**2 608 650 673**

S 1531 L



HCS, side set, ground
Coarse wood, free of nails (<190 mm), pruning green wood (diameter <190 mm), firewood (diameter <190 mm)

5	5	240 x 19 x 1.5	HCS	190	C1c	2	5	007672	**2 608 650 613**
					C1c	5	5	016056	**2 608 650 676**

S 1542 K



HCS, side set, ground
Firewood, damp wood (diameter <190 mm)

8.5	3	240 x 19 x 1.5	HCS	190	C1c	2	5	016773	**2 608 650 681**

HCS, side set, ground



Firewood, damp wood (diameter <190 mm)
S 1542 K

8.5	3	240 x 19 x 1.5	HCS	190	C1c	5	5	016087	**2 608 650 682**

Reciprocating saw blades - Progressor for Wood - HCS

Universal use, including plywood and plastic

progressor for Wood

PRODUCT PROPERTIES						ORDERING INFORMATION				
	Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S 2345 X										
	2.4-4.0	6-10	200 x 19 x 1.25	HCS	150	C1c	2	5	169578	**2 608 654 403**
						C1c	5	5	169585	**2 608 654 404**

HCS, side set, ground
Construction wood (<150 mm), boards: chipboard, MDF (6-60 mm), plywood, plastic (<150 mm), wooden wall (<150 mm). Effortless, fine cut.

Reciprocating saw blades - Basic for Wood - HCS

Good and cost-effective

basic for Wood

PRODUCT PROPERTIES						ORDERING INFORMATION				
	Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S 617 K										
	8.5	3	150 x 19 x 1.25	HCS	100	C1c	2	5	007702	**2 608 650 616**
S 1111 K										
	8.5	3	225 x 19 x 1.25	HCS	175	C1c	2	5	007719	**2 608 650 617**
						C1c	5	5	016070	**2 608 650 678**
S 1617 K										
	8.5	3	300 x 19 x 1.25	HCS	250	C1c	5	5	016278	**2 608 650 679**

HCS, side set, ground
Coarse wood, free of nails (<100 mm), pruning green wood (diameter <100 mm), especially for curve cuts/plunge cuts

HCS, side set, ground
Coarse wood, free of nails (<175 mm), firewood (diameter <175 mm)

HCS, side set, ground
Coarse wood, free of nails (<250 mm), pruning green wood (diameter <250 mm)

Reciprocating Saw Blade Sets

Reciprocating saw blades Tough Box Sets



PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
15-piece reciprocating saw blade set Wood and Metal Basic					
S 918 AF Basic for Metal **S 918 BF Basic for Metal** **S 617 K Basic for Wood**	P1k	15	1	846479	**2 607 010 901**



20-piece reciprocating saw blade set Wood and Metal					
S 922 EF Flexible for Metal **S 922 BF Flexible for Metal** **S 922 HF Flexible for Wood and Metal** **S 644 D Top for Wood**	P1k	20	1	846486	**2 607 010 902**

Reciprocating saw blades Blister Sets



12-piece reciprocating saw blade set Demolition					
S 925 VF Heavy for Metal **S 610 VF Heavy for Wood and Metal** **S 1110 VF Heavy for Wood and Metal** **S 1125 VF Heavy for Metal** **S 1120 CF Heavy for Metal**	PC1b	12	1	846547	**2 607 010 908** [i]

i = 03.2025

Saw blades **for Bosch Multisaw PFZ 500 E**


M-shank

Saw blades - Top for Wood for Bosch Multisaw PFZ 500 E — Sharp, fast, efficient

top Wood

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number


M 1131 L



HCS, side set, ground, very sharp teeth
Coarse wood, firewood, green wood, branches, gardening work

5	5	235 x 36 x 0.9	HCS	150	C1c	1	1	451611	**2 608 650 414**

M 1142 H



HCS, ground
Especially optimised for clean cuts in wood, construction timber, panels and plastics.


2.3	11	235 x 36 x 0.9	HCS	150	C1c	1	1	413428	**2 608 650 065**

Saw blades - Progressor for Wood and Metal for Bosch Multisaw PFZ 500 E — universal, fast

PROGRESSOR for Wood and Metal

PRODUCT PROPERTIES				ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number

M 3456 XF



BIM, side set, milled
Wood with nails/metal, wooden boards/chipboards (10-150 mm), sheet metals, pipes, profiles (5-18 mm), plastics: Pipes, profiles (diameter 10-150 mm)


2.2-4.6	6-12	235 x 36 x 0.9	150	C1c	1	1	413435	**2 608 656 931**

Saw blades - Flexible for Metal for Bosch Multisaw PFZ 500 E

flexible, break-resistant

flexible Metal

PRODUCT PROPERTIES					ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions LxWxT [mm]	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
M 1122 EF									
BIM, side set, milled Sheet metals (1.5-10 mm), profiles/pipes closed and open (<150 mm)									
1.4	18	235 x 36 x 0.9	BIM	150	C1c	1	1	413442	**2 608 656 932**



Saw blade set for Bosch Multisaw PFZ 500 E



PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
3-piece saw blade set					
M 1142 H Top for Wood M 3456 XF Progressor for Wood and Metal M 1122 EF Flexible for Metal	C1c	3	1	413459	**2 608 656 934**

Accessories for the Bosch Band Saws

Band saw blade for GCB 18 V-LI, GCB 18V-63 Professional



PRODUCT PROPERTIES			ORDERING INFORMATION				
Tooth spacing [mm]	Tooth pitch [TPI]	Total length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
CB 281418 BIM band saw blade GCB 18.0 V-LI; GCB 18V-63 Professional							
1.4-1.8	14-18	733	C2a	2	1	644907	**2 608 649 000**
CB 2824 BIM band saw blade GCB 18.0 V-LI; GCB 18V-63 Professional							
1.1	24	733	C2a	2	1	644914	**2 608 649 001**

HOLE SAWS

Cut holes through every material.

The best your tool can get. Bosch Professional Accessories.






HOLE SAWS FOR POWER CHANGE PLUS SYSTEM

The complete range.







	Tough Material	Construction Material	Sheet Metal Carbide	Progressor for Wood and Metal	Special for Sheet Metal
	EXPERT	EXPERT	EXPERT		
Page number	302	308	315	313	317
Carbide Technology	✓	✓	✓	–	–
Diameter mm	20 - 152	19 - 159	20 - 68	14 - 210	16 - 152
Max. cutting depth mm	60	60	5	44	20
Compatible pilot drill types	HSS-G / HSS-Co / Carbide	HSS-G / Carbide	HSS-Co	HSS-G / HSS-Co	HSS-Co
Pilot drill length mm	105	105	55	85	65
	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY		
MATERIALS					
Wood	✓	✓	–	✓	–
Metal	✓	–	✓	✓	✓
Plastic	✓	✓	–	✓	–
Others	✓	✓	–	✓	–


*Bosch EXPERT products vs. Bosch standard products

ACCESSORIES FOR POWER CHANGE HOLESAWS

Power Change Plus: the Bosch Quick Change system.







	Tough Material	Construction Material	Sheet Metal Carbide	Progressor for Wood and Metal	Special for Sheet Metal
	EXPERT	EXPERT	EXPERT		
Page number	302	308	315	313	317
Pilot drill length mm	105	105	55	85	65
	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 50x* LONG LIFE CARBIDE TECHNOLOGY		

POWER CHANGE PLUS ADAPTERS

8.7mm 2 608 594 264	✓	✓	✓	✓	✓
11mm 2 608 594 265	✓	✓	✓	✓	✓
SDS Plus 2 608 594 266	✓	✓	✓	✓	✓

PILOT DRILL BIT

Wood/Plastic	2 608 900 528	2 608 900 528	–	2 608 594 254	–
Metal	2 608 900 530	–	2 608 900 503	2 608 594 255	2 608 594 257
Brick	2 608 900 529	2 608 900 529	–	–	–
Soft Tile	2 608 900 529	2 608 900 529	–	–	–
Tile	–	–	–	–	–

*Bosch EXPERT products vs. Bosch standard products

LONG LIFE CUTTING HOLES IN MULTI MATERIAL

EXPERT Tough Material Hole Saws

: ⌀ 20 – 152 mm

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Individually ground teeth made from fine, hard Carbide
3. Special slot design for better view and plug ejection



CARBIDE TECHNOLOGY

EXPERT Tough Material Hole Saws

EXPERT



- Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switches, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- Best for electricians and plumbers: long lasting and highly versatile.
- Lasts up to 50x longer than Bosch 2608580419 Hole Saw in tough materials.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
20	60	PC1b	1	1	535654	**2 608 900 419**
22	60	PC1b	1	1	535661	**2 608 900 420**
25	60	PC1b	1	1	535678	**2 608 900 421**

EXPERT Tough Material Hole Saws

EXPERT

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	60	PC1b	1	1	535685	**2 608 900 422**
35	60	PC1b	1	1	535692	**2 608 900 423**
38	60	PC1b	1	1	535708	**2 608 900 424**
44	60	PC1b	1	1	535722	**2 608 900 426**
51	60	PC1b	1	1	535739	**2 608 900 427**
54	60	PC1b	1	1	535746	**2 608 900 428**
60	60	PC1b	1	1	535753	**2 608 900 429**
64	60	PC1b	1	1	535760	**2 608 900 430**
70	60	PC1b	1	1	535807	**2 608 900 434**
76	60	PC1b	1	1	535821	**2 608 900 436**

EXPERT Tough Material Hole Saw Starter Kits

EXPERT







- Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switch, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- Best for electricians and plumbers: long lasting and highly versatile.
- Long Life Hole Saw and Super Fast Arbor.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-G 105 mm, 1 x adapter nut 14-30 mm, 1 x adapter nut 32-210 mm						
68	60	PC1b	1	1	535968	**2 608 900 450**

EXPERT Tough Material Hole Saw Sets

EXPERT



- Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switch, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- Best for electricians and plumbers: long lasting and highly versatile.
- Lasts up to 50x longer than Bosch 2608580408 Hole Saw in tough materials.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



CARBIDE TECHNOLOGY

UP TO 50× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
9-piece Universal Set Tough Material 6 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-G 105 mm, 1 x pilot drill bit Carbide 105 mm							
	22 **25** **35** **40** **51** **68**	60	M0a	6	1	535920	**2 608 900 446**
14-piece Universal Set Tough Material 11 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-G 105 mm, 1 x pilot drill bit Carbide 105 mm							
	20 **22** **25** **32** **35** **40** **44** **51** **60** **64** **76**	60	M0a	11	1	535937	**2 608 900 447**
	20 **22** **25** **32** **35** **40** **44** **51** **60** **68** **76**	60	M0a	11	1	535944	**2 608 900 448**

EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, HSS-G Drill 7.1 EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Up to 5x faster than Bosch 2609390034 Adapter.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.






UP TO 5× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	7.15	105	PC1b	2	1	536736	**2 608 900 527**

EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, TCT-Drill 8.5 x EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Up to 5x faster than Bosch 2609390034 Adapter.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





UP TO 5× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
PC Plus mandrel 7/16" 11 mm Hex shank incl. TCT drill bit 8.5 x 105 mm							
	8.5	105	PC1b	2	1	536729	**2 608 900 526**

EXPERT Power Change Plus Pilot Drill Bit, HSS-G 7.15 x 105 mm

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Quick Change System for more efficiency.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





UP TO 5× SPEED


PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill Plus HSS-G for steel, plastic, wood and drywall							
	7.15	105	PC1b	1	5	536743	**2 608 900 528**

EXPERT Power Change Plus Pilot Drill Bit, TCT 8.5 x 105 mm

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Quick Change System for more efficiency.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





UP TO 5× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill Plus TCT for brick and tiles							
	8.5	105	PC1b	1	5	536750	**2 608 900 529**

EXPERT Power Change Plus Pilot Drill Bit, HSS-Co 7.15 x 105 mm

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Quick Change System for more efficiency.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





UP TO 5× SPEED

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill Plus HSS-Co for steel, stainless steel and FRP					
	PC1b	1	5	536767	**2 608 900 530**

LONG LIFE CUTTING HOLES IN BRICK AND PARTICLE BOARD

EXPERT Construction Material Hole Saws

: Ø 19 – 159 mm

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Individually ground teeth made from fine, hard Carbide
3. Efficient chip extraction through large slots



CARBIDE TECHNOLOGY

EXPERT Construction Material Hole Saws

EXPERT



- Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switches, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- Best for electricians and plumbers: long lasting and highly versatile.
- Lasts up to 50x longer than Bosch 2609256D05 Hole Saw in tough materials.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Working length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
19	60		PC1b	1	1	535975	**2 608 900 451**
20	60		PC1b	1	1	535982	**2 608 900 452**

EXPERT Construction Material Hole Saws

EXPERT

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
22	60	PC1b	1	1	535999	**2 608 900 453**
25	60	PC1b	1	1	536002	**2 608 900 454**
30	60	PC1b	1	1	536019	**2 608 900 455**
32	60	PC1b	1	1	536026	**2 608 900 456**
35	60	PC1b	1	1	536033	**2 608 900 457**
38	60	PC1b	1	1	536040	**2 608 900 458**
40	60	PC1b	1	1	536057	**2 608 900 459**
41	60	PC1b	1	1	536064	**2 608 900 460**
44	60	PC1b	1	1	536071	**2 608 900 461**
51	60	PC1b	1	1	536095	**2 608 900 463**
54	60	PC1b	1	1	536101	**2 608 900 464**
57	60	PC1b	1	1	536118	**2 608 900 465**
60	60	PC1b	1	1	536125	**2 608 900 466**
65	60	PC1b	1	1	536149	**2 608 900 468**
67	60	PC1b	1	1	536156	**2 608 900 469**
68	60	PC1b	1	1	536163	**2 608 900 470**
70	60	PC1b	1	1	536170	**2 608 900 471**
73	60	PC1b	1	1	536187	**2 608 900 472**
76	60	PC1b	1	1	536194	**2 608 900 473**
79	60	PC1b	1	1	536200	**2 608 900 474**
80	60	PC1b	1	1	536217	**2 608 900 475**
86	60	PC1b	1	1	536231	**2 608 900 477**
98	60	PC1b	1	1	536255	**2 608 900 479**
102	60	PC1b	1	1	536262	**2 608 900 480**
105	60	PC1b	1	1	536279	**2 608 900 481**
140	60	C1a	1	1	536323	**2 608 900 486**

EXPERT Construction Material Hole Saw Sets

EXPERT



- Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switch, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- Best for electricians and plumbers: long lasting and highly versatile.
- Lasts up to 50x longer than Bosch 2609256D05 Hole Saw in tough materials.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





CARBIDE TECHNOLOGY

UP TO 50× LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
10-piece Universal Set Construction Material 6 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-Co 105 mm, 1 x pilot drill bit Carbide 105mm, 1 x spade bit 150x8 mm						
20 **25** **32** **38** **51** **64**	60	P1k	6	1	536361	**2 608 900 490**

EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, HSS-G Drill 7.1 EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Up to 5x faster than Bosch 2609390034 Adapter.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.






UP TO 5× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	7.15	105	PC1b	2	1	536736	**2 608 900 527**

EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, TCT-Drill 8.5 x 1 EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Up to 5x faster than Bosch 2609390034 Adapter.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





UP TO 5× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
PC Plus mandrel 7/16" 11 mm Hex shank incl. TCT drill bit 8.5 x 105 mm							
	8.5	105	PC1b	2	1	536729	**2 608 900 526**

EXPERT Power Change Plus Pilot Drill Bit, HSS-G 7.15 x 105 mm

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Quick Change System for more efficiency.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





UP TO 5× SPEED


PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill Plus HSS-G for steel, plastic, wood and drywall							
	7.15	105	PC1b	1	5	536743	**2 608 900 528**

EXPERT Power Change Plus Pilot Drill Bit, TCT 8.5 x 105 mm

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Quick Change System for more efficiency.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





UP TO 5× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill Plus TCT for brick and tiles							
	8.5	105	PC1b	1	5	536750	**2 608 900 529**

EXPERT Power Change Plus Pilot Drill Bit, HSS-Co 7.15 x 105 mm

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Quick Change System for more efficiency.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





UP TO 5× SPEED


PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill Plus HSS-Co for steel, stainless steel and FRP					
	PC1b	1	5	536767	**2 608 900 530**

Empty Holesaw Carrying Case



PRODUCT PROPERTIES	ORDERING INFORMATION				
Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Empty holesaw carrying case for compiling your own individual set For PC holesaws with a cutting depth < 65 mm					
60	P2k	1	1	704670	**2 608 580 884**

Progressor for Wood and Metal holesaws






▶ The cutting quality depends on the correct speed and the coolant used (see operating instructions).

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
BIM Progressor Hole Saw offers 2x longer lifetime than predecessor						
14	44	PC1b	1	1	949644	**2 608 594 195**
16	44	PC1b	1	1	949651	**2 608 594 196**
17	44	PC1b	1	1	949668	**2 608 594 197**
19	44	PC1b	1	1	949675	**2 608 594 198**
20	44	PC1b	1	1	949682	**2 608 594 199**
21	44	PC1b	1	1	949699	**2 608 594 200**
22	44	PC1b	1	1	949705	**2 608 594 201**
24	44	PC1b	1	1	949712	**2 608 594 202**
25	44	PC1b	1	1	949729	**2 608 594 203**
27	44	PC1b	1	1	949736	**2 608 594 204**
29	44	PC1b	1	1	949743	**2 608 594 205**
30	44	PC1b	1	1	949750	**2 608 594 206**
32	44	PC1b	1	1	949767	**2 608 594 207**
33	44	PC1b	1	1	949774	**2 608 594 208**
35	44	PC1b	1	1	949781	**2 608 594 209**
37	44	PC1b	1	1	949798	**2 608 594 210**
38	44	PC1b	1	1	949804	**2 608 594 211**
40	44	PC1b	1	1	949811	**2 608 594 212**
41	44	PC1b	1	1	949828	**2 608 594 213**
43	44	PC1b	1	1	949835	**2 608 594 214**
44	44	PC1b	1	1	949842	**2 608 594 215**
46	44	PC1b	1	1	949859	**2 608 594 216**
48	44	PC1b	1	1	949866	**2 608 594 217**
51	44	PC1b	1	1	949873	**2 608 594 218**
52	44	PC1b	1	1	949880	**2 608 594 219**
54	44	PC1b	1	1	949897	**2 608 594 220**
56	44	PC1b	1	1	949903	**2 608 594 221**
57	44	PC1b	1	1	949910	**2 608 594 222**
59	44	PC1b	1	1	949927	**2 608 594 223**
60	44	PC1b	1	1	949934	**2 608 594 224**
64	44	PC1b	1	1	949941	**2 608 594 225**
65	44	PC1b	1	1	949958	**2 608 594 226**
67	44	PC1b	1	1	949965	**2 608 594 227**
68	44	PC1b	1	1	949972	**2 608 594 228**
70	44	PC1b	1	1	949989	**2 608 594 229**
73	44	PC1b	1	1	949996	**2 608 594 230**
76	44	PC1b	1	1	950008	**2 608 594 231**
79	44	PC1b	1	1	950015	**2 608 594 232**
83	44	PC1b	1	1	950022	**2 608 594 233**
86	44	PC1b	1	1	950039	**2 608 594 234**
89	44	PC1b	1	1	950046	**2 608 594 235**
92	44	PC1b	1	1	950053	**2 608 594 236**
98	44	PC1b	1	1	950077	**2 608 594 238**
102	44	PC1b	1	1	950084	**2 608 594 239**
105	44	PC1b	1	1	950091	**2 608 594 240**
108	44	PC1b	1	1	950107	**2 608 594 241**
111	44	PC1b	1	1	950114	**2 608 594 242**
114	44	PC1b	1	1	950121	**2 608 594 243**
121	44	C1b	1	1	950138	**2 608 594 244**
127	44	C1b	1	1	950145	**2 608 594 245**
140	44	C1b	1	1	950169	**2 608 594 247**
152	44	C1b	1	1	950176	**2 608 594 248**

Progressor for Wood and Metal holesaws

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
BIM Progressor Hole Saw offers 2x longer lifetime than predecessor						
95	44	PC1b	1	1	950060	**2 608 594 237**

Progressor for Wood and Metal holesaw sets



9-piece Sanitary-Set Progressor for Wood&Metal

6 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit



38 **51** **64** **20** **25** **32**	44	P1k	6	1	949583	**2 608 594 189**

14-piece Universal-Set Progressor for Wood&Metal

11 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit



20 **22** **25** **32** **35** **40** **44** **51** **60** **64** **76**	44	P1k	11	1	949613	**2 608 594 192**

Progressor for Wood and Metal holesaw accessories

- Power Change adapter for fast and safe attachment and release of the pilot drill bit and holesaw in one click
- For quick core removal: Unlock, tilt and press out

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
PC Plus mandrel 3/8" 8.7 mm incl. HSS-G drill bit 7.15x85mm						
7.15	85	PC1a	2	1	950220	**2 608 594 253**

LONG LIFE CUTTING HOLES IN STAINLESS STEEL

EXPERT Sheet Metal Hole Saws

: Ø 20 – 68 mm

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Individually ground teeth made from fine, hard Carbide
3. Made from one piece of metal for ultimate stability




CARBIDE TECHNOLOGY

EXPERT Sheet Metal Hole Saws for Power Change Plus Systems

EXPERT





- Ideal for cutting neat holes up to 5 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; and holes for sockets, light switches and junction boxes.
- Best for metalworkers: long lasting and precise.
- Lasts up to 50x longer than Bosch 2608580408 Hole Saw in tough materials.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
20	5	PC1a	1	1	536378	**2 608 900 491**
21	5	PC1a	1	1	536385	**2 608 900 492**
22	5	PC1a	1	1	536392	**2 608 900 493**
25	5	PC1a	1	1	536408	**2 608 900 494**

EXPERT Sheet Metal Hole Saws for Power Change Plus Systems


EXPERT

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
27	5	PC1a	1	1	536415	**2 608 900 495**
30	5	PC1a	1	1	536422	**2 608 900 496**
32	5	PC1a	1	1	536439	**2 608 900 497**
35	5	PC1a	1	1	536446	**2 608 900 498**
40	5	PC1a	1	1	536453	**2 608 900 499**
51	5	PC1a	1	1	536460	**2 608 900 500**
68	5	PC1a	1	1	536477	**2 608 900 501**

EXPERT Sheet Metal Hole Saw Sets

EXPERT





- Ideal for cutting neat holes up to 5 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; and holes for sockets, light switch, junction boxes.
- Best for metalworkers: long lasting and precise.
- Lasts up to 50x longer than Bosch 2608580408 Hole Saw in tough materials.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
6-piece Set Sheet Metal 3 x hole saws, incl. 1 x Power Change Plus Hex 11 mm, 2 x pilot drill bit HSS-Co with ejection spring						
22 **25** **32**	5	P1k	3	1	536484	**2 608 900 502**

EXPERT Power Change Plus Sheet Metal Pilot Drill Bits

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Quick Change System for more efficiency.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.






UP TO 5× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill bit HSS-Co for metal and stainless steel							
	6	55	PC1b	1	5	536491	**2 608 900 503**

Special for Sheet Metal holesaws

special for SheetMetal




- The cutting quality depends on the correct speed and the coolant used (see operating instructions).
- The diameters 16-22 mm are without ejection spring

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
17	20	PC1b	1	1	376006	**2 608 584 779**
65	20	PC1b	1	1	376228	**2 608 584 801**
86	20	PC1b	1	1	376303	**2 608 584 809**



Special for Sheet Metal holesaw sets





PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
9-piece electrician set, Sheet Metal holesaws						
6 holesaws, 1 Power Change adapter, 2 HSS pilot drill bits						
22 **29** **35** **44** **51** **64**	20	P2k	9	1	704649	**2 608 580 881**

Special for Sheet Metal holesaw accessories



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
PC Plus mandrel 3/8" 8.7 mm incl. HSS-Co drill bit 7.15x65mm						
7.15	65	PC1a	2	1	950251	**2 608 594 256**


HIGH SPEED CHANGING HOLE SAWS AND DRILL BITS

Expert Power Change Plus

: Takes a full range of hole saws

EXPERT

1. Enjoy high efficiency with one of Bosch's Quick Change systems
2. One-click system, no need for extra tools
3. Reinforced shank transition for longer shank life
4. Designed for fast and easy plug removal
5. Takes a full range of hole saws



EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, HSS-G Drill 7.1 EXPERT





- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Up to 5x faster than Bosch 2609390034 Adapter.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



UP TO 5× SPEED


PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
7.15	105	PC1b	2	1	536736	**2 608 900 527**

EXPERT Power Change Plus Hole Saw System Adapters with Drill Bit, TCT-Drill 8.5 x

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Up to 5x faster than Bosch 2609390034 Adapter.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





UP TO 5× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
PC Plus mandrel 7/16" 11 mm Hex shank incl. TCT drill bit 8.5 x 105 mm							
	8.5	105	PC1b	2	1	536729	**2 608 900 526**

EXPERT Power Change Plus Pilot Drill Bit, HSS-G 7.15 x 105 mm

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Quick Change System for more efficiency.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





UP TO 5× SPEED


PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill Plus HSS-G for steel, plastic, wood and drywall							
	7.15	105	PC1b	1	5	536743	**2 608 900 528**

EXPERT Power Change Plus Pilot Drill Bit, TCT 8.5 x 105 mm

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Quick Change System for more efficiency.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





UP TO 5× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill Plus TCT for brick and tiles							
	8.5	105	PC1b	1	5	536750	**2 608 900 529**

EXPERT Power Change Plus Pilot Drill Bit, HSS-Co 7.15 x 105 mm

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Quick Change System for more efficiency.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





UP TO 5× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
			Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill Plus HSS-Co for steel, stainless steel and FRP							
			PC1b	1	5	536767	**2 608 900 530**

EXPERT Power Change Plus Sheet Metal Pilot Drill Bits

EXPERT



- Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- Best for tradesmen: fast and efficient.
- Quick Change System for more efficiency.
- For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.





UP TO 5× SPEED

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pilot drill bit HSS-Co for metal and stainless steel					
	PC1b	1	5	536491	**2 608 900 503**

Extension bars

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
11 mm hex extension for adapter with width across flats 5/16"/8 mm hex shank.						
	305	C1d	1	1	469494	**2 608 580 094**
9.5 mm hex extension for adapter with key width 3/8"/9.5 mm hex shank						
	305	PC1b	1	5	262699	**2 608 584 681**
11 mm hex extension for adapter with width across flats 7/16"/11 mm hex shank						
	305	C1d	1	1	087827	**2 609 390 038**

Power Change Plus adapter (blue)

- Power Change adapter for fast and safe attachment and release of the pilot drill bit and holesaw in one click
- For quick core removal: Unlock, tilt and press out
- Increased robustness and precision from predecessor

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
PC Plus mandrel 3/8" 8.7 mm incl. HSS-Co drill bit 7.15x65mm						
7.15	65	PC1a	2	1	950251	**2 608 594 256**
PC Plus mandrel 3/8" 8.7 mm incl. HSS-G drill bit 7.15x85mm						
7.15	85	PC1a	2	1	950220	**2 608 594 253**
HSS-Co pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 135° point angle and split point						
7.15	120	PC1d	1	5	414609	**2 608 584 843**
HSS-Co pilot drill bit for holesaws with cutting capacity <46 mm with 1/4" hex shank, 135° point angle and split point						
7.15	80	PC1d	1	5	279925	**2 608 584 677**
HSS-Co pilot drill bit with 1/4" hex shank, 135° point angle and split point						
7.15	65	PC1d	1	5	365550	**2 608 584 750**
HSS-G pilot drill bit for holesaws with cutting capacity <46 mm with 1/4" hex shank, 135° point angle and split point						
7.15	80	PC1a	1	5	279918	**2 608 584 676**
Tungsten carbide pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 118° drill bit tip. Centred, special multi-purpose diamond-ground carbide tips						
7.15	120	PC1d	1	1	375924	**2 608 584 777**

Transition adapter nuts for holesaws



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6-piece extension adapter set for standard holesaws from competitors (for example, Starrett, Baco, Lenox etc.) with 2 adapters for diameter 14-30 mm (1/2"-20UNF thread), 4 adapters for diameter 32-210 mm (5/8"-18UNF thread)					
	PC1c	6	1	262705	**2 608 584 682**

Tool-free quick change adapter for threaded hole saws

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
HSS-G pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 135° point angle and split point						
7.15	104	PC1b	1	1	716161	**2 609 390 592**
HSS-Co pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 135° point angle and split point						
7.15	120	PC1d	1	5	414609	**2 608 584 843**
Tungsten carbide pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 118° drill bit tip. Centred, special multi-purpose diamond-ground carbide tips						
7.15	120	PC1d	1	1	375924	**2 608 584 777**

Standard adapter for threaded holesaws

PRODUCT PROPERTIES	ORDERING INFORMATION				
Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hex adapter with 5/8"-18UNF thread and HSS-G pilot drill bit (2 608 596 295) Width across flats 1/4" (6.35 mm), for diameter 32 mm, 1 1/4" - diameter 76 mm, 3" (in metal up to 40 mm diameter)				
PC1b	1	1	698245	**2 609 390 587**
Hex adapter with 1/2"-20UNF thread and HSS-G pilot drill bit (2 608 596 295) Width across flats 9.52 mm, for diameter 14 mm, 9/16" - diameter 30 mm, 1 3/16"				
PC1b	1	1	698252	**2 609 390 588**
Hexagon adapter with 5/8"-18UNF thread and HSS-G pilot drill bit (2 608 596 119) Width across flats 11 mm, for diameter 32 mm, 1 1/4" - diameter 210 mm, 8 9/32"				
PC1b	1	1	087780	**2 609 390 034**
SDS plus adapter with 1/2" -20UNF thread and HSS-G pilot drill bit (2 608 596 295) for diameter 14 mm, 9/16" - diameter 30 mm, 1 3/16"				
PC1b	1	1	087797	**2 609 390 035**


Pilot drill bits for standard adapter

PRODUCT PROPERTIES	ORDERING INFORMATION				
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
HSS-G pilot drill bit for hexagon socket adapter, width across flats 11 mm					
102	PC1a	1	5	045186	**2 608 596 119**

Pilot drill bits for standard adapter

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
HSS-G pilot drill bit						
for SDS plus and hexagon adapter, width across flats 6.35 (1/4") and 9.52 mm						
	81	PC1a	1	5	103480	**2 608 596 295**

HSS bi-metal holesaws with 8% Cobalt for standard adapters





PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
86	44	C1a	1	1	429634	**2 608 584 850**
92	44	C1a	1	1	087698	**2 608 584 129**
111	44	C1a	1	1	429658	**2 608 584 852**
114	44	C1a	1	1	087735	**2 608 584 133**
121	44	C1a	1	1	087742	**2 608 584 134**
127	44	C1a	1	1	096614	**2 608 584 136**
140	44	C1a	1	1	096621	**2 608 584 137**
152	44	C1a	1	1	096638	**2 608 584 138**

Arbored Hole Saws and Holesaw Sets



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Cutting depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
8-piece hole cutter set Coarse cut teeth and rapid drilling rate. Shank firmly bound to the body. This ensures sturdiness and optimum true running.						
25 **32** **38** **44** **51** **57** **63** **68**	27	C1a	8	1	004442	**1 609 200 243**





MULTITOOL ACCESSORIES

Cut, grind, and scrape effectively.

The best your tool can get. Bosch Professional Accessories.





STARLOCK ACCESSORIES FOR CUTTING WOOD

Multitool woodworking.



AIZ 32 EPC



PAIZ 32 EPC



MAIZ 32 EPC

Page number	344	344	344
System	Starlock	StarlockPlus	StarlockMax
Dimension mm	32 × 50	32 × 60	32 × 80
Blade material	HCS	HCS	HCS

MATERIALS

Tear-free cuts	✓	✓	✓
Softwood	✓	✓	✓
Hardwood	–	–	–
Plywood	–	–	–
Chipboard	–	–	–
Laminate, wood plastic composites	–	–	–
Parquet	–	–	–

			
	AIZ 32 BSPB	**AII 65 BSPB**	**ACZ 85 EC**
	345	**345**	**345**
	Starlock	**Starlock**	**Starlock**
	32 × 50	**65 × 40**	**⌀ 85**
	BIM	**BIM**	**HCS**
	✓	✓	✓
	✓	✓	✓
	✓	✓	–
	✓	✓	–
	✓	✓	–
	✓	✓	–
	✓	✓	–

STARLOCK ACCESSORIES FOR WOOD AND METAL

Don't stop for nails.



	AIZ 10 AB	AIZ 20 AB	AIZ 32 APB	PAIZ 32 APB	MAIZ 32 APB
Page number	346	346	346	346	347
System	Starlock	Starlock	Starlock	StarlockPlus	StarlockMax
Dimension mm	10 × 25	20 × 30	32 × 50	32 × 60	32 × 80
Blade material	BIM	BIM	BIM	BIM	BIM
MATERIALS					
Tear free Cut	–	–	✓	✓	✓
Wood working materials, non abrasive	✓	✓	✓	✓	✓
Wood working materials, abrasive	✓	✓	✓	✓	✓
Plasterboard	✓	✓	✓	✓	✓
Sandwich materials	✓	✓	✓	✓	✓
Non ferrous metal profile	✓	✓	✓	✓	✓
Non ferrous sheet metals up to 1mm	✓	✓	✓	✓	✓
Non hardened nails and screws	✓	✓	✓	✓	✓

					
	AII 65 APB	**PAII 65 APB**	**MAII 52 APB**	**ACZ 85 EB**	**ACZ 100 BB**
	347	**347**	**348**	**348**	**348**
	Starlock	**StarlockPlus**	**StarlockMax**	**Starlock**	**Starlock**
	65 × 40	**65 × 55**	**52 × 75**	**⌀ 85**	**⌀ 100**
	BIM	**BIM**	**BIM**	**BIM**	**BIM**
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓

STARLOCK ACCESSORIES FOR METAL CUTTING

Multitool metalworking.





	AIZ 20 AIT	AIZ 32 AIT	PAIZ 32 AIT
	EXPERT	EXPERT	EXPERT
Page number	349	350	350
System	Starlock	Starlock	StarlockPlus
Blade Name			
Dimension mm	20 × 40	32 × 40	32 × 55
Blade material	Coated Carbide	Coated Carbide	Coated Carbide
	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA
MATERIALS			
Non ferrous metal profile	✓	✓	✓
Non ferrous sheet metals up to 1mm	✓	✓	✓
Non hardened nails and screws	✓	✓	✓
Hardened nails & screws	✓	✓	✓
Stainless steel profile	✓	✓	✓
Stainless steel sheets up to 1mm	–	–	–

				
	MAII 32 AIT	AIZ 45 AIT	PAIZ 45 AIT	AIZ 32 AB
	EXPERT	EXPERT	EXPERT	
	351	351	352	352
	StarlockMax	Starlock	StarlockPlus	Starlock
	32 × 70	45 × 35	45 × 50	32 × 50
	Coated Carbide	Coated Carbide	Coated Carbide	BIM
	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	–
	✓	✓	✓	–
	–	–	–	–

STARLOCK ACCESSORIES FOR MULTI-MATERIAL

One blade for all.





	AIZ 32 APIT	PAIZ 32 APIT	PAII 52 APT
	EXPERT	EXPERT	EXPERT
Page number	353	354	354
System	Starlock	StarlockPlus	StarlockPlus
Blade Name			
Dimension mm	32 × 40	32 × 55	52 × 50
Blade material	Coated Carbide	Coated Carbide	Coated Carbide
	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA
MATERIALS			
Tear free Cut	✓	✓	✓
Wood working materials, non abrasive	✓	✓	✓
Wood working materials, abrasive	✓	✓	✓
Plasterboard	✓	✓	✓
Sandwich materials	✓	✓	✓
Non ferrous metal profile	✓	✓	✓
Non ferrous sheet metals up to 1mm	✓	✓	✓
Non hardened nails and screws	✓	✓	✓
Hardened nails & screws	✓	✓	✓
Stainless steel profile	✓	✓	✓
Stainless steel sheets up to 1mm	✓	✓	✓
Fiber reinforced composites (e.g. Epoxy)	✓	✓	✓
Cement bonded fibre boards	✓	✓	✓
Gypsum	-	-	-

*Bosch EXPERT products vs. Bosch standard products

				
	MAII 32 APIT	ACZ 105 ET	ACZ 85 EIB	AVZ 93 G
	EXPERT	EXPERT		
	355	356	357	366
	StarlockMax	Starlock	Starlock	Starlock
	32 × 70	⌀ 105	⌀ 85	⌀ 93
	Coated Carbide	Carbide	Coated BIM	
	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA	UP TO 50×* LONG LIFE CARBIDE TECHNOLOGY EXTRA		
	✓	✓	✓	–
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	–
	✓	–	✓	–
	✓	✓	✓	–
	✓	–	✓	–
	✓	✓	✓	–
	✓	✓	–	–
	✓	✓	–	–
	✓	–	–	–
	✓	✓	–	✓
	✓	✓	–	–
	–	–	–	✓

STARLOCK ACCESSORIES FOR MULTI-MATERIAL

One blade for every material.



ACZ 100 SWB



ATZ 52 SC



ATZ 52 SFC



ASZ 32 SC

Page number	358	358	358	359
System	Starlock	Starlock	Starlock	Starlock
Dimension mm	⌀ 100	52 × 27	52 × 40	24 × 11
Blade material	BIM	HCS	HCS	HCS
MATERIALS				
Soft floor materials (carpet, bitumen, linoleum)	✓	–	–	✓
Artificial turf	–	–	–	✓
Insulation materials	✓	–	–	✓
Soft joint material	–	–	–	–
Putty materials	–	–	–	–
Soft carpet residues/ adhesive	✓	–	✓	–
Hard carpet residues/ adhesives	–	✓	–	–
Mortar/tile adhesive	–	✓	–	–
Paint / varnish	–	–	✓	–

				
	AIZ 28 SC	**MAII 32 SC**	**MAII 32 SLC**	**MATI 66 SC**
	359	**359**	**359**	**360**
	Starlock	**StarlockMax**	**StarlockMax**	**StarlockMax**
	28 × 45	**32 × 55**	**32 × 70**	**65 × 30**
	HCS	**HCS**	**HCS**	**HCS**
	–	–	–	✓
	–	–	–	–
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	–	–	–	–
	–	–	–	–
	–	–	–	–
	–	–	–	–

STARLOCK ACCESSORIES FOR MULTI-MATERIAL

Multitool sanding plates.






	AVZ 32 RT4	AVZ 32 RT10	AVZ 90 RT2	AVZ 90 RT4
	EXPERT	EXPERT	EXPERT	EXPERT
Page number	365	366	361	362
System	Starlock	Starlock	Starlock	Starlock
Blade Name				
Dimension mm	32 × 53	32 × 53	⌀ 90	⌀ 90
Blade material	Carbide Grit 40	Carbide Grit 100	Carbide Grit 20	Carbide Grit 40
	UP TO 100×* LONG LIFE CARBIDE TECHNOLOGY	UP TO 100×* LONG LIFE CARBIDE TECHNOLOGY	UP TO 100×* LONG LIFE CARBIDE TECHNOLOGY	UP TO 100×* LONG LIFE CARBIDE TECHNOLOGY
MATERIALS				
Fiber reinforced composites (e.g. Epoxy)	✓	–	✓	✓
Cement bonded fibre boards	✓	–	✓	✓
Gypsum	✓	✓	–	✓
Soft carpet residues/ adhesive	✓	–	–	–
Hard carpet residues/ adhesives	✓	–	✓	✓
Mortar/tile adhesive	✓	–	✓	✓
Aerated concrete and soft bricks	–	–	✓	–
Paint / varnish	✓	–	–	✓
Clean wood	✓	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products

					
	AVZ 90 RT6	AVZ 90 RT10	MAVZ 116 RT2	MAVZ 116 RT4	MAVZ 116 RT10
	EXPERT	EXPERT	EXPERT	EXPERT	EXPERT
	362	363	363	364	364
	Starlock	Starlock	StarlockMax	StarlockMax	StarlockMax
	⌀ 90	⌀ 90	⌀ 116	⌀ 116	⌀ 116
	Carbide Grit 60	Carbide Grit 100	Carbide Grit 20	Carbide Grit 40	Carbide Grit 100
	UP TO 100x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 100x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 100x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 100x* LONG LIFE CARBIDE TECHNOLOGY	UP TO 100x* LONG LIFE CARBIDE TECHNOLOGY
	✓	–	✓	✓	–
	✓	–	✓	✓	–
	✓	–	–	✓	–
	–	–	–	–	–
	–	–	✓	✓	–
	–	–	✓	✓	–
	–	–	✓	–	–
	✓	–	–	✓	–
	✓	✓	✓	✓	✓

STARLOCK ACCESSORIES FOR MULTI-CUTTER TOOL GROUT AND ABRASIVES

Remove tiles with your multitool.





	ACZ 85 RD4 EXPERT	ACZ 85 RT3	ACZ 70 RT5
Page number	368	369	369
System	Starlock	Starlock	Starlock
Blade Name			
Dimension mm	⌀ 85	⌀ 85	⌀ 70
Blade material	Diamond	Carbide Grit	Carbide Grit
	UP TO 10x* LONG LIFE DIAMOND TECHNOLOGY		

MATERIALS

Plasterboard	✓	✓	✓
Fiber reinforced composites (e.g. Epoxy)	✓	✓	✓
Cement bonded fibre boards	✓	✓	✓
Mortar/tile adhesive	–	–	–
Thin grout (< 1.6mm)	–	–	✓
Standard grout (2-3mm)	✓	✓	–
Soft tile	✓	–	–
Aerated concrete and soft bricks	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products

				
	AVZ 70 RT4	MATI 68 RD4	MATI 68 RSD4	MATI 68 MT4
	EXPERT	EXPERT	EXPERT	
	370	371	372	372
	Starlock	StarlockMax	StarlockMax	StarlockMax
	⌀ 70	68 x 30	68 x 10	68 x 30
	Carbide Grit	Diamond	Diamond	Melted Carbide
	3 IN 1	UP TO 10×* LONG LIFE DIAMOND TECHNOLOGY	UP TO 10×* LONG LIFE DIAMOND TECHNOLOGY	
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	–	–	–
	–	–	✓	–
	✓	✓	–	✓
	–	✓	✓	–
	–	✓	✓	✓

Starlock HCS plunge cut saw blade AIZ 32 EPC Wood




- **AIZ 32 EPC**
- Starlock HCS plunge cut saw blade Wood
- Plunge cutting in softwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- Flush cutting wooden components (e.g. dowels, tenons) to length



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
32	50	PC1d	1	1	978910	**2 608 664 904**
		PC1a	5	1	484930	**2 608 661 626**

StarlockPlus HCS plunge cut saw blade PAIZ 32 EPC Wood




- **PAIZ 32 EPC**
- StarlockPlus HCS plunge cut saw blade Wood
- Deep 60 mm plunge cut in softwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- Flush cutting wooden components (e.g. dowels, tenons) to length



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
32	60	PC1a	1	1	833356	**2 608 662 561**

StarlockMax HCS plunge cut saw blade MAIZ 32 EPC Wood




- **MAIZ 32 EPC**
- StarlockMax HCS plunge cut saw blade Wood
- Fast and deep plunge cuts in wood (e.g. window frames)
- Fast and deep plunge cuts in wooden beams
- Subsequently making recesses for tenons and connections (ideal with Expert depth stop)



32	80	PC1a	1	1	833080	**2 608 662 568**

Starlock BIM plunge cut saw blade AIZ 32 BSPB Hard Wood




- **AIZ 32 BSPB**
- Starlock BIM plunge cut saw blade Hard Wood
- Plunge cutting in laminated panels or hardwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- Flush cutting wooden components (e.g. dowels, tenons made of hardwood) to length



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
32	50	PC1d	1	1	978927	**2 608 664 905**
		PC1a	5	1	484978	**2 608 661 630**

Starlock BIM plunge cut saw blade AII 65 BSPB Hard Wood




- **AII 65 BSPB**
- Starlock BIM plunge cut saw blade Hard Wood
- Plunge cutting in laminated panels or hardwood (e.g. for installing a ventilation grille)
- Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- Flush cutting wooden components (e.g. dowels, tenons made of hardwood) to length



65	40	PC1d	1	1	978941	**2 608 664 907**

Starlock HCS segment saw blade ACZ 85 EC Wood



- **ACZ 85 EC**
- Starlock HCS segment saw blade Wood, with depressed centre
- Plunge cutting in solid wood, e.g. for installing a ventilation grille
- Flush cutting wood (e.g. a protruding tenon on a wood joint)
- Cutting a plastic pipe (PVC) to length



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
85	PC1d	1	1	979023	**2 608 664 915**

Starlock BIM plunge cut saw blade AIZ 10 AB Wood and Metal



- **AIZ 10 AB**
- Starlock BIM plunge cut saw blade Wood and Metal
- Filigree adjustment work on non-ferrous profiles
- Filigree adjustment work in wood (e.g. subsequently sawing recesses for locks and fittings)
- Plunge cuts in plasterboard



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
10	20	PC1d	1	1	978989	**2 608 664 911**

Starlock BIM plunge cut saw blade AIZ 20 AB Wood and Metal




- **AIZ 20 AB**
- Starlock BIM plunge cut saw blade Wood and Metal
- Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- Flush cutting a copper pipe
- Plunge cuts in plasterboard



20	30	PC1d	1	1	978996	**2 608 664 912**
		PC1a	5	1	484954	**2 608 661 628**

Starlock BIM plunge cut saw blade AIZ 32 APB Wood and Metal




- **AIZ 32 APB**
- Starlock BIM plunge cut saw blade Wood and Metal
- Plunge cut in wood, abrasive wooden materials, plastics
- Cutting non-ferrous pipes and profiles with smaller dimensions
- Cutting non-hardened nails, screws and steel profiles with smaller dimensions



32	50	PC1d	1	1	978958	**2 608 664 908**
		PC1a	5	1	484961	**2 608 661 629**

StarlockPlus BIM plunge cut saw blade PAIZ 32 APB Wood and Metal




- **PAIZ 32 APB**
- StarlockPlus BIM plunge cut saw blade Wood and Metal
- Deep 60 mm plunge cut in wood, abrasive wooden materials, plastics
- Cutting non-ferrous pipes and profiles with smaller dimensions
- Cutting non-hardened nails, screws and steel profiles with smaller dimensions



PRODUCT PROPERTIES			ORDERING INFORMATION			
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
32	60	PC1d	1	1	979146	**2 608 664 927**

StarlockMax BIM plunge cut saw blade MAIZ 32 APB Wood and Metal




- **MAIZ 32 APB**
- StarlockMax BIM plunge cut saw blade Wood and Metal
- Fast and deep plunge cuts in wood and nails
- Fast and deep plunge cuts in wooden beams
- Cutting non-hardened nails, screws and steel profiles with small dimensions (e.g. concealed metal fixings)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
32	80	PC1d	1	1	979177	**2 608 664 930**

Starlock BIM plunge cut saw blade AII 65 APB Wood and Metal




- **AII 65 APB**
- Starlock BIM plunge cut saw blade Wood and Metal
- Cutting wood with nails
- Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- Plunge cuts in laminated panels (e.g. recesses for a shelf board)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
65	40	PC1d	1	1	978972	**2 608 664 910**
		PC1a	5	1	666008	**2 608 661 907**

StarlockPlus BIM plunge cut saw blade PAII 65 APB Wood and Metal




- **PAII 65 APB**
- StarlockPlus BIM plunge cut saw blade Wood and Metal
- Cutting wood with nails
- Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- Plunge cuts in laminated panels (e.g. recesses for a shelf board)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
65	50	PC1d	1	1	979153	**2 608 664 928**

StarlockMax BIM plunge cut saw blade MAII 52 APB Wood and Metal



- **MAII 52 APB**
- StarlockMax BIM plunge cut saw blade Wood and Metal
- Deep and wide plunge cuts in wood containing nails (e.g. window frames with metal components)
- Deep and wide plunge cuts in wooden beams containing nails
- Cutting non-hardened nails, screws and steel profiles with small dimensions (e.g. concealed metal fixings)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
52	70	PC1a	1	1	833134	**2 608 662 574**

Starlock BIM segment saw blade ACZ 85 EB Wood and Metal



- **ACZ 85 EB**
- Starlock BIM segment saw blade Wood and Metal, with depressed centre
- Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- Cutting out laminate/parquet (e.g. for installing a partition wall)
- Cutting smaller mouldings to length (e.g. aluminium floor cover strips)



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
85	PC1d	1	1	979030	**2 608 664 916**

Starlock BIM segment saw blade ACZ 100 BB Wood and Metal



- **ACZ 100 BB**
- Starlock BIM segment saw blade Wood and Metal, with depressed centre
- Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- Cutting out laminate/parquet (e.g. for installing a partition wall)
- Cutting smaller mouldings to length (e.g. aluminium floor cover strips)



100	PC1a	1	1	492379	**2 608 661 633**

LONG LIFE CUTTING HARD METAL

EXPERT MetalMax Blades

: Width: 20-45mm

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Extra coating makes carbide tougher!
3. Less skidding on screws due to flat edge design



CARBIDE TECHNOLOGY EXTRA

EXPERT MetalMax AIZ 20 AIT Plunge Saw Blades

EXPERT



- Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- Multitool versatility with outstanding performance.
- Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY EXTRA | UP TO 50x LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	20	40	PC1d	1	1	530642	2 608 900 012
			PC1d	5	1	530659	2 608 900 013

EXPERT MetalMax AIZ 32 AIT Plunge Saw Blades

EXPERT



- Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- Multitool versatility with outstanding performance.
- Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY EXTRA | UP TO 50× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	32	40	PC1d	1	1	530666	**2 608 900 014**
			PC1d	5	1	530673	**2 608 900 015**
			P1h	10	1	530680	**2 608 900 016**
			C0a	1	25	530697	**2 608 900 017**

EXPERT MetalMax PAIZ 32 AIT Plunge Saw Blades

EXPERT



- Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- Multitool versatility with outstanding performance.
- Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY EXTRA | UP TO 50× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	32	50	P1h	10	1	530727	**2 608 900 020**

EXPERT MetalMax MAII 32 AIT Plunge Saw Blades

EXPERT



- Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- Multitool versatility with outstanding performance.
- Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY EXTRA | UP TO 50× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	32	70	P1h	10	1	530758	**2 608 900 023**

EXPERT MetalMax AIZ 45 AIT Plunge Saw Blades

EXPERT



- Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- Multitool versatility with outstanding performance.
- Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY EXTRA | UP TO 50× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	45	40	PC1d	1	1	530703	**2 608 900 018**

EXPERT MetalMax PAIZ 45 AIT Plunge Saw Blades

EXPERT



- Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- Multitool versatility with outstanding performance.
- Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY EXTRA | UP TO 50× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	45	50	PC1d	1	1	530734	**2 608 900 021**

Starlock BIM plunge cut saw blade AIZ 32 AB Metal



- **AIZ 32 AB**
- Starlock BIM plunge cut saw blade Metal
- Flush cutting soft nails
- Flush cutting a copper pipe
- Cuts in plasterboard



PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	32	50	PC1d	1	1	979009	**2 608 664 913**
			PC1a	5	1	666015	**2 608 661 908**

LONG LIFE CUTTING SHEET METAL AND ABRASIVE MATERIALSS

EXPERT MultiMax Blades

: Width: 32mm, 52mm

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Extra coating makes carbide tougher!
3. Curved-Tec blade for controlled and clean plunge cuts
4. Thin carbide blade for faster sawing




CARBIDE TECHNOLOGY EXTRA

EXPERT MultiMax AIZ 32 APIT Plunge Saw Blades

EXPERT



- Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.



CARBIDE TECHNOLOGY EXTRA | UP TO 50× LONG LIFE


PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	40	PC1d	1	1	530765	**2 608 900 024**
		PC1d	5	1	530772	**2 608 900 025**
		P1h	10	1	530789	**2 608 900 026**
		C0a	1	25	530796	**2 608 900 027**

EXPERT MultiMax PAIZ 32 APIT Plunge Saw Blades

EXPERT



- Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.



CARBIDE TECHNOLOGY EXTRA | UP TO 50× LONG LIFE


PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	32	50	PC1d	1	1	530802	**2 608 900 028**
			P1h	10	1	530819	**2 608 900 029**

EXPERT MultiMax PAII 52 APIT Plunge Saw Blades

EXPERT



- Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.



CARBIDE TECHNOLOGY EXTRA | UP TO 50× LONG LIFE


PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	52	50	PC1d	1	1	530826	**2 608 900 030**

EXPERT MultiMax MAII 32 APIT Plunge Saw Blades

EXPERT



- Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than Bosch AIZ 20 AB blade.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY EXTRA | UP TO 50× LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	70	PC1d	1	1	530833	**2 608 900 031**
		P1h	10	1	530840	**2 608 900 032**

LONG LIFE CUTTING ABRASIVE AND COMPOSITE MATERIALS

EXPERT MultiMaterial Segment Blades

: Ø105mm

EXPERT

1. Extreme durability is built in with Bosch Carbide Technology
2. Thick gauge blade offers extra robustness and stability
3. Wide body for precise, straight cuts




CARBIDE TECHNOLOGY

EXPERT MultiMaterial ACZ 105 ET Segment Saw Blades

EXPERT





- Ideal for precision cutting in a wide variety of materials, including laminates and composites; can cut solid surface materials; makes good plunge cuts and survives striking brick.
- Multitool versatility with maximum performance.
- Lasts up to 50x longer than Bosch ACZ 85 EB blade.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.

CARBIDE TECHNOLOGY | UP TO 50× LONG LIFE

PRODUCT PROPERTIES	ORDERING INFORMATION					
Diameter [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
105	P1h	5	1	896122	**2 608 664 207**

Starlock BIM-TiN segment saw blade ACZ 85 EIB Multi Material



- **ACZ 85 EIB**
- Starlock BIM-TiN segment saw blade Multi Material, with depressed centre
- Plunge cutting in plasterboard or cement-bonded fibre boards (e.g. for installing a ventilator)
- Cutting smaller mouldings to length (e.g. aluminium floor cover strips)
- Cutting recesses in epoxy/glass fibre reinforced plastic (e.g. dashboard in a boat)




PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85	PC1d	1	1	979047	**2 608 664 917**

Starlock BIM serrated segment blade ACZ 100 SWB Multi Material




- **ACZ 100 SWB**
- Starlock BIM serrated segment blade
- Flush cutting to length of protruding insulation material, especially polystyrene
- Cutting insulation panels to size (e.g. Flumroc floor panel/sound insulation panel)
- Cutting soft materials (e.g. cardboard, carpet, rubber, leather...)



PRODUCT PROPERTIES	ORDERING INFORMATION				
Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100	PC1a	1	1	546737	**2 608 661 693**

Starlock HCS scraper ATZ 52 SC, rigid Multi Material






- **ATZ 52 SC**
- Starlock HCS scraper, rigid
- Removing mortar or tile adhesive (e.g. when replacing damaged tiles)
- Removing mortar and concrete residues
- Removing hard, brittle carpet adhesive residues

52	PC1a	1	1	492492	**2 608 661 646**

Starlock HCS scraper ATZ 52 SFC, flexible Multi Material



- **ATZ 52 SFC**
- Starlock HCS scraper, flexible
- Removing soft carpet adhesive residues
- Removing paint residues



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	PC1d	1	1	979108	**2 608 664 923**

Starlock HCS multi blade ASZ 32 SC




- **ASZ 32 SC**
- Starlock HCS multi blade
- Cutting flexible abrasive materials (e.g. roofing felt, bitumen shingles)
- Cutting soft materials (e.g. carpet, cardboard, PVC floor)
- Cutting artificial turf



PRODUCT PROPERTIES		ORDERING INFORMATION				
Cutting width [mm]	Cut length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
24	11	PC1d	1	1	979122	**2 608 664 925**

Starlock HCS universal joint cutter AIZ 28 SC Multi Material



- **AIZ 28 SC**
- Starlock HCS universal joint cutter
- Cutting soft expansion joints
- Cutting window putty (sealing compound)
- Cutting insulation materials (e.g. Flumroc rockwool)



28	40	PC1d	1	1	979115	**2 608 664 924**

Starlock MaxHCS universal joint cutter MAII 32 SC Multi Material




- **MAII 32 SC**
- StarlockMax HCS universal joint cutter
- Cutting expansion joints (e.g. silicone)
- Cutting out window putty (sealing compound)
- Cutting soft materials (e.g. insulation material, rubber, carpet, cardboard...)



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
32	55	PC1a	1	1	833172	**2 608 662 583**

StarlockMax HCS universal joint cutter MAII 32 SLC



- **MAII 32 SLC**
- StarlockMax HCS long universal joint cutter
- Deep 70 mm cutting of expansion joints (e.g. silicone)
- Deep cutting of window putty (sealing compound)
- Cutting soft materials (e.g. insulation material, rubber, carpet, cardboard...)



32	70	PC1a	1	1	833158	**2 608 662 575**

Starlock Max HCS segment blade MATI 66 SC



- **MATI 66 SC**
- StarlockMax HCS segment blade
- Fast cutting of window putty (e.g. cutting out insulating glass panes laid in a putty bed)
- Cutting soft materials (e.g. insulation material, rubber, carpet, cardboard...)
- Cuts in corners of soft materials



PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
66	30	PC1a	1	1	833233	**2 608 662 579**


LONG LIFE SANDING MULTI MATERIAL

EXPERT Sanding Plates

: #20 - #100

EXPERT


1. Extreme durability is built in with Bosch Carbide Technology
2. Easy cleaning to maintain best performance
3. Delta shape reaches corners while sanding efficiently
4. Sands the narrowest gaps with this extra-thin blade



CARBIDE TECHNOLOGY

EXPERT AVZ 90 RT2 Sanding Plates

EXPERT






- Ideal for coarse sanding to remove all kinds of material, including tile mortar; glue residue left on flooring by carpets; and for rough shaping of wood.
- Multitool versatility with maximum performance.
- Long-Lasting Sanding with Carbide Technology.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.

CARBIDE TECHNOLOGY | LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
90	20	PC1a	1	1	530970	**2 608 900 045**
		C0a	10	1	530987	**2 608 900 046**

EXPERT AVZ 90 RT4 Sanding Plates

EXPERT



- Ideal for coarse sanding to remove mortar; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- Multitool versatility with maximum performance.
- Long-Lasting Sanding with Carbide Technology.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.






CARBIDE TECHNOLOGY LONG LIFE


PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	90	40	PC1a	1	1	530994	**2 608 900 047**

EXPERT AVZ 90 RT6 Sanding Plates

EXPERT



- Ideal for coarse sanding to prepare surfaces for re-painting; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- Multitool versatility with maximum performance.
- Long-Lasting Sanding with Carbide Technology.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.






CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	90	60	PC1a	1	1	531014	**2 608 900 049**

EXPERT AVZ 90 RT10 Sanding Plates

EXPERT



- Ideal for medium grain sanding to smooth surfaces for re-painting. Created for clean surfaces, these stiff plates are also ideal for removing edges and bumps from wood.
- Multitool versatility with maximum performance.
- Long-Lasting Sanding with Carbide Technology.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.




CARBIDE TECHNOLOGY | LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	90	100	PC1a	1	1	530956	**2 608 900 043**

EXPERT MAVZ 116 RT2 Sanding Plates

EXPERT



- Ideal for coarse sanding to remove all kinds of material, including tile mortar; glue residue left on flooring by carpets; and for rough shaping of wood.
- Multitool versatility with maximum performance.
- Long-Lasting Sanding with Carbide Technology.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.




CARBIDE TECHNOLOGY | LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	116	20	PC1a	1	1	531045	**2 608 900 052**

EXPERT MAVZ 116 RT4 Sanding Plates

EXPERT



- Ideal for coarse sanding to remove mortar; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- Multitool versatility with maximum performance.
- Long-Lasting Sanding with Carbide Technology.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.






CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	116	40	PC1a	1	1	531052	**2 608 900 053**

EXPERT MAVZ 116 RT10 Sanding Plates

EXPERT



- Ideal for medium grain sanding to smooth surfaces for re-painting. Created for clean surfaces, these stiff plates are also ideal for removing edges and bumps from wood.
- Multitool versatility with maximum performance.
- Long-Lasting Sanding with Carbide Technology.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Diameter [mm]	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	116	100	PC1a	1	1	531038	**2 608 900 051**

LONG LIFE SANDING TIGHT GAPS

EXPERT Sanding Fingers

: #40; #100

EXPERT


1. Extreme durability is built in with Bosch Carbide Technology
2. Easy cleaning to maintain best performance
3. Reaches every corner with a pointed tip
4. Sands the narrowest gaps with this extra-thin blade



CARBIDE TECHNOLOGY

EXPERT AVZ 32 RT4 Sanding Fingers

EXPERT



- Ideal for sanding in tight gaps and hard-to-access niches, such as between the gaps in patio decking. The RT4 has grit size 40 for removing old paint or varnish.
- Multitool versatility with maximum performance.
- Long-Lasting Sanding with Carbide Technology.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.






CARBIDE TECHNOLOGY LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Working width [mm]	Working depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
32	50	PC1d	1	1	530925	**2 608 900 040**

EXPERT AVZ 32 RT10 Sanding Fingers

EXPERT



- Ideal for sanding in tight gaps and hard-to-access niches, such as between the gaps in patio decking. The RT10 has grit size 100 for preparing clean wood surfaces prior to re-painting or varnishing.
- Multitool versatility with maximum performance.
- Long-Lasting Sanding with Carbide Technology.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.





CARBIDE TECHNOLOGY

LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Working width [mm]	Working depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	32	50	PC1d	1	1	530918	**2 608 900 039**

Starlock sanding plate



- **AVZ 93 G**
- Sanding plate with miro hook-and-loop-type fastening system
- Quick, easy sanding sheet change

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	93	PC1d	1	1	979139	**2 608 664 926**



Dust extraction

- **Appropriate for** Bosch Starlock (GOP 12V-28 Professional; PMF 220 CE; PMF 250 CES), Bosch StarlockPlus (GOP 30-28; GOP 40-30; GOP 18V-28 Professional; PMF 350 CES) and Bosch StarlockMax (GOP 55-36 Professional) machines
- **Appropriate for** Bosch GOP 300 SCE; GOP 14,4 V-EC; GOP 18 V-EC Professional

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
for extracting sanding dust in combination with the Starlock sanding plate AVZ 93 G GOP 12V-28 (0 601 8B5 0..); GOP 18V-28 (0 601 8B6 0..); GOP 30-28 (0 601 237 0..); GOP 40-30 (0 601 231 0..); GOP 55-36 (0 601 231 1..); GOP 300 SCE (0 601 230 5..) Professional					
	P1d	1	1	851626	**2 608 000 636**



F460 sanding sheets optimised for multi-cutters, Best for Wood and Paint, 93 mm, 6 holes

best for Wood+Paint



- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** sanding plate AVZ 93 G



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5					
	C1a	5	5	959865	**2 608 621 684**
	C1a	5	5	959872	**2 608 621 685**
	C1a	5	5	959889	**2 608 621 686**
Pack of 10					
	C1a	10	5	509497	**2 608 607 540**

LONG LIFE IN GROUT AND SOFT TILE

EXPERT Grout Segment Blades

: Ø85mm

EXPERT

1. Extremely durable cutting edge using Bosch Diamond Technology
2. Pointed segment saw blade for precise work right into corners




DIAMOND TECHNOLOGY

EXPERT ACZ 85 RD4 Grout Segment Blades

EXPERT






- Ideal for cutting out grout from between tiles; removes even hard cement mortar; can also make small adjustment cuts to soft tiles.
- Multitool versatility with maximum performance.
- Lasts up to 10x longer than Bosch ACZ 85 MT4 laser-melted carbide blade.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.

DIAMOND TECHNOLOGY

UP TO 10× LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
85	2	PC1d	1	1	530864	2 608 900 034
		P1h	10	1	530871	2 608 900 035

Starlock Carbide-RIFF segment saw blade ACZ 85 RT3 Grout and Abrasive




- **ACZ 85 RT3**
- Starlock Carbide-RIFF segment saw blade
- Routing joints on wall and floor tiles
- Routing smaller cutouts in soft wall tiles
- Routing grooves in porous concrete, for laying concealed cables and pipes



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
85	2.5	PC1d	1	1	979061	**2 608 664 919**

Starlock Carbide-RIFF thin-kerf segment saw blade ACZ 70 RT5 Grout and Abrasive



- **ACZ 70 RT5**
- Starlock Carbide-RIFF thin-kerf segment saw blade
- Routing extra-thin (1.6mm / 1/16") joints on wall tiles
- Routing recesses in epoxy/glass fibre reinforced plastic (e.g. dashboard)
- Routing grooves in porous concrete, for laying concealed cables and pipes



70	1.6	PC1a	1	1	546720	**2 608 661 692**


MULTI-USE IN TILING

EXPERT 3 max Multi-Use Blades

: Ø70mm

EXPERT

1. Save time and money with a Multi-Function Accessory
2. Reaches every corner with a pointed tip
3. Cuts out grout with a carbide grit edge
4. Sanding plate for grinding mortar off surfaces



CARBIDE TECHNOLOGY

EXPERT 3 max AVZ 70 RT4 Grouting Plates

EXPERT



- Ideal for removing damaged tiles: the 3 max can cut out mortar joints - including corner pieces - and also sand off the mortar behind the old tile after it has been removed.
- Multitool versatility with maximum performance.
- 3 Applications with 1 Blade.
- Starlock mount for optimum power transfer and convenient blade change within 3 seconds.





3 IN 1

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter [mm]	Cutting width [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
70	2.5	PC1d	1	1	530932	**2 608 900 041**
		P1h	10	1	530949	**2 608 900 042**

LONG LIFE IN GROUT AND SOFT TILE

EXPERT Grout Corner Blades

: Grout width: 2.2mm / 1.6mm

EXPERT

1. Extremely durable cutting edge using Bosch Diamond Technology
2. Pointed segment saw blade for precise work right into corners
3. Flat mount eliminates wobbling for controlled and precise cut




DIAMOND TECHNOLOGY

EXPERT MATI 68 RD4 Corner Blades

EXPERT





- Ideal for cutting out grout from between tiles; removes even hard mortar and reaches into corners where floor and wall tiling meet; or around fittings such as handles; can also make small adjustment cuts to soft tiles.
- Multitool versatility with maximum performance.
- Lasts up to 10x longer than Bosch ACZ 85 MT4 laser-melted carbide blade.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.

DIAMOND TECHNOLOGY | UP TO 10× LONG LIFE


PRODUCT PROPERTIES				ORDERING INFORMATION				
	Cutting width [mm]	Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
	2.2	68	30	PC1a	1	1	530888	2 608 900 036
				P1h	10	1	530895	2 608 900 037

EXPERT MATI 68 RSD4 Corner Blades

EXPERT



- Ideal for cutting out grout from between tiles; removes even hard mortar and reaches into corners where floor and wall tiling meet; or around fittings such as handles; can also make small adjustment cuts to soft tiles.
- Multitool versatility with maximum performance.
- Lasts up to 10x longer than Bosch ACZ 85 MT4 laser-melted carbide blade.
- Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.





DIAMOND TECHNOLOGY | UP TO 10× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
1.6	68	10	PC1a	1	1	530901	**2 608 900 038**

StarlockMax Carbide-RIFF segment saw blade MATI 68 RT3 Grout and Abrasive

extra long LIFE | fast CUT | 30 Carbide | 30 mm 68 mm | ≤2.2 mm

- **MATI 68 RT3**
- StarlockMax Carbide-RIFF segment saw blade
- Routing joints which are hard to reach and close to edges (e.g. in corners)
- Routing deep joints on wall and floor tiles
- Routing grooves in porous concrete, for laying concealed cables and pipes



PRODUCT PROPERTIES			ORDERING INFORMATION				
Cutting width [mm]	Width [mm]	Length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2.2	68	30	PC1a	1	1	833196	**2 608 662 577**

StarlockMax Carbide-RIFF segment saw blade MATI 68 MT4 Grout and Abrasive

long LIFE | fast CUT | 40 Carbide | 30 mm 68 mm | ≤2.1 mm

- **MATI 68 MT4**
- StarlockMax Carbide-RIFF segment saw blade
- Routing joints which are hard to reach and close to edges (e.g. in corners)
- Routing deep joints on wall and floor tiles
- Routing grooves in porous concrete, for laying concealed cables and pipes



2.1	68	30	PC1a	1	1	833295	**2 608 662 582**

Starlock Sets

PRODUCT PROPERTIES	ORDERING INFORMATION				
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 4-piece tile set Versatile Starlock set for renovation and reconstruction work (e.g. routing joints on wall and floor tiles, removing mortar or tile adhesive, routing smaller cutouts in soft wall tiles)					
Carbide RIFF segment saw blade ACZ 85 RT3 (1x) **Carbide RIFF sanding plate AVZ 78 RT2 (1x)** **HCS scraper ATZ 52 SC (1x)** **BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)**	PC1a	4	1	555210	**2 608 661 695**
 4-piece floor/installation set Versatile Starlock set for floor/installation work (e.g. cutting a door frame to length on the floor, cutting out laminate/ parquet, plunge cuts in laminated panels or wood, cutting recesses in furniture components)					
HCS plunge-cutting saw blade Wood AIZ 32 EPC (1x) **BIM plunge-cutting saw blade Hard Wood AIZ 32 BSPB (1x)** **BIM segment saw blade Wood and Metal ACZ 85 EB (1x)** **HCS scraper ATZ 52 SC (1x)**	PC1a	4	1	555227	**2 608 661 696**
 13-piece universal set Basic applications combined in a single Starlock set (sawing, sanding and scraping) **Suitable for** wood and metal					
BIM segment saw blade Wood and Metal ACZ 85 EB (1x) **BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (1x)** **HCS scraper ATZ 52 SFC (1x)** **Wood and Paint sanding sheet (10x)**	PC1a	4	1	555203	**2 608 661 694**
 3-piece tile set Versatile Starlock tile set for renovation and reconstruction work (e.g. routing joints on wall and floor tiles, removing mortar or tile adhesive, routing smaller cutouts in soft wall tiles)					
BIM plunge-cutting saw blade Metal AIZ 20 AB (1x) **HCS scraper ATZ 52 SC (1x)** **HM-RIFF segment saw blade ACZ 85 MT4 (1x)**	PC1a	3	10	779647	**2 608 662 342**
 3-piece universal set Basic applications combined in a single Starlock set (sawing wood & metal) **Suitable for** wood and metal					
BIM plunge-cutting saw blade Metal AIZ 20 AB (1x) **HCS plunge-cutting saw blade Wood AIZ 24 EC (1x)** **HCS segment saw blade Wood ACZ 85 EC (1x)**	PC1a	3	10	779654	**2 608 662 343**

Depth stops



- **Appropriate for** Bosch GOP 300 SCE Professional, GOP 12V-28, GOP 18V-28, GOP 30 V-28, GOP 55-36, GOP 14,4V/18V-Li, PMF 190 E, PMF 250 CES (multi-cutter with collar)



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Expert depth stop Continuously variable adjustment For precise cutting depths in combination with segment and plunge-cutting saw blades (e.g. for precise plunge cuts in construction woods)	PC1a	1	1	727303	**2 608 000 590**

WOOD SANDING

Discover accessories for more efficient sanding.

The best your tool can get. Bosch Professional Accessories.






DISCS FOR RANDOM ORBITAL SANDERS, WALL AND CEILING SANDERS

Discs to change the world.



	M480	C470	N880	C430
	EXPERT	EXPERT	EXPERT	
Page number	377	379	386	384
Grit range	80 – 400	40 – 400	80 – 800	40 – 240
Grit type	Aluminium oxide	Aluminium oxide	Alox / Silicon carbide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper	3D Fibre fleece	C-Paper
Diameter mm	115 – 225	115 – 225	125 – 150	115 – 150
	UP TO 4×* NO DUST PARTICLE CONTROL	UP TO 2×* SPEED SURFACE STRUCTURE	UP TO 3×* SPEED SURFACE STRUCTURE	

MATERIALS

Softwood / hardwood	✓	✓	–	✓
Resinous wood	✓	✓	–	✓
Plywood	✓	✓	–	✓
Paint / varnish	✓	✓	–	✓
Filler	✓	✓	–	–
Plaster	✓	✓	✓	–
Solid surface materials (Corian, Varicor)	✓	✓	–	–
Glass fibre reinforced plastics (GRP)	✓	–	–	–
Perspex	✓	–	–	–
Stone / glass	–	–	–	–
Stainless steel (inox)	–	–	✓	–
Mild steel (metal)	–	–	✓	–
Sheet metal	–	–	✓	–
Aluminium	–	–	✓	–

*Bosch EXPERT products vs. Bosch standard products


NO DUST SANDING WOOD, PAINT AND DRYWALL

EXPERT M480 Sanding Nets

: Grit 80 – 400

EXPERT


1. Most efficient dust removal with Bosch Particle Control
2. Dust is sucked through Open Net Structure



EXPERT M480 Sanding Nets for Random Orbital Sanders

EXPERT

- Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust reduction than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.



PARTICLE CONTROL | UP TO 4× DUST REDUCTION

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5								
	125	100	open net	C1a	5	5	540108	**2 608 900 672**
	125	150	open net	C1a	5	5	540122	**2 608 900 674**
	125	220	open net	C1a	5	5	540146	**2 608 900 676**
	125	320	open net	C1a	5	5	540160	**2 608 900 678**
	125	400	open net	C1a	5	5	540177	**2 608 900 679**
	150	100	open net	C1a	5	5	540283	**2 608 900 690**

EXPERT M480 Sanding Nets for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
150	150	open net	C1a	5	5	540306	**2 608 900 692**
150	180	open net	C1a	5	5	540313	**2 608 900 693**
150	220	open net	C1a	5	5	540320	**2 608 900 694**
150	240	open net	C1a	5	5	540337	**2 608 900 695**
150	320	open net	C1a	5	5	540344	**2 608 900 696**
150	400	open net	C1a	5	5	540351	**2 608 900 697**
Pack of 50							
125	80	open net	C0a	50	1	540184	**2 608 900 680**
125	100	open net	C0a	50	1	540191	**2 608 900 681**
125	120	open net	C0a	50	1	540207	**2 608 900 682**
125	150	open net	C0a	50	1	540214	**2 608 900 683**
125	180	open net	C0a	50	1	540221	**2 608 900 684**
125	220	open net	C0a	50	1	540238	**2 608 900 685**
125	240	open net	C0a	50	1	540245	**2 608 900 686**
125	320	open net	C0a	50	1	540252	**2 608 900 687**
125	400	open net	C0a	50	1	540269	**2 608 900 688**
150	80	open net	C0a	50	1	540368	**2 608 900 698**
150	100	open net	C0a	50	1	540375	**2 608 900 699**
150	120	open net	C0a	50	1	540382	**2 608 900 700**
150	150	open net	C0a	50	1	540399	**2 608 900 701**
150	180	open net	C0a	50	1	540405	**2 608 900 702**
150	220	open net	C0a	50	1	540412	**2 608 900 703**
150	240	open net	C0a	50	1	540429	**2 608 900 704**
150	320	open net	C0a	50	1	540436	**2 608 900 705**
150	400	open net	C0a	50	1	540443	**2 608 900 706**

EXPERT M480 Sanding Nets for Drywall Sanders

EXPERT





- Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust reduction than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.

PARTICLE CONTROL | UP TO 4 × DUST REDUCTION

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 25							
225	80	open net	C0a	25	1	540450	**2 608 900 707**
225	100	open net	C0a	25	1	540467	**2 608 900 708**
225	120	open net	C0a	25	1	540474	**2 608 900 709**
225	150	open net	C0a	25	1	540481	**2 608 900 710**
225	180	open net	C0a	25	1	540498	**2 608 900 711**
225	220	open net	C0a	25	1	540504	**2 608 900 712**
225	240	open net	C0a	25	1	540511	**2 608 900 713**
225	320	open net	C0a	25	1	540528	**2 608 900 714**
225	400	open net	C0a	25	1	540535	**2 608 900 715**


FAST SANDING OF PAINT AND WOOD

EXPERT C470 Sandpaper

: Grit 40 – 400


EXPERT

1. Exceptional abrasion with Bosch Surface Structure
2. Grain distribution optimised for high speed sanding
3. Grain alignment during production ensures aggressive cut




EXPERT C470 Sandpapers with multihole for Random Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.



SURFACE STRUCTURE | UP TO 2× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5							
125	40	Multi hole system	C1a	5	5	544304	**2 608 901 092**
125	60	Multi hole system	C1a	5	5	544311	**2 608 901 093**
125	80	Multi hole system	C1a	5	5	544328	**2 608 901 094**
125	100	Multi hole system	C1a	5	5	544335	**2 608 901 095**
125	120	Multi hole system	C1a	5	5	544342	**2 608 901 096**
125	180	Multi hole system	C1a	5	5	544359	**2 608 901 097**


EXPERT C470 Sandpapers with multihole for Random Orbital Sanders

EXPERT


PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	240	Multi hole system	C1a	5	5	544366	**2 608 901 098**
125	320	Multi hole system	C1a	5	5	544373	**2 608 901 099**
125	400	Multi hole system	C1a	5	5	544380	**2 608 901 100**
150	40	Multi hole system	C1a	5	5	544403	**2 608 901 102**
150	60	Multi hole system	C1a	5	5	544410	**2 608 901 103**
150	80	Multi hole system	C1a	5	5	544427	**2 608 901 104**
150	100	Multi hole system	C1a	5	5	544434	**2 608 901 105**
150	120	Multi hole system	C1a	5	5	544441	**2 608 901 106**
150	180	Multi hole system	C1a	5	5	544458	**2 608 901 107**
150	240	Multi hole system	C1a	5	5	544465	**2 608 901 108**
150	320	Multi hole system	C1a	5	5	544472	**2 608 901 109**
150	400	Multi hole system	C1a	5	5	544489	**2 608 901 110**
Pack of 50							
125	40	Multi hole system	C0a	50	1	544625	**2 608 901 124**
125	60	Multi hole system	C0a	50	1	544632	**2 608 901 125**
125	80	Multi hole system	C0a	50	1	544649	**2 608 901 126**
125	100	Multi hole system	C0a	50	1	544656	**2 608 901 127**
125	120	Multi hole system	C0a	50	1	544663	**2 608 901 128**
125	150	Multi hole system	C0a	50	1	544670	**2 608 901 129**
125	180	Multi hole system	C0a	50	1	544687	**2 608 901 130**
125	220	Multi hole system	C0a	50	1	544694	**2 608 901 131**
125	240	Multi hole system	C0a	50	1	544700	**2 608 901 132**
125	320	Multi hole system	C0a	50	1	544717	**2 608 901 133**
125	400	Multi hole system	C0a	50	1	544724	**2 608 901 134**
150	40	Multi hole system	C0a	50	1	544731	**2 608 901 135**
150	60	Multi hole system	C0a	50	1	544748	**2 608 901 136**
150	80	Multi hole system	C0a	50	1	544755	**2 608 901 137**
150	100	Multi hole system	C0a	50	1	544762	**2 608 901 138**
150	120	Multi hole system	C0a	50	1	544779	**2 608 901 139**
150	150	Multi hole system	C0a	50	1	544786	**2 608 901 140**
150	180	Multi hole system	C0a	50	1	544793	**2 608 901 141**
150	220	Multi hole system	C0a	50	1	544809	**2 608 901 142**
150	240	Multi hole system	C0a	50	1	544816	**2 608 901 143**
150	320	Multi hole system	C0a	50	1	544823	**2 608 901 144**
150	400	Multi hole system	C0a	50	1	544830	**2 608 901 145**

EXPERT C470 Sandpapers with 8 holes for Random Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.



SURFACE STRUCTURE

UP TO 2× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5							
115	40	8 holes	C1a	5	5	541327	**2 608 900 794**
115	60	8 holes	C1a	5	5	541334	**2 608 900 795**


EXPERT C470 Sandpapers with 8 holes for Random Orbital Sanders

EXPERT


PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	80	8 holes	C1a	5	5	541341	**2 608 900 796**
115	120	8 holes	C1a	5	5	541358	**2 608 900 797**
115	180	8 holes	C1a	5	5	541365	**2 608 900 798**
115	240	8 holes	C1a	5	5	541372	**2 608 900 799**
115	320	8 holes	C1a	5	5	541389	**2 608 900 800**
115	400	8 holes	C1a	5	5	541396	**2 608 900 801**
125	40	8 holes	C1a	5	5	541419	**2 608 900 803**
125	60	8 holes	C1a	5	5	541426	**2 608 900 804**
125	80	8 holes	C1a	5	5	541433	**2 608 900 805**
125	100	8 holes	C1a	5	5	541440	**2 608 900 806**
125	120	8 holes	C1a	5	5	541457	**2 608 900 807**
125	180	8 holes	C1a	5	5	541464	**2 608 900 808**
125	240	8 holes	C1a	5	5	541471	**2 608 900 809**
125	320	8 holes	C1a	5	5	541488	**2 608 900 810**
125	400	8 holes	C1a	5	5	541495	**2 608 900 811**
Pack of 50							
125	40	8 holes	C0a	50	1	542461	**2 608 900 908**
125	60	8 holes	C0a	50	1	542478	**2 608 900 909**
125	80	8 holes	C0a	50	1	542485	**2 608 900 910**
125	100	8 holes	C0a	50	1	542492	**2 608 900 911**
125	120	8 holes	C0a	50	1	542508	**2 608 900 912**
125	150	8 holes	C0a	50	1	544588	**2 608 901 120**
125	180	8 holes	C0a	50	1	542515	**2 608 900 913**
125	220	8 holes	C0a	50	1	544595	**2 608 901 121**
125	240	8 holes	C0a	50	1	542522	**2 608 900 914**
125	320	8 holes	C0a	50	1	542539	**2 608 900 915**
125	400	8 holes	C0a	50	1	542546	**2 608 900 916**

EXPERT C470 Sandpapers with 6 holes for Random Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.



SURFACE STRUCTURE

UP TO 2× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5							
150	40	6 holes	C1a	5	5	541518	**2 608 900 813**
150	60	6 holes	C1a	5	5	541525	**2 608 900 814**
150	80	6 holes	C1a	5	5	541532	**2 608 900 815**
150	100	6 holes	C1a	5	5	541549	**2 608 900 816**
150	120	6 holes	C1a	5	5	541556	**2 608 900 817**
150	180	6 holes	C1a	5	5	541563	**2 608 900 818**
150	240	6 holes	C1a	5	5	541570	**2 608 900 819**
150	320	6 holes	C1a	5	5	541587	**2 608 900 820**
150	400	6 holes	C1a	5	5	541594	**2 608 900 821**
Pack of 50							


EXPERT C470 Sandpapers with 6 holes for Random Orbital Sanders

EXPERT


PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
150	40	6 holes	C0a	50	1	542553	**2 608 900 917**
150	60	6 holes	C0a	50	1	542560	**2 608 900 918**
150	80	6 holes	C0a	50	1	542577	**2 608 900 919**
150	100	6 holes	C0a	50	1	542584	**2 608 900 920**
150	120	6 holes	C0a	50	1	542591	**2 608 900 921**
150	150	6 holes	C0a	50	1	544601	**2 608 901 122**
150	180	6 holes	C0a	50	1	542607	**2 608 900 922**
150	220	6 holes	C0a	50	1	544618	**2 608 901 123**
150	240	6 holes	C0a	50	1	542614	**2 608 900 923**
150	320	6 holes	C0a	50	1	542621	**2 608 900 924**
150	400	6 holes	C0a	50	1	542638	**2 608 900 925**

EXPERT C470 Sandpaper Sets with 8 holes for Random Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.




SURFACE STRUCTURE

UP TO 2× SPEED


PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 6							
115	2x60 2x120 2x240	8 holes	C1a	6	5	541402	**2 608 900 802**
125	2x60 2x120 2x240	8 holes	C1a	6	5	541501	**2 608 900 812**

EXPERT C470 Sandpaper Sets with 6 holes for Random Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.






SURFACE STRUCTURE | UP TO 2× SPEED


PRODUCT PROPERTIES				ORDERING INFORMATION				
	Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 6								
	150	2x60 2x120 2x240	6 holes	C1a	6	5	541600	**2 608 900 822**

EXPERT C470 Sandpaper Sets with multihole for Random Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.






SURFACE STRUCTURE | UP TO 2× SPEED


PRODUCT PROPERTIES				ORDERING INFORMATION				
	Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 6								
	125	2x60 2x120 2x240	Multi hole system	C1a	6	5	544397	**2 608 901 101**
	150	2x60 2x120 2x240	Multi hole system	C1a	6	5	544496	**2 608 901 111**

EXPERT C470 Sandpapers with 19 holes for Drywall Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.






SURFACE STRUCTURE

UP TO 2× SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 25								
-	225	40	19 holes	C0a	25	1	544847	**2 608 901 146**
-	225	60	19 holes	C0a	25	1	544854	**2 608 901 147**
-	225	80	19 holes	C0a	25	1	544861	**2 608 901 148**
-	225	100	19 holes	C0a	25	1	544878	**2 608 901 149**
-	225	120	19 holes	C0a	25	1	544885	**2 608 901 150**
-	225	150	19 holes	C0a	25	1	544892	**2 608 901 151**
-	225	180	19 holes	C0a	25	1	544908	**2 608 901 152**
-	225	220	19 holes	C0a	25	1	544915	**2 608 901 153**


C430 sanding sheets for random orbital sanders, Expert for Wood and Paint, 115 mm diameter, 8 holes

expert Wood+Paint



perfect FINISH

- **Suitable for** sanding wood, wooden materials and paint
- **Appropriate for** random orbit sanders from Bosch, Einhell, Kress, Peugeot, Skil, Stayer




PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5							
115	40	8 holes	C1a	5	5	159210	**2 608 605 103**
115	60	8 holes	C1a	5	5	159227	**2 608 605 104**
115	120	8 holes	C1a	5	5	159241	**2 608 605 106**
115	180	8 holes	C1a	5	5	247832	**2 608 607 246**
115	240	8 holes	C1a	5	5	171410	**2 608 605 657**
Pack of 5							
115	80	8 holes	C1a	5	5	159234	**2 608 605 105**

C430 sanding sheets for random orbital sanders, Expert for Wood and Paint, 125 mm diameter, 8 holes

expert Wood+Paint

- **Suitable for** sanding wood, wooden materials and paint
- **Appropriate for** random orbit sanders from Bosch, DeWalt, Festool, Metabo, Makita




PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5							
125	40	8 holes	C1a	5	5	171243	**2 608 605 640**
125	80	8 holes	C1a	5	5	171267	**2 608 605 642**
125	120	8 holes	C1a	5	5	171274	**2 608 605 643**
125	240	8 holes	C1a	5	5	171298	**2 608 605 645**
Pack of 6							
125	60 120 240	8 holes	C1a	6	5	159302	**2 608 605 112**

C430 sanding sheets for random orbital sanders, Expert for Wood and Paint, 150 mm diameter, 6 holes

expert Wood+Paint

- **Suitable for** sanding wood, wooden materials and paint
- **Appropriate for** random orbit sanders from Bosch, Metabo, Milwaukee, DeWalt, AEG



Pack of 5							
150	40	6 holes	C1a	5	5	172004	**2 608 605 716**
150	60	6 holes	C1a	5	5	172011	**2 608 605 717**
150	80	6 holes	C1a	5	5	172028	**2 608 605 718**
150	120	6 holes	C1a	5	5	172042	**2 608 605 720**
150	180	6 holes	C1a	5	5	172059	**2 608 605 721**
150	240	6 holes	C1a	5	5	172066	**2 608 605 722**


LONG LIFE FINISHING METAL

EXPERT N880 Fleece Discs

: Grit 80 - 800

EXPERT

1. Strong, flexible bonding with Bosch Surface Structure
2. Consistent cut and finish with cross-laying technology
3. 3D structure allows grit through the fleece



EXPERT N880 Fleece Discs for Random Orbital Sanders

EXPERT



- Ideal for cleaning stainless steel, for example to achieve a final surface finish; for light deburring and surface blending.
- Best for metalworkers: Long Lasting Quality.
- Lasts up to 3x longer than Bosch J475 coated hand sanding sheet.
- Just stick it on with hook and loop.



SURFACE STRUCTURE

UP TO 3× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Grade	Product colour	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Coarse A	brown	125	C0a	1	20	572109	**2 608 901 241**
Medium	black	125	C0a	1	20	572116	**2 608 901 242**
Medium A	maroon	125	C0a	1	20	572123	**2 608 901 243**
Very fine A	red	125	C0a	1	20	572130	**2 608 901 244**
Very fine GP	green	125	C0a	1	20	572154	**2 608 901 246**
Ultra fine S	grey	125	C0a	1	20	572147	**2 608 901 245**

EXPERT N880 Fleece Discs for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Grade	Product colour	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Cleaning	white	125	C0a	1	20	572093	**2 608 901 240**
Coarse A	brown	150	C0a	1	20	572178	**2 608 901 248**
Medium	black	150	C0a	1	20	572185	**2 608 901 249**
Medium A	maroon	150	C0a	1	20	572192	**2 608 901 250**
Very fine A	red	150	C0a	1	20	572208	**2 608 901 251**
Very fine GP	green	150	C0a	1	20	572222	**2 608 901 253**
Ultra fine S	grey	150	C0a	1	20	572215	**2 608 901 252**
Cleaning	white	150	C0a	1	20	572161	**2 608 901 247**

Polishing felts for random orbital sanders

- **Suitable for** pre-polishing very dirty or scratched surfaces
- For use with polish or grinding paste on even surfaces
- **Appropriate for** all conventional brands of machines



PRODUCT PROPERTIES		ORDERING INFORMATION				
Grade	Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
soft	160	C1d	2	1	018784	**3 608 604 001**
Hard	160	C1d	2	1	018777	**3 608 604 000**

Polishing sponges for random orbital sanders

- **Suitable for** polishing slightly dirty, scratched or pre-polished surfaces
- For use with polish or for working in surface sealing agents on curved and even surfaces
- Finishing of bright colours after using lambskin
- **Appropriate for** all conventional brands of machines

PRODUCT PROPERTIES	ORDERING INFORMATION				
Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
130	C1d	1	1	014854	**2 608 613 005**



Soft Foam Disc

170	P1d	1	1	632409	**2 608 612 024**

Lambswool bonnets for random orbital sanders

- **Suitable for** polishing old varnish and after surface sanding
- **Appropriate for** all conventional brands of machines



PRODUCT PROPERTIES	ORDERING INFORMATION				
Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Lambswool bonnet					
130	C1a	1	1	014786	**2 608 610 001**
160	C1a	2	1	018746	**3 608 610 000**


Lambskin disc
Polishing old varnish
after surface sanding

170	P1d	1	1	632423	**2 608 612 026**

SHEETS FOR DELTA SANDERS, MULTI TOOLS AND MULTI SANDERS

Make corner sanding easy.



	M480	C470	F460	C430
	EXPERT	EXPERT		
Page number	390	392	396	394
Grit range	80 – 400	40 – 400	40 – 240	40 – 240
Grit type	Aluminium oxide	Aluminium oxide	Aluminium oxide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper	F-Paper	C-Paper
Dimension mm	93 x 93 / 100 x 150 / 102 x 62, 93	93 x 93 / 100 x 150 / 102 x 62, 93	93 x 93	32 x 90 / 100 x 150 / 100 x 170 / 102 x 62, 93
	UP TO 4x* NO DUST PARTICLE CONTROL	UP TO 2x* SPEED SURFACE STRUCTURE		

MATERIALS

Softwood / hardwood	✓	✓	✓	✓
Resinous wood	✓	✓	✓	✓
Plywood	✓	✓	✓	✓
Paint / varnish	✓	✓	✓	✓
Filler	✓	✓	✓	–
Plaster	✓	✓	—	—
Solid surface materials (Corian, Varicor)	✓	✓	–	–
Glass fibre reinforced plastics (GRP)	✓	–	–	–
Perspex	✓	–	–	–
Stone / glass	–	–	–	–


*Bosch EXPERT products vs. Bosch standard products

EXPERT M480 Sanding Nets for Delta Sanders

EXPERT



- Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust reduction than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.



PARTICLE CONTROL | UP TO 4 × DUST REDUCTION


PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5								
	93x93	80	open net	C1a	5	5	540542	**2 608 900 716**
	93x93	100	open net	C1a	5	5	540559	**2 608 900 717**
	93x93	120	open net	C1a	5	5	540566	**2 608 900 718**
	93x93	150	open net	C1a	5	5	540573	**2 608 900 719**
	93x93	180	open net	C1a	5	5	540580	**2 608 900 720**
	93x93	220	open net	C1a	5	5	540597	**2 608 900 721**
	93x93	240	open net	C1a	5	5	540603	**2 608 900 722**
	93x93	320	open net	C1a	5	5	540610	**2 608 900 723**
	93x93	400	open net	C1a	5	5	540627	**2 608 900 724**

EXPERT M480 Sanding Net Sets for Delta Sanders

EXPERT



- Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust reduction than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.



PARTICLE CONTROL | UP TO 4 × DUST REDUCTION


PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 6								
	93x93	2x80 2x120 2x180	open net	C1a	6	5	568607	**2 608 901 204**

EXPERT M480 Sanding Nets for Multi Sanders

EXPERT



- Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust reduction than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.





PARTICLE CONTROL | UP TO 4 × DUST REDUCTION


PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	100x150	80	open net	C1a	10	5	540634	**2 608 900 725**
	100x150	100	open net	C1a	10	5	540641	**2 608 900 726**
	100x150	120	open net	C1a	10	5	540658	**2 608 900 727**
	100x150	150	open net	C1a	10	5	540665	**2 608 900 728**
	100x150	180	open net	C1a	10	5	540672	**2 608 900 729**
	100x150	220	open net	C1a	10	5	540689	**2 608 900 730**
	100x150	240	open net	C1a	10	5	540696	**2 608 900 731**
	100x150	320	open net	C1a	10	5	540702	**2 608 900 732**
	100x150	400	open net	C1a	10	5	540719	**2 608 900 733**

EXPERT M480 Sanding Net Sets for Multi Sanders

EXPERT



- Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust reduction than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.







PARTICLE CONTROL | UP TO 4 × DUST REDUCTION

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	100x150	4x80 3x120 3x180	open net	C1a	10	5	568645	**2 608 901 208**

EXPERT C470 Sandpapers for Delta Sanders

EXPERT





- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE | UP TO 2× SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 5								
	93x93	40	6 holes	C1a	5	5	541617	**2 608 900 823**
	93x93	60	6 holes	C1a	5	5	541624	**2 608 900 824**
	93x93	80	6 holes	C1a	5	5	541631	**2 608 900 825**
	93x93	100	6 holes	C1a	5	5	541648	**2 608 900 826**
	93x93	120	6 holes	C1a	5	5	541655	**2 608 900 827**
	93x93	180	6 holes	C1a	5	5	541662	**2 608 900 828**
	93x93	240	6 holes	C1a	5	5	541679	**2 608 900 829**
	93x93	320	6 holes	C1a	5	5	541686	**2 608 900 830**
	93x93	400	6 holes	C1a	5	5	541693	**2 608 900 831**
Pack of 50								
	93x93	40	6 holes	C0a	50	1	542645	**2 608 900 926**
	93x93	60	6 holes	C0a	50	1	542652	**2 608 900 927**
	93x93	80	6 holes	C0a	50	1	542669	**2 608 900 928**
	93x93	100	6 holes	C0a	50	1	542676	**2 608 900 929**
	93x93	120	6 holes	C0a	50	1	542683	**2 608 900 930**
	93x93	180	6 holes	C0a	50	1	542690	**2 608 900 931**
	93x93	240	6 holes	C0a	50	1	542706	**2 608 900 932**
	93x93	320	6 holes	C0a	50	1	542713	**2 608 900 933**
	93x93	400	6 holes	C0a	50	1	542720	**2 608 900 934**

EXPERT C470 Sandpaper Sets for Delta Sanders

EXPERT





- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.




SURFACE STRUCTURE | UP TO 2× SPEED


PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 6								
	93x93	60 120 240	6 holes	C1a	6	5	541709	**2 608 900 832**

EXPERT C470 Sandpapers with 7 holes for Multi Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE | UP TO 2× SPEED


PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	100x150	60	7 holes	C1a	10	5	544533	**2 608 901 115**
	100x150	120	7 holes	C1a	10	5	544557	**2 608 901 117**
	100x150	180	7 holes	C1a	10	5	544564	**2 608 901 118**
	100x150	320	7 holes	C1a	10	5	545042	**2 608 901 166**
	100x150	400	7 holes	C1a	10	5	545059	**2 608 901 167**

EXPERT C470 Sandpapers with 11 holes for Multi Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.






SURFACE STRUCTURE | UP TO 2× SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	102x62	40	11 holes	C1a	10	5	542249	**2 608 900 886**
	102x62	80	11 holes	C1a	10	5	542256	**2 608 900 887**
	102x62	120	11 holes	C1a	10	1	542263	**2 608 900 888**
	102x62	180	11 holes	C1a	10	5	542270	**2 608 900 889**

C470 and C430 sanding sheets for multi-sanders, Best for Wood and Paint, Expert for Wood and Paint, 102x62, 93 mm, 11 holes

best Wood+Paint

expert Wood+Paint




- C470 Best for Wood and Paint **suitable for** sanding wood, paint, varnish, roughcast (2x K40, 2x K80, 4x K120, 2x K180)
- C430 Expert for Wood and Paint **suitable for** sanding all types of wood, wooden materials and paint (3x K40, 6x K80, 3x K120, 3x K180)
- **Appropriate for** multi-sanders from Bosch, Skil



PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimension(s) mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 25							
102x62, 93	2x40 2x80 2x180 3x40 3x120 3x180 4x120 6x80	11 holes	C1c	25	1	327695	**2 608 607 417**

C430 sanding sheets for delta sanders, Expert for Wood and Paint, 32 mm

expert Wood+Paint




- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** delta sanders from Bosch, Skil




PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5							
32x88	60	no holes	C1a	5	5	159852	**2 608 605 167**
32x88	240	no holes	C1a	5	5	159883	**2 608 605 170**

C430 sanding sheets for multi-sanders, Expert for Wood and Paint, 102x62, 93 mm, 11 holes

expert Wood+Paint



- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** multi-sanders from Bosch, Skil




PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimension(s) mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
102x62, 93	40	11 holes	C1a	10	1	323284	**2 608 607 407**
102x62, 93	80	11 holes	C1a	10	1	323291	**2 608 607 408**
102x62, 93	120	11 holes	C1a	10	1	323307	**2 608 607 409**
102x62, 93	180	11 holes	C1a	10	1	323314	**2 608 607 410**

C430 sanding sheets for multi-sanders, Expert for Wood and Paint, 100x170 mm

expert Wood+Paint

- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** multi-sanders from Black+Decker




PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimension(s) mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5							
100x170	40	8 holes	C1a	5	5	160001	**2 608 605 182**
100x170	60	8 holes	C1a	5	5	160018	**2 608 605 183**
100x170	80	8 holes	C1a	5	5	160025	**2 608 605 184**
100x170	120	8 holes	C1a	5	5	160032	**2 608 605 185**
100x170	180	8 holes	C1a	5	5	170611	**2 608 605 577**
100x170	240	8 holes	C1a	5	5	170628	**2 608 605 578**
Pack of 6							
100x170	60 120 240	8 holes	C1a	6	5	160049	**2 608 605 186**

C430 sanding sheets for multi-sanders, Expert for Wood and Paint, 93 x 135 mm

expert Wood+Paint

- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** multi-sanders from Bosch, Black+Decker



Pack of 5							
95X135	40	4 holes	C1a	5	5	337076	**2 608 607 428**
95X135	80	4 holes	C1a	5	5	337083	**2 608 607 429**
95X135	180	4 holes	C1a	5	5	337106	**2 608 607 431**
Pack of 5							
95X135	120	4 holes	C1a	5	5	337090	**2 608 607 430**
Pack of 6							
95X135	80 120 180	4 holes	C1a	6	5	337113	**2 608 607 432**

F460 sanding sheets for Multitools and Deltasanders, Best for Wood and Paint, 93mm

best Wood+Paint





PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 5								
	93x93	40	6 holes	C1a	5	5	959865	**2 608 621 684**
	93x93	60	6 holes	C1a	5	5	959872	**2 608 621 685**
	93x93	80	6 holes	C1a	5	5	959889	**2 608 621 686**
Pack of 10								
	93x93	60 80 120 180 240	6 holes	C1a	10	5	509497	**2 608 607 540**

Cleaning fleece for multi-sanders, 102x62, 93 mm



- **Appropriate for** multi-sanders from Bosch, Skil
- Medium to fine quality



PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimension(s) mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
2-piece cleaning fleece set								
	102x62, 93	Medium Fine	no holes	C1c	2	1	327718	**2 608 607 419**

SHEETS FOR ORBITAL SANDERS

Perfect for large surfaces.





	M480	C470	C430
	EXPERT	EXPERT	
Page number	398	399	403
Grit range	80 – 400	40 – 400	40 – 240
Grit type	Aluminium oxide	Aluminium oxide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper	C-Paper
Dimension mm	80 x 133 / 93 x 186 / 115 x 230	80 x 133 / 93 x 186 / 93 x 230 / 115 x 107 / 115 x 140 / 115 x 230 / 115 x 280	80 x 133 / 93 x 186 / 93 x 230 / 115 x 230 / 115 x 280
	UP TO 4x* NO DUST PARTICLE CONTROL	UP TO 2x* SPEED SURFACE STRUCTURE	

MATERIALS


Softwood / hardwood	✓	✓	✓
Resinous wood	✓	✓	✓
Plywood	✓	✓	✓
Paint / varnish	✓	✓	✓
Filler	✓	✓	–
Plaster	✓	✓	—
Solid surface materials (Corian, Varicor)	✓	✓	–
Glass fibre reinforced plastics (GRP)	✓	–	–
Perspex	✓	–	–

*Bosch EXPERT products vs. Bosch standard products

EXPERT M480 Sanding Nets for Orbital Sanders

EXPERT

- Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust reduction than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.






PARTICLE CONTROL | UP TO 4 × DUST REDUCTION

PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10							
80x133	80	open net	C1a	10	5	540726	**2 608 900 734**
80x133	100	open net	C1a	10	5	540733	**2 608 900 735**
80x133	120	open net	C1a	10	5	540740	**2 608 900 736**
80x133	150	open net	C1a	10	5	540757	**2 608 900 737**
80x133	180	open net	C1a	10	5	540764	**2 608 900 738**
80x133	220	open net	C1a	10	5	540771	**2 608 900 739**
80x133	240	open net	C1a	10	5	540788	**2 608 900 740**
80x133	320	open net	C1a	10	5	540795	**2 608 900 741**
80x133	400	open net	C1a	10	5	540801	**2 608 900 742**
93x186	80	open net	C1a	10	5	540818	**2 608 900 743**
93x186	100	open net	C1a	10	5	540825	**2 608 900 744**
93x186	120	open net	C1a	10	5	540832	**2 608 900 745**
93x186	150	open net	C1a	10	5	540849	**2 608 900 746**
93x186	180	open net	C1a	10	5	540856	**2 608 900 747**
93x186	220	open net	C1a	10	5	540863	**2 608 900 748**
93x186	240	open net	C1a	10	5	540870	**2 608 900 749**
93x186	320	open net	C1a	10	5	540887	**2 608 900 750**
93x186	400	open net	C1a	10	5	540894	**2 608 900 751**
115x230	80	open net	C1a	10	5	540993	**2 608 900 761**
115x230	100	open net	C1a	10	5	541006	**2 608 900 762**
115x230	120	open net	C1a	10	5	541013	**2 608 900 763**
115x230	150	open net	C1a	10	5	541020	**2 608 900 764**
115x230	180	open net	C1a	10	5	541037	**2 608 900 765**
115x230	220	open net	C1a	10	5	541044	**2 608 900 766**
115x230	240	open net	C1a	10	5	541051	**2 608 900 767**
115x230	320	open net	C1a	10	5	541068	**2 608 900 768**
115x230	400	open net	C1a	10	5	541075	**2 608 900 769**
Pack of 50							
93x186	80	open net	C0a	50	1	540900	**2 608 900 752**
93x186	100	open net	C0a	50	1	540917	**2 608 900 753**
93x186	120	open net	C0a	50	1	540924	**2 608 900 754**
93x186	150	open net	C0a	50	1	540931	**2 608 900 755**
93x186	180	open net	C0a	50	1	540948	**2 608 900 756**
93x186	220	open net	C0a	50	1	540955	**2 608 900 757**
93x186	240	open net	C0a	50	1	540962	**2 608 900 758**
93x186	320	open net	C0a	50	1	540979	**2 608 900 759**
93x186	400	open net	C0a	50	1	540986	**2 608 900 760**
115x230	80	open net	C0a	50	1	541082	**2 608 900 770**
115x230	100	open net	C0a	50	1	541099	**2 608 900 771**
115x230	120	open net	C0a	50	1	541105	**2 608 900 772**
115x230	220	open net	C0a	50	1	541112	**2 608 900 773**
115x230	320	open net	C0a	50	1	541129	**2 608 900 774**
115x230	400	open net	C0a	50	1	541136	**2 608 900 775**

EXPERT M480 Sanding Net Sets for Orbital Sanders

EXPERT

- Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust reduction than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.






PARTICLE CONTROL | UP TO 4 × DUST REDUCTION


PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	80x133	4x80 3x120 3x180	open net	C1a	10	5	568614	**2 608 901 205**
	93x186	4x80 3x120 3x180	open net	C1a	10	5	568621	**2 608 901 206**
	115x230	4x80 3x120 3x180	open net	C1a	10	5	568638	**2 608 901 207**

EXPERT C470 Sandpapers with 6 holes for Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.






SURFACE STRUCTURE | UP TO 2× SPEED


PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	115x107	40	6 holes	C1a	10	5	542287	**2 608 900 890**
	115x107	60	6 holes	C1a	10	5	542294	**2 608 900 891**
	115x107	80	6 holes	C1a	10	5	542300	**2 608 900 892**
	115x107	120	6 holes	C1a	10	5	542317	**2 608 900 893**
	115x107	180	6 holes	C1a	10	5	542324	**2 608 900 894**
	115x107	240	6 holes	C1a	10	5	542331	**2 608 900 895**

EXPERT C470 Sandpaper Sets with 6 holes for Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.






SURFACE STRUCTURE | UP TO 2× SPEED


PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	115x140	2x40 2x60 2x80 2x120 2x180	6 holes	C1a	10	5	544519	**2 608 901 113**

EXPERT C470 Sandpapers with 8 holes for Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE | UP TO 2× SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
	Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10								
	80x133	40	8 holes	C1a	10	5	542157	**2 608 900 877**
	80x133	60	8 holes	C1a	10	5	542164	**2 608 900 878**
	80x133	80	8 holes	C1a	10	5	542171	**2 608 900 879**
	80x133	100	8 holes	C1a	10	5	542188	**2 608 900 880**
	80x133	120	8 holes	C1a	10	5	542195	**2 608 900 881**
	80x133	180	8 holes	C1a	10	5	542201	**2 608 900 882**
	80x133	240	8 holes	C1a	10	5	542218	**2 608 900 883**
	80x133	320	8 holes	C1a	10	5	542225	**2 608 900 884**
	80x133	400	8 holes	C1a	10	5	542232	**2 608 900 885**
	93x186	40	8 holes	C1a	10	5	541914	**2 608 900 853**
	93x186	60	8 holes	C1a	10	5	541921	**2 608 900 854**
	93x186	80	8 holes	C1a	10	5	541938	**2 608 900 855**
	93x186	100	8 holes	C1a	10	5	542126	**2 608 900 874**
	93x186	120	8 holes	C1a	10	5	541945	**2 608 900 856**
	93x186	180	8 holes	C1a	10	5	541952	**2 608 900 857**
	93x186	240	8 holes	C1a	10	5	541969	**2 608 900 858**
	93x186	320	8 holes	C1a	10	5	542089	**2 608 900 870**
	93x186	400	8 holes	C1a	10	5	541976	**2 608 900 859**
	93x230	40	8 holes	C1a	10	5	541716	**2 608 900 833**


EXPERT C470 Sandpapers with 8 holes for Orbital Sanders

EXPERT


PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
93x230	60	8 holes	C1a	10	5	541723	**2 608 900 834**
93x230	80	8 holes	C1a	10	5	541730	**2 608 900 835**
93x230	100	8 holes	C1a	10	5	542096	**2 608 900 871**
93x230	120	8 holes	C1a	10	5	541747	**2 608 900 836**
93x230	180	8 holes	C1a	10	5	541754	**2 608 900 837**
93x230	240	8 holes	C1a	10	5	541761	**2 608 900 838**
93x230	320	8 holes	C1a	10	5	542102	**2 608 900 872**
93x230	400	8 holes	C1a	10	5	541778	**2 608 900 839**
Pack of 50							
93x186	40	8 holes	C0a	50	1	542737	**2 608 900 935**
93x186	60	8 holes	C0a	50	1	542744	**2 608 900 936**
93x186	80	8 holes	C0a	50	1	542751	**2 608 900 937**
93x186	100	8 holes	C0a	50	1	542768	**2 608 900 938**
93x186	120	8 holes	C0a	50	1	542775	**2 608 900 939**
93x186	180	8 holes	C0a	50	1	542782	**2 608 900 940**
93x186	400	8 holes	C0a	50	1	542799	**2 608 900 941**

EXPERT C470 Sandpaper Sets with 8 holes for Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.






SURFACE STRUCTURE | UP TO 2× SPEED


PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10							
93x230	3x60 4x80 3x120	8 holes	C1a	10	5	544502	**2 608 901 112**

EXPERT C470 Sandpapers with 14 holes for Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.






SURFACE STRUCTURE

UP TO 2× SPEED


PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10							
115x230	40	14 holes	C1a	10	5	541983	**2 608 900 860**
115x230	60	14 holes	C1a	10	5	541990	**2 608 900 861**
115x230	80	14 holes	C1a	10	5	542003	**2 608 900 862**
115x230	100	14 holes	C1a	10	5	542133	**2 608 900 875**
115x230	120	14 holes	C1a	10	5	542010	**2 608 900 863**
115x230	180	14 holes	C1a	10	5	542027	**2 608 900 864**
115x230	240	14 holes	C1a	10	5	542034	**2 608 900 865**
115x230	320	14 holes	C1a	10	5	542065	**2 608 900 868**
115x230	400	14 holes	C1a	10	5	542041	**2 608 900 866**
115x280	40	14 holes	C1a	10	5	541846	**2 608 900 846**
115x280	60	14 holes	C1a	10	5	541853	**2 608 900 847**
115x280	80	14 holes	C1a	10	5	541860	**2 608 900 848**
115x280	100	14 holes	C1a	10	5	542140	**2 608 900 876**
115x280	120	14 holes	C1a	10	5	541877	**2 608 900 849**
115x280	180	14 holes	C1a	10	5	541884	**2 608 900 850**
115x280	240	14 holes	C1a	10	5	541891	**2 608 900 851**
115x280	320	14 holes	C1a	10	5	542072	**2 608 900 869**
115x280	400	14 holes	C1a	10	5	541907	**2 608 900 852**
Pack of 50							
115x230	40	14 holes	C0a	50	1	542805	**2 608 900 942**
115x230	60	14 holes	C0a	50	1	542812	**2 608 900 943**
115x230	80	14 holes	C0a	50	1	542829	**2 608 900 944**
115x230	100	14 holes	C0a	50	1	542836	**2 608 900 945**
115x230	120	14 holes	C0a	50	1	542843	**2 608 900 946**
115x230	180	14 holes	C0a	50	1	542850	**2 608 900 947**
115x230	240	14 holes	C0a	50	1	542867	**2 608 900 948**
115x230	320	14 holes	C0a	50	1	542874	**2 608 900 949**
115x230	400	14 holes	C0a	50	1	542881	**2 608 900 950**

EXPERT C470 Sandpapers with no holes for Orbital Sanders

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Clamp it on.






SURFACE STRUCTURE | UP TO 2× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 10							
93x230	40	no holes	C1a	10	5	541785	**2 608 900 840**
93x230	60	no holes	C1a	10	5	541792	**2 608 900 841**
93x230	80	no holes	C1a	10	5	541808	**2 608 900 842**
93x230	100	no holes	C1a	10	5	542119	**2 608 900 873**
93x230	120	no holes	C1a	10	5	541815	**2 608 900 843**
93x230	180	no holes	C1a	10	5	541822	**2 608 900 844**
93x230	240	no holes	C1a	10	5	541839	**2 608 900 845**
93x230	320	no holes	C1a	10	5	542058	**2 608 900 867**

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 80x133 mm, 8 holes

expert Wood+Paint

- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** orbital sanders from Bosch, AEG, Festool, Hitachi, Milwaukee



perfect FINISH




PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
80x133	60	8 holes	C1a	10	5	160964	**2 608 605 279**
80x133	80	8 holes	C1a	10	5	160971	**2 608 605 280**
80x133	120	8 holes	C1a	10	5	160988	**2 608 605 281**
80x133	180	8 holes	C1a	10	5	160995	**2 608 605 282**
80x133	240	8 holes	C1a	10	5	161008	**2 608 605 283**

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 93x186 mm, 8 holes

expert Wood+Paint

- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** orbital sanders from Bosch, AEG, Festool, Hitachi, Milwaukee



perfect FINISH



Pack of 10							
93x186	40	8 holes	C1a	10	5	161190	**2 608 605 302**
93x186	80	8 holes	C1a	10	5	161213	**2 608 605 304**
93x186	240	8 holes	C1a	10	5	161268	**2 608 605 309**
Pack of 10							
93x186	120	8 holes	C1a	10	5	161237	**2 608 605 306**

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 93x230 mm, 8 holes

expert Wood+Paint



perfect FINISH

- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** orbital sanders from Bosch, Festool, Makita, Metabo, Skil



PRODUCT PROPERTIES			ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 10							
93x230	40	8 holes	C1a	10	5	161114	**2 608 605 294**
93x230	80	8 holes	C1a	10	5	161138	**2 608 605 296**
93x230	120	8 holes	C1a	10	5	161152	**2 608 605 298**
93x230	240	8 holes	C1a	10	5	161183	**2 608 605 301**

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 93x230 mm

expert Wood+Paint



perfect FINISH

- **Suitable for** sanding all types of wood, wooden materials and paint
- **Appropriate for** conventional orbital sanders



Pack of 10							
93x230	80	no holes	C1a	10	5	161299	**2 608 605 312**
93x230	120	no holes	C1a	10	5	161305	**2 608 605 313**
93x230	240	no holes	C1a	10	5	161329	**2 608 605 315**

REMOVAL WITHOUT LIMITS

Belts for belt sanders.



X440

Page number	407
Grit range	40 – 220
Grit type	Aluminium oxide
Backing material	X-Cloth
Dimension mm	13 x 457 / 60 – 100 x 400 – 620

MATERIALS

Softwood / hardwood	✓
Resinous wood	✓
Plywood	✓
Paint / varnish	✓
Filler	✓
Plaster	✓
Solid surface materials (Corian, Varicor)	✓
Glass fibre reinforced plastics (GRP)	✓
Perspex	✓

HIGH PERFORMANCE METAL SANDING

Belts for belt sanders.





	N470	Y580
	EXPERT	
Page number	410	411
Grit range	Coarse, Medium, Fine	40 – 180
Grit type	Aluminium Oxide	Zirconia
Backing material	Cloth backing	Y-/X-Cloth
Dimension mm	13 x 457 / 40 x 760 / 100 x 285	13 x 457 / 40 x 760 / 100 x 285
	UP TO 4x* SPEED SURFACE STRUCTURE	

MATERIALS

Stainless steel (inox)	✓	✓
Mild steel (metal)	✓	✓
Sheet metal	✓	–
Plasterboard	✓	–
Aluminium	✓	–


*Bosch EXPERT products vs. Bosch standard products

Sanding Belts for Belt Sanders

X440 Sanding Belts for Belt Sanders, Best for Wood and Paint

best Wood+Paint

▶ **Suitable for** sanding all types of wood, hardwood, chipboard, construction boards and paint





PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 3							
Bosch; Makita; Peugeot; Skil; Stayer							
75	457	40	C1e	3	2	163682	**2 608 606 032**
75	457	60	C1e	3	4	163699	**2 608 606 033**
75	457	80	C1e	3	4	163705	**2 608 606 034**
75	457	100	C1e	3	4	163712	**2 608 606 035**
75	457	120	C1e	3	4	163729	**2 608 606 036**
Pack of 3							
Bosch; Makita; Peugeot; Skil; Stayer							
75	457	150	C1e	3	4	163736	**2 608 606 037**
Pack of 3							
Bosch; AEG; DeWalt; Festool; Holz-Her; Makita; Skil							
75	533	40	C1e	3	2	164054	**2 608 606 069**
75	533	60	C1e	3	4	164061	**2 608 606 070**
75	533	80	C1e	3	4	164078	**2 608 606 071**
75	533	100	C1e	3	4	164085	**2 608 606 072**
75	533	120	C1e	3	4	247955	**2 608 607 258**
75	533	150	C1e	3	4	164092	**2 608 606 073**
Pack of 3							
Hitachi; Makita; Ryobi							
75	610	40	C1e	3	2	164252	**2 608 606 089**
75	610	60	C1e	3	4	164269	**2 608 606 090**
75	610	80	C1e	3	4	164276	**2 608 606 091**
75	610	100	C1e	3	4	164283	**2 608 606 092**
75	610	120	C1e	3	4	164290	**2 608 606 093**
75	610	150	C1e	3	4	164306	**2 608 606 094**
75	610	60 80 100	C1e	3	4	164313	**2 608 606 095**
Pack of 3							
AEG; Atlas Copco; DeWalt; Elu; Festool; Ryobi							
100	560	40	C1e	3	2	164498	**2 608 606 113**
100	560	60	C1e	3	4	164504	**2 608 606 114**
100	560	80	C1e	3	4	164511	**2 608 606 115**
100	560	120	C1e	3	4	164535	**2 608 606 117**
Pack of 3							
Bosch; Hitachi; Holz-Her; Makita; Ryobi; Wegoma							
100	610	40	C1e	3	2	164658	**2 608 606 129**
100	610	60	C1e	3	4	164665	**2 608 606 130**
100	610	100	C1e	3	4	164689	**2 608 606 132**
100	610	120	C1e	3	4	247993	**2 608 607 262**

X440 Sanding Belts for Belt Sanders, Best for Wood and Paint


PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pack of 3							
Bosch; Hitachi; Holz-Her; Makita; Ryobi; Wegoma							
100	610	80	C1e	3	4	164672	**2 608 606 131**

Sanding Belts for Power Files

X440 Sanding Belts for Power Files, Best for Wood and Paint

best **Wood+Paint**

▶ **Suitable for** sanding all types of wood and paint



PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
13	457	40	C1k	3	4	165396	**2 608 606 203**
13	457	120	C1k	3	4	165419	**2 608 606 205**

HIGH SPEED METAL FINISHING

EXPERT N470 Sanding Belts

: fine / medium / coarse

EXPERT

1. Exceptional abrasion with Bosch Surface Structure
2. Rapid stock removal by high performance grits
3. 3D structure allows grit through the fleece



SURFACE STRUCTURE

EXPERT N470 Sanding Belts for Belt Sanders

EXPERT



- Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- Best for metalworkers: fast and efficient.
- Up to 4x faster than Bosch C420 Belt.




SURFACE STRUCTURE | UP TO 4x SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
40	760	Coarse	P0f	10	1	572239	**2 608 901 254**
40	760	Medium	P0f	10	1	572246	**2 608 901 255**
40	760	Fine	P0f	10	1	572253	**2 608 901 256**

EXPERT N470 Sanding Sleeves for Burnishing Machines

EXPERT



- Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- Best for metalworkers: fast and efficient.
- Up to 4x faster than Bosch C420 Belt.





SURFACE STRUCTURE | UP TO 4× SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
Dimensions mm	Grit	Diameter mm	Width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100 x 290	Coarse	100	290	P0f	10	1	572260	**2 608 901 257**
100 x 290	Medium	100	290	P0f	10	1	572277	**2 608 901 258**
100 x 290	Fine	100	290	P0f	10	1	572284	**2 608 901 259**

Y580 sanding sleeves for burnishing machines, Best for Inox

best for Inox

Stainless Inox | extra high SPEED | perfect FINISH | Cool | Extra Strong

- **Suitable for** sanding stainless steel (inox)
- Hardly any discolouration thanks to cooling additives
- With zirconia - for a high material removal rate
- **Appropriate for** expansion rollers




PRODUCT PROPERTIES		ORDERING INFORMATION				
Dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100 x 285	40	C0a	5	1	807623	**2 608 608 Z79**
100 x 285	60	C0a	5	1	807630	**2 608 608 Z80**
100 x 285	80	C0a	5	1	807647	**2 608 608 Z81**
100 x 285	120	C0a	5	1	807654	**2 608 608 Z82**
100 x 285	180	C0a	5	1	807661	**2 608 608 Z83**

Flap Sanding Wheels for Burnishing Machines


Stainless Inox | perfect FINISH

- Suitable for producing different surface textures



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Height mm	Mount mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Flap sanding wheel								
100	100	19	40	C0a	1	1	732796	**2 608 000 596**
100	100	19	60	C0a	1	1	732802	**2 608 000 597**
100	100	19	80	C0a	1	1	732819	**2 608 000 598**

Flap Sanding Wheels for Burnishing Machines





PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Height mm	Mount mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
100	100	19	120	C0a	1	1	732826	**2 608 000 599**
100	100	19	180	C0a	1	1	732833	**2 608 000 600**
100	100	19	240	C0a	1	1	732840	**2 608 000 601**
Flap sanding wheel with fleece								
100	100	19	Coarse	C0a	1	1	732857	**2 608 000 602**
100	100	19	Fine	C0a	1	1	732871	**2 608 000 604**
100	100	19	Medium	C0a	1	1	732864	**2 608 000 603**
100	100	19	Very fine	C0a	1	1	732888	**2 608 000 605**
Fleece sanding wheel								
100	100	19	Coarse	C0a	1	1	732901	**2 608 000 607**
100	100	19	Medium	C0a	1	1	732918	**2 608 000 608**
100	100	19	Very fine	C0a	1	1	732925	**2 608 000 609**

SHEETS AND ROLLS FOR HAND SANDING AND ORBITAL SANDERS

Because manual sanding is everywhere.



	M480	C470	Foams
	EXPERT	EXPERT	EXPERT
Page number	416	416	420
Grit range	80 – 400	40 – 400	Medium – super fine
Grit type	Aluminium oxide	Aluminium oxide	–
Backing material	Net, knitted fabric	C-Paper	PU
Dimension mm	93 x 5 000 / 115 x 5 000	230 x 280 / 93 x 5 000 / 115 x 5 000 / 93 x 50 000 / 115 x 50 000	69 x 97 x 26 / 98 x 120 x 13
	UP TO 4x* NO DUST PARTICLE CONTROL	UP TO 2x* SPEED SURFACE STRUCTURE	UP TO 5x* LONG LIFE SURFACE STRUCTURE

MATERIALS

Softwood / hardwood	✓	✓	✓
Resinous wood	✓	✓	✓
Plywood	✓	✓	✓
Paint / varnish	✓	✓	✓
Filler	✓	✓	✓
Plaster	✓	✓	✓
Solid surface materials (Corian, Varicor)	✓	✓	–
Glass fibre reinforced plastics (GRP)	✓	–	–
Perspex	✓	–	–

*Bosch EXPERT products vs. Bosch standard products

SHEETS AND ROLLS FOR HAND SANDING AND ORBITAL SANDERS

The manual option.



	N880
	EXPERT
Page number	418
Grit range	Coarse – ultra Fine
Grit type	Aluminium oxide / Silicon carbide
Backing material	Nonwoven
Dimension mm	⌀ 125 / ⌀ 150 / 152 x 229 / 100 x 10 000 / 115 x 10 000 / 150 x 10 000
	UP TO 3x* LONG LIFE SURFACE STRUCTURE

MATERIALS

Stainless steel (inox)	✓
Mild steel (metal)	✓
Sheet metal	✓
Plasterboard	✓
Aluminium	✓


*Bosch EXPERT products vs. Bosch standard products

EXPERT C470 Sandpapers for Handsanding

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Clamp it on.





SURFACE STRUCTURE | UP TO 2× SPEED


PRODUCT PROPERTIES		ORDERING INFORMATION				
Sheet dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 1						
230x280	40	P0f	1	25	542959	**2 608 900 957**
230x280	60	P0f	1	50	542966	**2 608 900 958**
230x280	80	P0f	1	50	542973	**2 608 900 959**
230x280	100	P0f	1	50	542980	**2 608 900 960**
230x280	120	P0f	1	50	542997	**2 608 900 961**
230x280	150	P0f	1	50	543000	**2 608 900 962**
230x280	180	P0f	1	50	543017	**2 608 900 963**
230x280	220	P0f	1	50	543024	**2 608 900 964**
230x280	240	P0f	1	50	543031	**2 608 900 965**
230x280	320	P0f	1	50	543048	**2 608 900 966**
230x280	400	P0f	1	50	543055	**2 608 900 967**

EXPERT M480 Sanding Net Rolls

EXPERT



- Ideal for highly effective low-dust sanding of flat surfaces; to roughen and prepare surfaces for painting; and to prepare or finish drywall.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x better dust reduction than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.





PARTICLE CONTROL | UP TO 4 × DUST REDUCTION


PRODUCT PROPERTIES			ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5 m							
93	5	80	P1f	1	1	541143	**2 608 900 776**
93	5	100	P1f	1	1	541150	**2 608 900 777**
93	5	120	P1f	1	1	541167	**2 608 900 778**
93	5	150	P1f	1	1	541174	**2 608 900 779**
93	5	180	P1f	1	1	541181	**2 608 900 780**
93	5	220	P1f	1	1	541198	**2 608 900 781**
93	5	240	P1f	1	1	541204	**2 608 900 782**
93	5	320	P1f	1	1	541211	**2 608 900 783**
93	5	400	P1f	1	1	541228	**2 608 900 784**
115	5	80	P1f	1	1	541235	**2 608 900 785**
115	5	100	P1f	1	1	541242	**2 608 900 786**
115	5	120	P1f	1	1	541259	**2 608 900 787**
115	5	150	P1f	1	1	541266	**2 608 900 788**
115	5	180	P1f	1	1	541273	**2 608 900 789**
115	5	220	P1f	1	1	541280	**2 608 900 790**
115	5	240	P1f	1	1	541297	**2 608 900 791**
115	5	320	P1f	1	1	541303	**2 608 900 792**
115	5	400	P1f	1	1	541310	**2 608 900 793**

EXPERT C470 Sandpaper Rolls for Handsanding

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Clamp it on.





SURFACE STRUCTURE | UP TO 2× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
5 m							
93	5	40	P1f	1	1	542409	**2 608 900 902**
93	5	60	P1f	1	1	542416	**2 608 900 903**
93	5	80	P1f	1	1	542423	**2 608 900 904**
93	5	120	P1f	1	1	542430	**2 608 900 905**
93	5	180	P1f	1	1	542447	**2 608 900 906**
93	5	240	P1f	1	1	542454	**2 608 900 907**
115	5	40	P1f	1	1	542348	**2 608 900 896**
115	5	60	P1f	1	1	542355	**2 608 900 897**

EXPERT C470 Sandpaper Rolls for Handsanding

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	5	80	P1f	1	1	542362	**2 608 900 898**
115	5	120	P1f	1	1	542379	**2 608 900 899**
115	5	180	P1f	1	1	542386	**2 608 900 900**
115	5	240	P1f	1	1	542393	**2 608 900 901**
50 m							
93	50	40	P0f	1	1	543062	**2 608 900 968**
93	50	60	P0f	1	1	543079	**2 608 900 969**
93	50	80	P0f	1	1	543086	**2 608 900 970**
93	50	100	P0f	1	1	543093	**2 608 900 971**
93	50	120	P0f	1	1	543109	**2 608 900 972**
93	50	180	P0f	1	1	543116	**2 608 900 973**
93	50	240	P0f	1	1	543123	**2 608 900 974**
93	50	320	P0f	1	1	543130	**2 608 900 975**
93	50	400	P0f	1	1	543147	**2 608 900 976**
115	50	40	P0f	1	1	543154	**2 608 900 977**
115	50	60	P0f	1	1	543161	**2 608 900 978**
115	50	80	P0f	1	1	543178	**2 608 900 979**
115	50	100	P0f	1	1	543185	**2 608 900 980**
115	50	120	P0f	1	1	543192	**2 608 900 981**
115	50	180	P0f	1	1	543208	**2 608 900 982**
115	50	240	P0f	1	1	543215	**2 608 900 983**
115	50	320	P0f	1	1	543222	**2 608 900 984**
115	50	400	P0f	1	1	543239	**2 608 900 985**

EXPERT N880 Fleece Pads for Handsanding

EXPERT



- Ideal for cleaning stainless steel, for example to achieve a final surface finish; for light deburring and surface blending.
- Best for metalworkers: Long Lasting Quality.
- Lasts up to 3x longer than Bosch J475 coated hand sanding sheet.





SURFACE STRUCTURE | UP TO 3× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
152 x 229	Cleaning	white	C0a	1	20	571805	**2 608 901 211**
152 x 229	Coarse A	brown	C0a	1	20	571812	**2 608 901 212**
152 x 229	Extra cut S	black	C0a	1	20	571799	**2 608 901 210**
152 x 229	Medium A	maroon	C0a	1	20	571836	**2 608 901 214**
152 x 229	Medium S	black	C0a	1	20	571829	**2 608 901 213**
152 x 229	Ultra fine S	grey	C0a	1	20	571850	**2 608 901 216**
152 x 229	Very fine A	red	C0a	1	20	571843	**2 608 901 215**
152 x 229	Very fine GP	green	C0a	1	20	571867	**2 608 901 217**
115 x 140	Coarse A	brown	C1b	2	1	571874	**2 608 901 218**
115 x 140	Medium S	black	C1b	2	10	571881	**2 608 901 219**
115 x 140	Very fine A	red	C1b	2	10	571898	**2 608 901 220**
115 x 140	Very fine GP	green	C1b	2	1	571904	**2 608 901 221**

EXPERT N880 Fleece Rolls for Handsanding

EXPERT



- Ideal for cleaning stainless steel, for example to achieve a final surface finish; for light deburring and surface blending.
- Best for metalworkers: Long Lasting Quality.
- Lasts up to 3x longer than Bosch J475 coated hand sanding sheet.





SURFACE STRUCTURE | UP TO 3× LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
Roll width mm	Roll length m	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100	10	Coarse A	brown	P0f	1	1	571911	**2 608 901 222**
100	10	Medium S	black	P0f	1	1	571928	**2 608 901 223**
100	10	Very fine A	red	P0f	1	1	571935	**2 608 901 224**
100	10	Very fine GP	green	P0f	1	1	571942	**2 608 901 225**
115	10	Cleaning	white	P0f	1	1	571959	**2 608 901 226**
115	10	Coarse A	brown	P0f	1	1	571966	**2 608 901 227**
115	10	Medium A	maroon	P0f	1	1	571980	**2 608 901 229**
115	10	Medium S	black	P0f	1	1	571973	**2 608 901 228**
115	10	Ultra fine S	grey	P0f	1	1	572000	**2 608 901 231**
115	10	Very fine A	red	P0f	1	1	571997	**2 608 901 230**
115	10	Very fine GP	green	P0f	1	1	572017	**2 608 901 232**
150	10	Cleaning	white	P0f	1	1	572024	**2 608 901 233**
150	10	Coarse A	brown	P0f	1	1	572031	**2 608 901 234**

EXPERT N880 Fleece Rolls for Handsanding

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Roll width mm	Roll length m	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
150	10	Medium A	maroon	P0f	1	1	572055	**2 608 901 236**
150	10	Medium S	black	P0f	1	1	572048	**2 608 901 235**
150	10	Ultra fine S	grey	P0f	1	1	572079	**2 608 901 238**
150	10	Very fine A	red	P0f	1	1	572062	**2 608 901 237**
150	10	Very fine GP	green	P0f	1	1	572086	**2 608 901 239**


LONG LIFE SANDING WOOD AND PAINT

EXPERT Sanding Foams

: Medium / Fine / Superfine


EXPERT


1. Strong, flexible bonding with Bosch Surface Structure
2. Tear Resistant foam is strong and durable
3. Sponge moulds to shapes for even pressure on surface



EXPERT S470 Combi Blocks

EXPERT






- Ideal for general sanding, for example to remove old paint from window frames; thin edge is ideal for sanding surface next to glass of walls; rounded edge can follow the shape of routed edges on wooden tables.
- EXPERT Abrasives - the very best for all trades.
- Lasts up to 5x longer than Bosch C420 Sandpaper.

SURFACE STRUCTURE | UP TO 5× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
69 x 97 x 26	Medium / Fine / Superfine	orange / yellow / green	C1b	3	5	545127	**2 608 901 174**
69 x 97 x 26	Fine	yellow	C0a	1	50	545066	**2 608 901 168**

EXPERT S471 Standard Blocks

EXPERT



- Ideal for flat sanding, for example to remove old paint from window frames; square edges and firm pad helps to give shape, for example by sanding away sharp edges.
- EXPERT Abrasives - the very best for all trades.
- Lasts up to 5x longer than Bosch C420 Sandpaper.




SURFACE STRUCTURE | UP TO 5× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
69 x 97 x 26	Medium / Fine / Superfine	orange / yellow / green	C1b	3	5	545134	**2 608 901 175**
69 x 97 x 26	Medium	orange	C0a	1	20	545158	**2 608 901 177**
69 x 97 x 26	Fine	yellow	C0a	1	20	545165	**2 608 901 178**
69 x 97 x 26	Super fine	green	C0a	1	20	545172	**2 608 901 179**
69 x 97 x 26	Medium	orange	C0a	1	50	545073	**2 608 901 169**
69 x 97 x 26	Fine	yellow	C0a	1	50	545080	**2 608 901 170**
69 x 97 x 26	Super fine	green	C0a	1	50	545189	**2 608 901 180**

EXPERT S473 Standard Pads

EXPERT



- Ideal for sanding curved surfaces, even tight curves such as the legs of a table or of a chair. This broad, thin pad is very flexible and can grab around cylindrical surfaces for easy, even sanding; form-following sanding of furniture to remove old paint or finish natural wood.
- EXPERT Abrasives - the very best for all trades.
- Lasts up to 5x longer than Bosch C420 Sandpaper.



SURFACE STRUCTURE | UP TO 5× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
98 x 120 x 13	Medium / Fine / Superfine	orange / yellow / green	C1b	3	5	545141	**2 608 901 176**
98 x 120 x 13	Medium	orange	C0a	1	50	545097	**2 608 901 171**
98 x 120 x 13	Fine	yellow	C0a	1	50	545103	**2 608 901 172**
98 x 120 x 13	Super fine	green	C0a	1	50	545110	**2 608 901 173**

Accessories for **orbital sanders or for hand sanding**

Hand sanding blocks

- **Suitable for** sanding paint, soft or hard wood, glass fibre plastics and smudging materials such as filler or roughcast
- Two grit grades, “medium” and “fine”, on the hand sanding block
- Carbide sanding sheet permanently bonded to the hand sanding block – guarantees robustness and long life

PRODUCT PROPERTIES			ORDERING INFORMATION				
Width, sheet mm	Length, sheet mm	Width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Suitable for sanding large wood, metal and plasterboard panels							
For sanding sheets and sanding mesh							
93	185	-	C1b	1	1	714471	**2 608 608 N23**
115	230	-	C1b	1	1	714488	**2 608 608 N24**



Hand sander made of plastic							
85	165	-	C1e	1	1	755542	**2 608 601 218**

METAL SANDING

Sand metal effectively.

The best your tool can get. Bosch Professional Accessories.






FIBRE AND FLAP DISCS FOR ANGLE GRINDERS

Get the quality finish.



	N477	R782	R781	R780
	EXPERT	EXPERT	EXPERT	
Page number	438	426	429	432
Grit range	Extra coarse - very fine	36+ - 120+	36+ - 80+	36 - 120
Grit type	Aluminium oxide	Ceramic aluminium oxide	Ceramic aluminium oxide	Ceramic aluminium oxide
Backing material	3D Fibre fleece	Fibre	Fibre	Fibre
Diameter mm	100 - 125	115 - 180	115 - 180	115 - 180
X-LOCK	✓	✓	✓	✓
M14	✓	✓	✓	✓
	UP TO 4x* SPEED SURFACE STRUCTURE	UP TO 4x* SPEED PRISMA TECHNOLOGY	UP TO 4x* SPEED PRISMA TECHNOLOGY	

MATERIALS

Stainless steel (inox)	✓	✓	–	✓
Mild steel (metal)	✓	✓	✓	✓
Sheet metal	✓	✓	✓	✓
Construction wood	✓	–	✓	–
Aluminium	✓	✓	–	✓

*Bosch EXPERT products vs. Bosch standard products

				
	R574	R444	X581	X551
	433	433	435	437
	24 - 120	24 - 120	40 - 80	40 - 120
	Zirconia	Aluminium oxide	Zirconia	Zirconia
	Fibre	Fibre	X-Cloth	X-Cloth
	115 - 230	100 - 230	115 - 125	115 - 180
	✓	✓	–	–
	✓	✓	✓	✓
	–	–	✓	✓
	✓	✓	✓	✓
	✓	✓	–	✓
	✓	✓	–	✓
	✓	✓	–	✓


HIGH SPEED GRINDING STAINLESS STEEL

EXPERT R782 Prisma Discs X-LOCK

: Grit: 36+ - 120+

EXPERT

1. Fast stock removal with Bosch Prisma Ceramic technology
2. Stays faster for longer due to self - sharpening effect
3. Cooling top coat lets you grind faster without overheating
4. Cambered design ensures disc stays flat for outstanding performance



EXPERT R782 Prisma Ceramic X-LOCK Fibre Discs

EXPERT



- Ideal for grinding stainless steel, such as removing raised welds from fabricated stainless steel structures.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x faster than Bosch R444 Fibre Disc.
- Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.



PRISMA TECHNOLOGY

UP TO 4x SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	36	●	P0b	25	1	538433	**2 608 621 820**
115	22.23	60	●	P0b	25	1	538440	**2 608 621 821**
115	22.23	80	●	P0b	25	1	538457	**2 608 621 822**
115	22.23	120	●	P0b	25	1	538464	**2 608 621 823**
125	22.23	36	●	P0b	25	1	538471	**2 608 621 824**

EXPERT R782 Prisma Ceramic X-LOCK Fibre Discs

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	60	●	P0b	25	1	538488	**2 608 621 825**
125	22.23	80	●	P0b	25	1	538495	**2 608 621 826**
125	22.23	120	●	P0b	25	1	538501	**2 608 621 827**

EXPERT R782 Prisma Ceramic Fibre Discs

EXPERT



- Ideal for grinding stainless steel, such as removing raised welds from fabricated stainless steel structures.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x faster than Bosch R444 Fibre Disc.
- With 16 mm bore for standard locking nut angle grinders.





PRISMA TECHNOLOGY | UP TO 4x SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100	16	36	P0b	25	1	538396	**2 608 621 816**
100	16	60	P0b	25	1	538402	**2 608 621 817**
100	16	80	P0b	25	1	538419	**2 608 621 818**
100	16	120	P0b	25	1	538426	**2 608 621 819**

EXPERT R782 Prisma Ceramic Fibre Discs

EXPERT



- Ideal for grinding stainless steel, such as removing raised welds from fabricated stainless steel structures.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x faster than Bosch R444 Fibre Disc.
- With 22.23 mm bore for standard locking nut angle grinders.



PRISMA TECHNOLOGY

UP TO 4× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
180	22.23	36	P0b	25	1	538518	**2 608 621 828**
180	22.23	60	P0b	25	1	538525	**2 608 621 829**
180	22.23	80	P0b	25	1	538532	**2 608 621 830**
180	22.23	120	P0b	25	1	538549	**2 608 621 831**


HIGH SPEED GRINDING METAL

EXPERT R781 Prisma Discs X-LOCK

: Grit: 36+ - 80+

EXPERT

1. Fast stock removal with Bosch Prisma Ceramic technology
2. Stays faster for longer due to self-sharpening effect
3. Cooling top coat lets you grind faster without overheating
4. Cambered design ensures disc stays flat for outstanding performance



EXPERT R781 Prisma Ceramic X-LOCK Fibre Discs

EXPERT





- Ideal for grinding metal, such as removing raised welds from fabricated metal structures.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x faster than Bosch R444 Fibre Disc.
- Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.

PRISMA TECHNOLOGY

UP TO 4x SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22.23	36	●	P1b	5	5	537047	**2 608 621 779**
115	22.23	60	●	P1b	5	5	537054	**2 608 621 780**
115	22.23	80	●	P1b	5	5	537061	**2 608 621 781**
125	22.23	36	●	P1b	5	5	537078	**2 608 621 782**
125	22.23	60	●	P1b	5	5	537085	**2 608 621 783**

EXPERT R781 Prisma Ceramic X-LOCK Fibre Discs

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	80	●	P1b	5	5	537092	**2 608 621 784**
115	22.23	36	●	P0b	25	1	537160	**2 608 621 791**
115	22.23	60	●	P0b	25	1	537177	**2 608 621 792**
115	22.23	80	●	P0b	25	1	537184	**2 608 621 793**
125	22.23	36	●	P0b	25	1	537191	**2 608 621 794**
125	22.23	60	●	P0b	25	1	537207	**2 608 621 795**
125	22.23	80	●	P0b	25	1	537214	**2 608 621 796**

EXPERT R781 Prisma Ceramic Fibre Discs

EXPERT





- Ideal for grinding metal, such as removing raised welds from fabricated metal structures.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x faster than Bosch R444 Fibre Disc.
- With 16 mm bore for standard locking nut angle grinders.



PRISMA TECHNOLOGY

UP TO 4× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100	16	36	P0b	25	1	537139	**2 608 621 788**
100	16	60	P0b	25	1	537146	**2 608 621 789**
100	16	80	P0b	25	1	537153	**2 608 621 790**

EXPERT R781 Prisma Ceramic Fibre Discs

EXPERT



- Ideal for grinding metal, such as removing raised welds from fabricated metal structures.
- EXPERT Abrasives - the very best for all trades.
- Up to 4x faster than Bosch R444 Fibre Disc.
- With 22.23 mm bore for standard locking nut angle grinders.




PRISMA TECHNOLOGY

UP TO 4× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
180	22.23	36	P0b	25	1	537221	**2 608 621 797**
180	22.23	60	P0b	25	1	537238	**2 608 621 798**
180	22.23	80	P0b	25	1	537245	**2 608 621 799**

2-STEP SYSTEM SOLUTION

1. Step: R780 Ceramic Fibre Disc.



HIGH PERFORMANCE

High Stock removal in coarser grits and consistent surface quality in finer grits due to strong ceramic grain

STABLE GRINDING

Process because of thick and vulcanized backing

REDUCED DISCOLOURATION

Thanks to top size coating, it is perfect for Inox as well as mild steel applications

X-LOCK Fibre sanding discs, R780, Best for Metal + Inox - EN 13743

best for Metal+Inox

X-LOCK	✓
M14/Ø 22,23	✓

extra high SPEED | long LIFE | Ceramic Grit Technology

Stainless Inox

- Changing fibre discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK fibre discs also fit on standard angle grinders
- High stock removal in coarser grits and consistent surface quality in finer grits due to strong ceramic grain
- **Stable grinding** process because of thick and vulcanised backing
- **Reduced discolouration** thanks to top size coating, it is perfect for Inox, mild steel, cast iron, non-ferrous metals and aluminium

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	36	P0f	1	50	960274	**2 608 619 183**
125	22.23	50	P0f	1	50	960281	**2 608 619 184**
125	22.23	60	P0f	1	50	960298	**2 608 619 185**
125	22.23	80	P0f	1	50	960304	**2 608 619 186**
125	22.23	100	P0f	1	50	960311	**2 608 619 187**
125	22.23	120	P0f	1	50	960328	**2 608 619 188**



X-LOCK Fibre sanding discs R444, Expert for Metal - EN 13743

expert for Metal

X-LOCK	✓
M14/Ø 22,23	✓

- Changing fibre discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK fibre discs also fit on standard angle grinders.
- **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting, for different materials such as wood, paint, metal, stone
- Fibre sanding disc with semi-friable aluminium oxide, fully synthetic resin bonded, 0.65 or 0.80 mm vulcanised fibre
- Sanding discs for clamping on a rubber backing pad



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	24	P0f	1	50	960151	**2 608 619 171**
125	22.23	36	P0f	1	50	960168	**2 608 619 172**
125	22.23	60	P0f	1	50	960175	**2 608 619 173**
125	22.23	80	P0f	1	50	960182	**2 608 619 174**
125	22.23	100	P0f	1	50	960199	**2 608 619 175**
125	22.23	120	P0f	1	50	960205	**2 608 619 176**

X-LOCK Fibre sanding discs, R574, Best for Metal - EN 13743

best for Metal

X-LOCK	✓
M14/Ø 22,23	✓

- Changing fibre discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK fibre discs also fit on standard angle grinders.
- **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting on steel, cast iron, sheet steel and stainless steel
- Fibre sanding disc with zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, 0.80 or 0.84 mm vulcanised fibre
- High material removal rate and long lifetime
- Sanding discs for clamping on a rubber backing pad



125	22.23	24	P0f	1	50	960038	**2 608 619 159**
125	22.23	36	P0f	1	50	960045	**2 608 619 160**
125	22.23	60	P0f	1	50	960052	**2 608 619 161**
125	22.23	80	P0f	1	50	960069	**2 608 619 162**
125	22.23	100	P0f	1	50	960076	**2 608 619 163**
125	22.23	120	P0f	1	50	960083	**2 608 619 164**

Fibre sanding discs R444, Expert for Metal - EN 13743

expert for Metal

- **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting, for different materials such as wood, paint, metal, stone
- Fibre sanding disc with semi-friable aluminium oxide, fully synthetic resin bonded, 0.65 or 0.80 mm vulcanised fibre
- Sanding discs for clamping on a rubber backing pad



100	16	24	U0	1	50	185158	**2 608 606 916**
100	16	36	U0	1	50	247856	**2 608 607 248**
100	16	60	U0	1	50	185172	**2 608 606 918**
100	16	80	U0	1	50	185189	**2 608 606 919**
100	16	120	U0	1	50	185202	**2 608 606 921**
115	22.23	24	U0	1	50	162845	**2 608 605 464**
115	22.23	36	U0	1	50	247863	**2 608 607 249**
115	22.23	60	U0	1	50	162869	**2 608 605 466**
115	22.23	80	U0	1	50	162876	**2 608 605 467**

Fibre sanding discs R444, Expert for Metal - EN 13743

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	120	U0	1	50	162890	**2 608 605 469**
125	22.23	24	U0	1	50	162944	**2 608 605 474**
125	22.23	36	U0	1	50	247870	**2 608 607 250**
125	22.23	60	U0	1	50	162968	**2 608 605 476**
125	22.23	80	U0	1	50	162975	**2 608 605 477**
125	22.23	120	U0	1	50	162999	**2 608 605 479**
180	22.23	24	U0	1	50	163040	**2 608 605 484**
180	22.23	36	U0	1	50	247887	**2 608 607 251**
180	22.23	80	U0	1	50	163071	**2 608 605 487**
180	22.23	120	U0	1	50	163095	**2 608 605 489**

X581 flap discs, Best for Inox, angled version - EN 13743

best Inox

Stainless Inox | long LIFE

- Particularly suitable for working on stainless steel (inox)
- Powerful thanks to high-performance zirconia, fully synthetic resin bonded, sturdy X-cloth and highly active additive coating
- Very high material removal rate and very long lifetime
- Flap disc on carrier plate made of glass fibre
- Angled version - for surface sanding and working on welded seams at a work angle of 15-25°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	40	U0	1	10	590846	**2 608 608 263**
115	22.23	60	U0	1	10	590853	**2 608 608 264**
115	22.23	80	U0	1	10	590860	**2 608 608 265**
125	22.23	40	U0	1	10	528788	**2 608 607 638**
125	22.23	60	U0	1	10	528795	**2 608 607 639**
125	22.23	80	U0	1	10	528801	**2 608 607 640**


X-LOCK X571 flap discs, Best for Metal, angled version - EN 13743

best Metal

X-LOCK	✓
M14/Ø 22,23	✓

Stainless Inox | long LIFE

- Changing Flap discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK Flap discs also fit on standard angle grinders.
- Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- Powerful thanks to zirconia, fully synthetic resin bonded, sturdy X-cloth
- Consistently high material removal rate and long lifetime
- Flap disc on carrier plate made of plastic
- Angled version - for working on edges/welded seams and surface sanding at a work angle of 15-25°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22.23	40	U0	1	10	523880	**2 608 621 767**
125	22.23	60	U0	1	10	523897	**2 608 621 768**
125	22.23	80	U0	1	10	523903	**2 608 621 769**
125	22.23	120	U0	1	10	523910	**2 608 621 770**

X-LOCK X571 flap discs, Best for Metal, straight version - EN 13743


best Metal

X-LOCK	✓
M14/Ø 22,23	✓

Stainless Inox

long LIFE

- Changing Flap discs is fast and convenient thanks to the keyless X-LOCK system.
- X-LOCK Flap discs also fit on standard angle grinders.
- Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- Powerful thanks to zirconia, fully synthetic resin bonded, sturdy X-cloth
- Consistently high material removal rate and long lifetime
- Flap disc on carrier plate made of glass fibre
- Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	22.23	40	U0	1	10	960533	**2 608 619 209**
125	22.23	60	U0	1	10	960540	**2 608 619 210**
125	22.23	80	U0	1	10	960557	**2 608 619 211**
125	22.23	120	U0	1	10	960564	**2 608 619 212**

X-LOCK cleaning disc N377, Best for Metal, 50 m/s

Stainless Inox



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
optimum speed 5,000 rpm							
125	22.23	black	U0	1	5	538563	**2 608 621 833**

X551 flap discs, Expert for Metal, angled version - EN 13743

expert Metal



- Particularly suitable for metalworking
- Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- The low-cost alternative as an ideal solution
- Flap disc on carrier plate made of glass fibre
- Angled version - for working on edges/welded seams and surface sanding at a work angle of 15-25°



PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
115	22.23	40	U0	1	10	180177	**2 608 606 752**
115	22.23	60	U0	1	10	180184	**2 608 606 753**
115	22.23	80	U0	1	10	180191	**2 608 606 754**
115	22.23	120	U0	1	10	270847	**2 608 607 346**
125	22.23	40	U0	1	10	179812	**2 608 606 716**
125	22.23	60	U0	1	10	179829	**2 608 606 717**
125	22.23	80	U0	1	10	179836	**2 608 606 718**
125	22.23	120	U0	1	10	270854	**2 608 607 347**


HIGH SPEED METAL FINISHING

EXPERT N477 Surface Conditioning Material Discs

: very fine - extra coarse

EXPERT

1. Exceptional abrasion with Bosch Surface Structure
2. Rapid stock removal by high performance grits
3. 3D structure allows grit through the fleece



EXPERT N477 SCM Discs for Angle Grinders

EXPERT



- Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- Best for metalworkers: fast and efficient.
- Up to 4x faster than Bosch R444 Disc.
- Just stick it on with hook and loop.





SURFACE STRUCTURE | UP TO 4x SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
115	22	Coarse	C0a	1	25	572345	**2 608 901 265**
115	22	Extra coarse	C0a	1	25	572338	**2 608 901 264**
115	22	Medium	C0a	1	25	572352	**2 608 901 266**
115	22	Very fine	C0a	1	25	572369	**2 608 901 267**
125	22	Coarse	C0a	1	25	572383	**2 608 901 269**

EXPERT N477 SCM Discs for Angle Grinders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
125	22	Extra coarse	C0a	1	25	572376	**2 608 901 268**
125	22	Medium	C0a	1	25	572390	**2 608 901 270**
125	22	Very fine	C0a	1	25	572406	**2 608 901 271**

EXPERT N477 SCM Discs for Angle Grinders

EXPERT



- Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- Best for metalworkers: fast and efficient.
- Up to 4x faster than Bosch R444 Disc.
- Just stick it on with hook and loop.



SURFACE STRUCTURE

UP TO 4× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
100	16	Coarse	C0a	1	25	572307	**2 608 901 261**
100	16	Extra coarse	C0a	1	25	572291	**2 608 901 260**
100	16	Medium	C0a	1	25	572314	**2 608 901 262**
100	16	Very fine	C0a	1	25	572321	**2 608 901 263**


Sandpapers for Angle Grinders and Drills

EXPERT C470 Sandpapers with no holes for Angle Grinders and Drills

EXPERT



- Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- EXPERT Abrasives - the very best for all trades.
- Up to 2x faster than Bosch C420 Sandpaper.
- Just stick it on with hook and loop.





SURFACE STRUCTURE

UP TO 2× SPEED

PRODUCT PROPERTIES			ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Pack of 50							
125	40	no holes	C0a	50	1	542898	**2 608 900 951**
125	60	no holes	C0a	50	1	542904	**2 608 900 952**
125	80	no holes	C0a	50	1	542911	**2 608 900 953**
125	100	no holes	C0a	50	1	544922	**2 608 901 154**
125	120	no holes	C0a	50	1	542928	**2 608 900 954**
125	180	no holes	C0a	50	1	542935	**2 608 900 955**
125	240	no holes	C0a	50	1	542942	**2 608 900 956**
125	320	no holes	C0a	50	1	544939	**2 608 901 155**
125	400	no holes	C0a	50	1	544946	**2 608 901 156**

Accessories for Sanding and Polishing with Drills

Backing Pad with Shank for Drills



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Backing pad for 125 mm abrasive diameter for clamping with screw/disc						
125	8	C1c	1	1	004435	**1 609 200 240**

Sanding sleeves for straight grinders

Flap wheels - Aluminium oxide



- **Suitable for** universal application in wood, metal, paint, plastic
- **Appropriate for** drills
- For surface machining, edge chamfering, deburring and structuring
- Shape: Cylindrical

PRODUCT PROPERTIES				ORDERING INFORMATION				
Straight shank mm	Grit	Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
6	60	60	40	C1d	1	1	076791	**2 609 200 183**
6	120	60	40	C1d	1	1	076807	**2 609 200 185**

Polishing accessories for GPO 14 CE Professional



- **Appropriate for** GPO 14 CE Professional

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Hard Foam disc Polishing orange peel effect, paint runs and dust inclusions	**170**	P1d	1	1	632393	**2 608 612 023**
 Soft Foam Disc	**170**	P1d	1	1	632409	**2 608 612 024**
 Foam disc Removing holograms Finishing of dark and sensitive colours	**170**	P1d	1	1	632416	**2 608 612 025**
Lambskin disc Polishing old varnish after surface sanding	**170**	P1d	1	1	632423	**2 608 612 026**
 Backing pad for foam disc and lambskin disc with hook-and-loop-type fastening system	**150**	P1d	1	1	632430	**2 608 612 027**

Polishing sponge for polishers



- **Suitable for** rubbing in wax and polishing weather-worn paints, stone, plastics and non-ferrous metal, and for polishing slightly dirty, scratched or pre-polished surfaces
- For use with polish or for working in surface sealing agents on even or curved surfaces
- **Appropriate for** GPO 12; GPO 12 E, GOP 14,4 V-EC Professional

Polishing sponge with M14 thread	**160**	P0b	1	1	026550	**1 608 613 013**

Felt polishing disc for polishers

- **Suitable for** polishing stone, plastics and non-ferrous metal, and for pre-polishing very dirty or scratched, even surfaces
- For use with polish or grinding paste on even surfaces
- **Appropriate for** GPO 12; GPO 12 E Professional



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Felt polishing disc with M14 thread						
	180	P0b	1	1	026543	**1 608 612 002**

MACHINE ACCESSORIES

Upgrade your power tool.

The best your tool can get. Bosch Professional Accessories.





Bosch System Chucks

Bosch System Chucks for Rotary Hammers



SDS plus quick-change chuck

GBH 4 DFE; GBH 4 DSC Professional; PBH 300 E

PRODUCT PROPERTIES			ORDERING INFORMATION				
Chuck capacity mm	Mount, range		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
SDS plus	SDS		C0a	1	1	077606	**2 608 572 059**



SDS plus keyless chuck

GBH 2-24 DF; GBH 2-26 DFR; GBH 2-26 DFR + DMF 10 Zoom; GBH 2-28 DFV; GBH 3-28 DFR; GBH 4-32 DFR; GBH 18V-26 F; GBH 36.0 VF-LI; GBH 2600 Professional

SDS plus	SDS		C2a	1	1	336932	**2 608 572 213**



Keyless chuck with adapter

GBH 2-24 DF; GBH 2-26 DFR; GBH 2-26 DFR + DMF 10 Zoom; GBH 2-28 DFV; GBH 3-28 DFR; GBH 4-32 DFR; GBH 18V-26 F; GBH 36.0 VF-LI; GBH 2600 Professional

1.5–13.0	SDS	●	C2a	1	1	336925	**2 608 572 212**

Bosch System Chucks for Impact Drills



Keyless chuck, chrome-plated

GSB 20-2; GSB 20-2 RCE; GSB 20-2 RE; GSB 20-2 RET; GSB 21-2 RCT; GSB 21-2 RE; GSB 24-2 Professional; PSB 850; PSB 1000; PSB 1200 „Auto-Lock“

PRODUCT PROPERTIES			ORDERING INFORMATION				
Chuck capacity mm	Mount, range		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.5–13.0	1/2" – 20		P1h	1	1	223423	**2 608 572 150**

Accessories for Rotary Hammers

Drill Bit Adapters for Drill Bits



PRODUCT PROPERTIES		ORDERING INFORMATION				
Shank	For drill bit shank	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
SDS max	SDS plus	P1e	1	1	033435	**1 618 598 159**

SDS Shanks for Drill Chucks



SDS plus	1/2"-20 UNF	C1a	1	5	012584	**1 617 000 132**



SDS max	1/2"-20 UNF	P1e	1	1	034180	**2 608 550 036**

Handles for Rotary Hammers and Impact Drills

Handles for Rotary Hammers



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Handle for rotary hammers GBH 5-40; GBH 5-40 D; GBH 8 DCE; GBH 38 Professional	P0f	1	1	042482	**2 602 025 062**

Keyless Drill Chucks

Keyless chucks up to 10 mm

PRODUCT PROPERTIES					ORDERING INFORMATION				
Chuck capacity mm	Mount, range				Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
1.0–10.0	1/4" external hex shank		•	3	P1h	1	1	085441	**2 608 572 075**
1.0–10.0	3/8" – 24	•	•	5	P1h	1	1	092036	**2 608 572 068**

1



2



Keyless chucks up to 16 mm

PRODUCT PROPERTIES						ORDERING INFORMATION				
Chuck capacity mm	Mount, range					Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
2.0–13.0	1/2" – 20	•		•	•	3	C1a	1	1	064682	**2 608 572 034**
2.0–13.0	1/2" – 20		•	•		4	P1h	1	1	082754	**2 608 572 062**
1.5–13.0	1/2" – 20	•		•	•	•	5	P1h	1	1	111942	**2 608 572 105**
1.5–13.0	1/2" – 20	•	•	•		•	6	P1h	1	1	290975	**2 608 572 182**

1



2



3



4



Keyed Drill Chucks

Keyed Drill Chucks up to 10 mm

PRODUCT PROPERTIES					ORDERING INFORMATION				
Chuck capacity mm	Mount, range		Replacement key		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
1.0–10.0	3/8" – 24	•	D	• 1	P1h	1	1	002608	**1 608 571 053**
1.0–10.0	3/8" – 24	•	B	• 1	P1h	1	1	016506	**1 608 571 058**

1




Keyed Drill Chucks up to 13 mm

PRODUCT PROPERTIES					ORDERING INFORMATION				
Chuck capacity mm	Mount, range		Replacement key		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Keyed chucks up to 13 mm Replacement key 1 607 950 045									
1.5–13.0	1/2" – 20	•	D	• 1	P1h	1	1	041133	**1 608 571 048**
1.5–13.0	1/2" – 20	•	D	• • 1	P1h	1	1	002639	**1 608 571 062**

1



Replacement Keys for Drill Chucks



PRODUCT PROPERTIES						ORDERING INFORMATION				
Ref. type	Replacement key, type	Outer length (L1) mm	Key length (L2) mm	Key width (KW) mm	Key diameter (Z) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
S3	A	110	50	4	8	C1d	1	5	024556	**1 607 950 041**
ZS14	B	60	30	-	6	C1e	1	5	016476	**1 607 950 042**
S2	C	110	40	4	6	C1d	1	5	002363	**1 607 950 044**
S2	D	110	40	-	6	C1d	1	5	002370	**1 607 950 045**
S14	F	80	30	5	6	C1d	1	5	033480	**1 607 950 053**

Depth Stops and Handles for Drills


Handles for Drills

	PRODUCT PROPERTIES	ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Handle for drills GBM 13; GBM 13 HRE; GBM 16-2 RE; GRW 11 E; GSB 22-2 RCE Professional	P0b	1	1	026987	**1 612 025 020**

Stirrer Baskets

Stirrer baskets for hand-held stirrers, from the bottom upwards

- **Suitable for** plaster, concrete, mortar, epoxy resin
- Mixing effect from bottom upwards
- M14 outer thread



PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter, basket mm	Total length mm	Mixing quantity, from kg	Mixing quantity, to kg	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
GRW 9; GRW 11 E; GRW 12 E; GRW 18-2 E Professional								
135	590	25	40	P1e	1	1	061339	**3 609 201 038**

Backing Pads for Angle Grinders

Regular Backing Pads for Fibre Sanding Discs

- High temperature resistant, low vibration running, break-resistant



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Backing Pad with M10 flange thread					
100	C1a	1	1	047265	**2 608 601 046**
Backing Pad Soft with M14 flange thread					
115	C1a	1	1	031202	**2 608 601 005**
125	C1a	1	1	016551	**1 608 601 033**
180	C1a	1	1	653206	**2 608 601 209**



Round nut with M10 flange thread					
100	P0b	1	1	109253	**2 603 345 018**
Round nut with M14 flange thread					
115 **125**	P0b	1	1	029711	**2 603 345 002**
230 **180**	P0b	1	1	024266	**1 603 345 004**



Hook-and-loop-type fastening plate with M14 flange thread					
115	C1d	1	1	086585	**2 608 601 076**
125	C1d	1	1	086592	**2 608 601 077**

X-LOCK Backing Pads for Fibre Sanding Discs





- Changing backing pads is fast and convenient thanks to the keyless X-LOCK system
- High temperature resistant, low vibration running, break-resistant



X-LOCK Backing Pad Soft **Ideal for fine grit sanding P60 and finer** **Extended lifetime thanks to thermostable plastic**					
125	C1d	1	1	938501	**2 608 601 714**

X-LOCK Backing Pads for Fibre Sanding Discs

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
						
X-LOCK Backing Pad Medium						
Ideal for medium grit sanding P36 to P60						
Extended lifetime thanks to ventilation ribs for cooling and thermostable plastic						
	**125**	C1d	1	1	938518	**2 608 601 715**
						
X-LOCK Backing Pad Hard, ideal for grit size P50 and rougher						
Ideal for rough grit sanding P50 and rougher						
Extended lifetime thanks to ventilation ribs for cooling and thermostable plastic						
	**125**	C1d	1	1	938525	**2 608 601 716**
X-LOCK Clip, Easy tool free disc changing						
	**-**	P1b	1	1	938563	**2 608 601 720**
						
X-LOCK Backing Pad for SCM discs with center pin						
Ideal for all SCM (surface conditioning) discs						
	**125**	C1d	1	1	959032	**2 608 601 724**

Locking Nuts for Angle Grinders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
SDS clic quick-locking nut M14 **Appropriate for** all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm) manufactured in or after 08/90 **Note:** The disc must be centred at the supporting flange, not at the nut	C1a	1	1	033206	**1 603 340 031**

Locking Nuts for Angle Grinders





PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Locking Nut for M14 Thread for clamping sanding discs with 115-150 mm diameter manufactured before 08/90	-	PC1c	1	1	016384	**1 603 340 015**
Locking Nut for M14 Thread for clamping all discs with 115 - 230 mm diameter, manufactured after 08/90.	-	P1b	1	1	052078	**1 603 340 040**

Backing Flanges for Angle Grinders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Backing flange for M14 thread for clamping all discs with 115 - 150 mm diameter, manufactured after 08/90	PC1c	1	5	046947	**1 605 703 099**

HIGH PROTECTION FOR ANGLE GRINDER USERS

EXPERT Vibration Control Handles

: M10 / M14

EXPERT

1. Comfort and protection with a Bosch Vibration Control handle
2. Thick rubber for extra grip and control



VIBRATION CONTROL

EXPERT Handle for Vibration Control M10 Angle Grinders

EXPERT



- Ideal for working with angle grinders.
- Best for tradesmen: protective and comfortable.
- Up to 30% less vibration than Bosch 1602025024 Angle Grinder Handle.
- Fits all M10 angle grinders.

VIBRATION CONTROL | UP TO +30% PROTECTIVE

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Handle M10 with Vibration Control **Appropriate for** small angle grinders	C1d	1	1	530505	**2 608 900 000**

EXPERT Handle for Vibration Control M14 Angle Grinders

EXPERT



- Ideal for working with angle grinders.
- Best for tradesmen: protective and comfortable.
- Up to 30% less vibration than Bosch 2602025075 Angle Grinder Handle.
- Fits all M14 angle grinders.

VIBRATION CONTROL | UP TO +30% PROTECTIVE

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
Handle M14 with Vibration Control **Appropriate for** large angle grinders					
	C1d	1	1	530512	**2 608 900 001**

Handles for Angle Grinders

- For left-handers and right-handers



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Handle appropriate for all Angle Grinders and Compact Belt Sanders with M10 thread. GUF 4-22 A; GWS 9-125 S; GWS 13-125 CI; GWS 13-125 CIE; GWS 15-125 CIEP; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 17-150 CI; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1400; GWX 9-115 S; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 17-150; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PSF 22 A; PWS 6-13					
	P0f	1	1	016377	**1 602 025 024**

DUST EXTRACTION GUARDS
For Bosch angle grinder.



- Suitable for dust extraction when cutting with Bosch angle grinders
- Appropriate for hose system with 35 mm diameter
- Bosch extraction guards offer accurate guiding and large surface areas as well as very good extraction performance thanks to the nozzle effect
- With handle that can be fixed from either side for full protection and steep extraction outlet for cutting close to edges

Cutting Guides with Dust Extraction Outlet – Tool-Free


- Extraction guard with 35 mm diameter extraction pipe, easy-to-use adjustment.




PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Cutting guide with dust extraction outlet GWS 5-100 (0 601 376 0..); GWS 5-115 (0 601 376 2..); GWS 6-100 (0 601 375 0..); GWS 6-100 BS (0 601 375 x..); GWS 6-100 E (0 601 375 7..); GWS 6-100 S (0 601 375 0..); GWS 6-115 (0 601 375 0../0 601 375 9..); GWS 6-115 E (0 601 375 5../0 601 375 7../0 601 375 9..); GWS 6-125 (0 601 375 1..); GWS 6-125 E (0 601 375 9..); GWS 7-100 (0 601 388 0../0 601 388 1..); GWS 7-100 E (0 601 388 2..); GWS 7-100 ET (0 601 388 5..); GWS 7-100 T (0 601 388 6..); GWS 7-115 (0 601 388 1..); GWS 7-115 E (0 601 388 2..); GWS 7-115 ET (0 601 388 5..); GWS 7-125 (0 601 388 0../0 601 388 1..); GWS 7-125 ET (0 601 388 5..); GWS 8-100 CE (0 601 378 6..); GWS 18-125 V-LI (0 601 93A 3..); GWS 18.0 V-LI (0 601 93A 3..); GWS 780 C (0 601 377 5..); GWS 850 C (0 601 377 7../0 601 377 9..); GWS 850 CE (0 601 377 9../0 601 378 7..) Professional; PWS 600 (0 603 411 0..); PWS 650 (0 603 411 0..); PWS 680 (0 603 411 0..); PWS 680-125 (0 603 411 0..)					
100 **115** **125**	C0a	1	1	492805	**1 619 P06 514**

Dust extraction and protective guards


For Bosch angle grinders.




Appropriate machines	Diameter mm	Part number
Dust extraction guards for sanding		
GWS 8-115 (3 601 H20 ...) GWS 8-115 Z (3 601 H31 0..) GWS 8-125 (3 601 H27...) GWS 9-115 (3 601 G90 ...) GWS 9-125 (3 601 G91 ...) GWS 10-125 (3 601 H21 ...) GWS 10-125 Z (3 601 H32 0..) GWS 11-125 (3 601 G92 ...) GWS 11-125 CI (3 601 H22 ...) GWS 11-125 CIE (3 601 H23 ...) GWS 11-125 CIH (3 601 H30 1../B..) GWS 12-125 CI (3 601 G93 ...) GWS 12-125 CIE (3 601 G94 ...) GWS 14-125 CI (3 601 H24 ...) GWS 14-125 CIE (3 601 H25 ...) GWS 14-125 CIT (3 601 H29 ...) GWS 15-125 CI (3 601 G95 ...) GWS 15-125 CIE (3 601 G96 ...) GWS 15-125 CIH (3 601 H30 2../C..) GWS 15-125 CIEH (3 601 H30 3../D..) GWS 15-125 CIT (3 601 G97 ...) GWS 15-125 CITH (3 601 H30 4../E..) GWS 1000 (3 601 H21 ...) GWS 1400 Professional (3 601 H24 ...) PWS 10-125 CE (0 603 C47 000/030) PWS 13-125 CE (3 603 C48 000)	115 125	2 605 510 224
PWS 6-115 (3 603 C99 2..; 3 603 C99 3..; 3 603 C99 4..) PWS 7-100 (3 603 C99 640) PWS 7-115 (3 603 C99 5..; 3 603 C99 6..) PWS 7-125 (3 603 C99 7..; 3 603 C99 8..) PWS 7-125 CE; PWS 8-125 CE PWS 8-125 CE (3 603 C99 B..; 3 603 C99 9..; 3 603 C99 A..) PWS 9-125 CE PWS 10-125 CE; PWS 13-125 CE PWS 550 PWS 550 (3 603 C99 0..) PWS 600 PWS 600 (3 603 C99 1..) PWS 9-125 CE; PWS 700 PWS 720; PWS 850 CE GWS 7-115 – GWS 14-125 CE	125	1 605 510 281
GWS 5-100 (0 601 375 0..) GWS 6-100 (0 601 375 0..) GWS 6-100 E (0 601 375 7..) GWS 580 (0 601 375 0..) GWS 670 (0 601 375 0..) GWS 7-100 (3 601 C88 1..)	100	1 619 P06 546




Appropriate machines	Diameter mm	Part number
Protective guards without cover for grinding		
GWS 5-115 (0 601 376 2..) GWS 6-115 (0 601 375 0..; (0 601 375 7..; 0 601 375 9..) GWS 6-115 E (0 601 375 5..; 0 601 375 7..; 0 601 375 9..) GWS 580 (0 601 376 0..) GWS 780 C (0 601 377 56.) GWS 850 C (0 601 377 5..) GWS 7-115 (3 601 C88 1..; 3 601 C88 2..) PWS 600 (3 603 D11 0..); PWS 650 (3 603 D11 0..); PWS 680 (3 603 D11 0..)	115	1 619 P06 547
GWS 6-125 (0 601 375 1..) GWS 6-125 E (0 601 375 9..) GWS 850 C (0 601 377 7..; 0 601 377 9..) GWS 850 CE (0 601 377 7..; 0 601 377 9..) GWS 7-125 (3 601 C88 1..) PWS 680-125 (3 603 D11 0..)	125	1 619 P06 548
GWS 7-115 (0 601 700 0..)	115	2 605 510 102
GWS 7-125 (0 601 700 048); GWS 9-125 (0 601 701 0..) GWS 10-125 C (0 601 702 7..) GWS 10-125 CE Professional (0 601 703 7..)	125	2 605 510 101
GWS 8-115 (3 601 H20 ...) GWS 8-115 Z (3 601 H31 0..) GWS 9-115 (3 601 G90 ...) GWS 1000 (3 601 H21 0..) GWS 1400 (3 601 H24 0..)	115	1 605 510 364




Appropriate machines	Diameter mm	Part number
Protective guards without cover for grinding		
GWS 8-125 (3 601 H27...) GWS 9-125 (3 601 G91 ...) GWS 10-125 (3 601 H21 ...) GWS 10-125 Z (3 601 H32 0..) GWS 11-125 (3 601 G92 ...) GWS 11-125 CI (3 601 H22 ...) GWS 11-125 CIE (3 601 H23 ...) GWS 11-126 CIH (3 601 H39 1../B..) GWS 12-125 CI (3 601 G93 ...) GWS 12-125 CIE (3 601 G94 ...) GWS 14-125 CI (3 601 H24 ...) GWS 14-125 CIE (3 601 H25 ...) GWS 14-125 CIT (3 601 H29 ...) GWS 15-125 CI (3 601 G95 ...) GWS 15-125 CIE (3 601 G96 ...) GWS 15-125 CIEH (3 601 H30 3../D..) GWS 15-125 CIH (3 601 H30 2../C..) GWS 15-125 CIT (3 601 G97 ...) GWS 15-125 CITH (3 601 H30 4../E..) GWS 1400 Professional (3 601 H24 ...) PWS 10-125 CE (3 603 C47 0..) PWS 13-125 CE (3 603 C48 0..)	125	1 605 510 365
GWS 14-150 CI (0 601 H26 ...) GWS 15-150 CI (3 601 G98 ...) GWS 15-150 CIH (0 601 H30 5../F..)	150	1 605 510 366
GWS 22-180 LVI (3 601 H90 D..) GWS 24-180 LVI (3 601 H92 F..) GWS 26-180 JBV (3 601 H55 U..)	180	2 605 510 280
GWS 22-230 LVI (3 601 H91 D../C..) GWS 24-230 LVI (3 601 H93 F../H..) GWS 24-230 JBX (3 601 H64 4../R../T..) GWS 26-230 BV (3 601 H56 S..) GWS 26-230 JBV (3 601 H56 U..) GWS 26-230 (3 601 H56 5..)	230	2 605 510 281
GWS 20-180/H/JH (0 601 849 ...) GWS 21-180 HV/JHV (0 601 851 ...) GWS 22-180 H/JH (3 601 H81 ...) GWS 23-180/J (0 601 753 ...) GWS 24-180 BX/JBX (0 601 863 ...) GWS 24-180 H (3 601 H53 1..) GWS 24-180 H/BV/JBV (0 601 853 ...) GWS 24-180 JH (3 601 H53 M..) GWS 25-180/J (0 601 755 ...) GWS 26-180 B (3 601 H55 K..) GWS 26-180 BV/JBV (0 601 856 ...) GWS 26-180 H (3 601 H55 1..; 3 601 H56 1../L..) GWS 26-180 JH (3 601 H55 M..) GWS 180/J, 20 -180/J, (0 601 751 ...)	180	2 605 510 297



Appropriate machines	Diameter mm	Part number
Protective guards without cover for grinding		
GWS 20-230 H/J/JH (0 601 850 ...) GWS 21-230 HV/JHV (0 601 852 ...) GWS 22-230 H/JH (3 601 H82 ...) GWS 23-230/J (0 601 754 ...) GWS 24-230 BX/JBX (0 601 864 ...) GWS 24-230 H (3 601 H54 1../L..) GWS 24-230 H/BV/JBV (0 601 854 ...) GWS 24-230 JH (3 601 H54 M..) GWS 25-230/J (0 601 756 ...) GWS 26-230 B (3 601 H56 3../K..) GWS 26-230 BV/JBV (0 601 856 ...) GWS 26-230 JBV (3 601 H56 5..) GWS 26-230 JH (3 601 H56 M..) GWS 230, 20-230/J (0 601 752 ...) PWS 20-230/J (0 603 359 ...) PWS 20-230/1900 (0 603 C59 V../W..) PWS 1900 (0 603 359 0..)	230	2 605 510 298
PWS 700-115; PWS 720-115 PWS 750-115 (0 601 164 0..)	115	2 605 510 288



Appropriate machines	Diameter mm	Part number
Protective guards with cover for cut-off grinding		
PWS 7-125 CE (3 603 C98 8..) PWS 8-125 CE (3 603 C99 B..) PWS 9-125 (3 603 C99 A..) PWS 720-125; PWS 750-125 (0 601 164 1..)	125	2 605 510 289
PWS 6-115 PWS 6-115 (3 603 C99 2..; 3 603 C99 3..; 3 603 C99 4..) PWS 7-115 (0 601 800 ...) PWS 7-115 (3 603 C99 5..; 3 603 C99 6..) PWS 550 PWS 550 (3 603 C99 0..) PWS 600 (3 603 C99 1..) PWS 600 (0 601 800 ...-0 601 806 ...) GWS 7-115 (0 601 800 ...) PWS 600 (3 603 D11 0..) PWS 650 (3 603 D11 0..) PWS 680 (3 603 D11 0..)	115	2 605 510 192
GWS 7-125 (0 601 800 048) PWS 8-125; PWS 9-125 CE GWS 9-125 (0 601 801 ...) GWS 10-125 C (0 601 802 ...) GWS 10-125 CE (0 601 803 ...) GWS 14-125 C (0 601 804 ...) GWS 14-125 CE (0 601 805 ...) GWS 1000 (0 601 802 ...) PWS 7-125 (3 603 C99 7..; 3 603 C99 8..) PWS 8-125 CE (3 603 C99 B..; 3 603 C99 9..; 3 603 C99 A..) PWS 680-125 (3 603 D11 0..)	125	2 605 510 193
GWS 14-150 CI; GWS 14-150 C Professional 0 601 800 ...- 0 601 806...	150	2 605 510 194
GWS 6-125 (0 601 375 1../3..) GWS 850 C (0 601 377 9..) GWS 850 CE (0 601 378 7../9..) GWS 850 CE Professional GWS 780 (0 601 377 3..) GWS 850 C, Ban, manufacture before 12.09	125	2 605 510 172
GWS 5-100 (0 601 375 0..) GWS 6-100 (0 601 375 0..) GWS 6-100 E (0 601 375 7..) GWS 580 (0 601 375 0..) GWS 670 GWS 7-100 (3 601 C88 1..)	100	1 619 P06 549
GWS 5-115 (0 601 376 2..) GWS 6-115 (0 601 375 0..; 0 601 375 7..; 0 601 375 9..) GWS 6-115 E (0 601 375 5..; 0 601 375 7..; 0 601 375 9..) GWS 7-115 (3 601 C88 1..) GWS 7-115 E (3 601 C88 1..) GWS 580 (0 601 376 0..) GWS 780 C (0 601 377 56.) GWS 850 C (0 601 377 5..)	115	1 619 P06 550
GWS 6-125 (0 601 375 1..) GWS 6-125 E (0 601 375 9..) GWS 7-125 (3 601 C88 1..) GWS 850 C (0 601 377 7..; 0 601 377 9..) GWS 850 CE (0 601 377 7..; 0 601 377 9..)	125	1 619 P06 551
GWS 22-180 LVI (3 601 H90 D..) GWS 24-180 LVI 3 601 H92 F..) GWS 26-180 JBV (3 601 H55 U..)	180	2 602 025 282
GWS 22-230 LVI (3 601 H91 D../C..) GWS 24-230 LVI (3 601 H93 F../H..) GWS 24-230 JBX (3 601 H64 4../R../T..) GWS 26-230 BV (3 601 H56 S..) GWS 26-230 JBV (3 601 H56 U..) GWS 26-230 (3 601 H56 5..)	230	2 602 025 283



Appropriate machines	Diameter mm	Part number
Protective guards with cover for cut-off grinding		
GWS 20-180/H/JH (0 601 849 ...) GWS 21-180 HV/JHV (0 601 851 ...) GWS 22-180 H/JH (3 601 H81 ...) GWS 23-180/J (0 601 753 ...) GWS 24-180 BX/JBX (0 601 863 ...) GWS 24-180 H (3 601 H53 1..) GWS 24-180 H/BV/JBV (0 601 853 ...) GWS 24-180 JH (3 601 H53 M..) GWS 25-180/J (0 601 755 ...) GWS 26-180 B (3 601 H55 K..) GWS 26-180 BV/JBV (0 601 856 ...) GWS 26-180 H (3 601 H56 1../L..) GWS 26-180 JH (3 601 H55 M..) GWS 180/J, 20 -180/J, (0 601 751 ...)	180	2 605 510 299
GWS 20-230 H/J/JH (0 601 850 ...) GWS 21-230 HV/JHV (0 601 852 ...) GWS 22-230 H/JH (3 601 H82 ...) GWS 23-230/J (0 601 754 ...) GWS 24-230 BX/JBX (0 601 864 ...) GWS 24-230 H (3 601 H54 1../L..) GWS 24-230 H/BV/JBV (0 601 854 ...) GWS 24-230 JH (3 601 H54 M..) GWS 25-230/J (0 601 756 ...) GWS 26-230 B (3 601 H56 3../K..) GWS 26-230 BV/JBV (0 601 856 ...) GWS 26-230 JBV (3 601 H56 5..) GWS 26-230 JH (3 601 H56 M..) GWS 230, 20-230/J (0 601 752 ...) PWS 20-230/1900 0 603 C59 V../W..) PWS 20-230/J (0 603 359 ...) PWS 1900 (0 603 359 0..)	230	2605 510 300
GWS 8-115 (0 601 820 ...; 0 601 H20 ...) GWS 8-115 Z (3 601 H31 0..) GWS 9-115 (3 601 G90 ...) GWS 1000 Professional (3 601 H23 ...)	115	2 605 510 256
GWS 8 - GWS 14 Professional (0 601 821 ... - 0 601 829...) GWS 8-125 (3 601 H27...) GWS 9-115 (3 601 G90 ...) GWS 9-125 (3 601 G91 ...) GWS 10-125 (3 601 H21 ...) GWS 10-125 Z (3 601 H32 0..) GWS 11-125 (3 601 G92 ...) GWS 11-125 CI (3 601 H22 ...) GWS 11-125 CIE (3 601 H23 ...) GWS 11-125 CIH 3 601 H30 1../B..) GWS 12-125 CI (3 601 G93 ...) GWS 12-125 CIE (3 601 G94 ...) GWS 14-125 CI (3 601 H24 ...) GWS 14-125 CIE (3 601 H25 ...) GWS 14-125 CIT (3 601 H29 ...) GWS 15-125 CI (3 601 G95 ...) GWS 15-125 CIE (3 601 G96 ...) GWS 15-125 CIH (3 601 H30 2../C..) GWS 15-125 CIEH (3 601 H30 3../D..) GWS 15-125 CIT (3 601 G97 ...) GWS 15-125 CITH (3 601 H30 4../E..) GWS 1400 Professional (3 601 H24 ...) PWS 10-125 CE (3 603 C47 0..) PWS 13-125 CE (3 603 C48 0..)	125	2 605 510 257
GWS 14-150 CI (3 601 H26 ...) GWS 15-150 CI (3 601 G98 ...) GWS 15-150 CIH (3 601 H30 5../F..)	150	2 605 510 258
PWS 700-115; PWS 720-115 PWS 750-115 (0 603 164 0..)	115	2 605 510 290
PWS 7-125 CE (3 603 C98 8..) PWS 8-125 CE (3 603 C99 B..) PWS 9-125 (3 603 C99 A..) PWS 720-125; PWS 750-125 (0 601 164 1..)	125	2 605 510 291
GWS 24-300 GWS 24-300 J Professional	300	1 605 510 224

Protective Guards for Bosch Angle Grinders

Protective Guards without Cover for Grinding

- Without cover for general grinding and sanding work
- EN/EC 60745



Protective guard without cover for grinding
with clamp fitting, with coding and quick fastening
GWS 22-230 LVI (0 601 891 C../0 601 891 D..); GWS 24-230 JBX (0 601 864 4../0 601 864 R../0 601 864 T..); GWS 24-230 JVX (0 601 864 U..); GWS 24-230 LVI (0 601 893 F../0 601 893 H..); GWS 26-230 BV (0 601 856 S..); GWS 26-230 JBV (0 601 856 G../0 601 856 U..); GWS 26-230 JH + SDS (0 601 856 5..); GWS 26-230 LVI (0 601 895 F..) Professional

PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
230	C0a	1	1	482554	**2 605 510 281**



Protective guard
Clamp with screw-type fastening, with coding
GWS 6-125 (0 601 375 1..); GWS 780 C (0 601 377 5..); GWS 850 C (0 601 377 3../0 601 377 7../0 601 377 9..); GWS 850 CE (0 601 378 7../0 601 378 9..) Professional

125	U0	1	1	220071	**2 605 510 172**

Protective Guards with Cover for Cut-Off Grinding



- Cover for safe cut-off grinding
- EN/EC 60745

Protective guard with cover for cutting
with clamp fitting, screw-type fastening
GWS 6-100 (0 601 375 0..); GWS 6-100 S (0 601 375 0..); GWS 6-115 (0 601 375 0..); GWS 6-115 E (0 601 375 7..); GWS 7-100 (0 601 388 1..); GWS 900-100 (0 601 396 0..) Professional

100	U0	1	1	492775	**1 619 P06 549**

Protective guard with cover
with clamp fitting, with coding and screw-type fastening
GWS 5-100 (0 601 376 0..); GWS 5-115 (0 601 376 2..); GWS 6-115 (0 601 375 0../0 601 375 9..); GWS 6-115 E (0 601 375 5../0 601 375 7../0 601 375 9..); GWS 7-115 (0 601 388 1../0 601 700 0../0 601 800 0..); GWS 7-115 E (0 601 388 2..); GWS 9-115 P (0 601 790 2..); GWS 18.0 V-LI (0 601 93A 3..); GWS 660 (0 601 375 0..); GWS 700 (0 601 3A3 0..); GWS 780 C (0 601 377 5..); GWS 880 (0 601 396 0..) Professional; PWS 600 (0 603 411 0..); PWS 650 (0 603 411 0..); PWS 680 (0 603 411 0..)

115	U0	1	1	492782	**1 619 P06 550**



GWS 9-115 P; GWS 18V-10; GWS 18V-115 C; GWS 18V-115 SC; GWS 1000; GWX 9-115 S; GWX 18V-7; GWX 18V-10; GWX 750-115 Professional

115	C0a	1	1	942430	**2 608 000 680**

Protective Guards with Cover for Cut-Off Grinding




Protective guard with cover
with clamp fitting, with coding and screw-type fastening
GWS 6-125 (0 601 375 1..); GWS 6-125 E (0 601 375 9..); GWS 7-115 (0 601 800 0..); GWS 7-125 (0 601 388 1../0 601 700 0..); GWS 9-125 P (0 601 791 2..); GWS 700 (0 601 3A3 0..); GWS 780 C (0 601 377 5..); GWS 850 C (0 601 377 3../0 601 377 7../0 601 377 9..); GWS 850 CE (0 601 377 9../0 601 378 7../0 601 378 9..); GWS 880 (0 601 396 0..) Professional; PWS 680-125 (0 603 411 0..)

PRODUCT PROPERTIES	ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
125	U0	1	1	492799	**1 619 P06 551**



Protective guard with cover for cutting
with easy-to-use adjustment and tool-free attachment
GWS 8-14; GWS 8-115; GWS 8-125; GWS 8-125 C; GWS 9-125; GWS 9-125 C; GWS 9-125 CES; GWS 9-125 CMS; GWS 9-125 CS; GWS 9-125 CSS; GWS 10-125; GWS 10-125 C; GWS 10-125 CE; GWS 10-125 Z; GWS 11-125; GWS 11-125 CI; GWS 11-125 CIE; GWS 11-125 CIH; GWS 11-125 P; GWS 12-125 CI; GWS 12-125 CIE; GWS 12-125 CIEP; GWS 12-125 CIP; GWS 13-125 CI; GWS 13-125 CIE; GWS 14; GWS 14-125 CI; GWS 14-125 CIE; GWS 14-125 CIT; GWS 14-125 Inox; GWS 15-125 CI; GWS 15-125 CIE; GWS 15-125 CIEH; GWS 15-125 CIEP; GWS 15-125 CIH; GWS 15-125 CIP; GWS 15-125 CIT; GWS 15-125 CITH; GWS 17-125; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 18V-10; GWS 18V-15 C; GWS 18V-15 SC; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1000 + SDS; GWS 1400; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 18V-10; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 18V-15 C; GWX 18V-15 SC; GWX 19-125 S; GWX 750-125 Professional; PWS 10-125 CE; PWS 13-125 CE

125	P0f	1	1	418706	**2 605 510 257**



Protective guard with cover for cutting
with clamp fitting, with coding and quick fastening
GWS 22-180 LVI (0 601 890 D..); GWS 24-180 LV (0 601 892 E..); GWS 26-180 JBV (0 601 855 G..); GWS 26-180 LVI (0 601 894 F..) Professional

180	C0a	1	1	485715	**2 602 025 282**

Protective guard with cover for cutting
with clamp fitting, with coding and quick fastening
GWS 22-230 LV (0 601 891 E..); GWS 22-230 LVI (0 601 891 C../0 601 891 D..); GWS 24-230 JBX (0 601 864 4../0 601 864 R../0 601 864 T..); GWS 24-230 JVX (0 601 864 U..); GWS 24-230 LVI (0 601 893 F../0 601 893 H..); GWS 26-230 BV (0 601 856 S..); GWS 26-230 JBV (0 601 856 G../0 601 856 U..); GWS 26-230 JH + SDS (0 601 856 5..); GWS 26-230 LVI (0 601 895 F..); GWS 30-230 B (0 601 8G1 0..); GWS 30-230 PB (0 601 8G1 1..) Professional

230	C0a	1	1	485722	**2 602 025 283**

DUST EXTRACTION AND PROTECTIVE GUARDS

For Bosch angle grinder.



- Dust extraction guards for dust-free sanding
- Protective guards for additional safety when grinding
- Note: Please verify with the operating instructions of the machine for more detailed use

Dust Extraction Guards for Sanding

- With brush ring
- **Suitable for** dust-free sanding of paint, varnish, plastics and wood in conjunction with sanding plates and fibre sanding sheets or with tungsten carbide grinding heads (not suitable for metals).



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Dust extraction guard with brush ring Tool-free attachment GWS 8-14; GWS 8-115; GWS 8-125; GWS 9-115; GWS 9-115 P; GWS 9-125; GWS 9-125 P; GWS 10-125; GWS 10-125 CE; GWS 11-125; GWS 11-125 CI; GWS 11-125 CIE; GWS 11-125 CIH; GWS 11-125 P; GWS 12-125 CI; GWS 12-125 CIE; GWS 12-125 CIEP; GWS 12-125 CIEPX; GWS 12-125 CIEX; GWS 12-125 CIP; GWS 12-125 CIPX; GWS 12-125 CIX; GWS 13-125 CI; GWS 13-125 CIE; GWS 13-125 CIEX; GWS 13-125 CIX; GWS 14; GWS 14-125; GWS 14-125 C; GWS 14-125 CI; GWS 14-125 CIE; GWS 14-125 CIT; GWS 14-125 Inox; GWS 15-125 CI; GWS 15-125 CIE; GWS 15-125 CIEH; GWS 15-125 CIEP; GWS 15-125 CIEPX; GWS 15-125 CIEX; GWS 15-125 CIH; GWS 15-125 CIP; GWS 15-125 CIPX; GWS 15-125 CIT; GWS 15-125 CITH; GWS 15-125 CIX; GWS 15-125 INOX; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIEX; GWS 17-125 CIT; GWS 17-125 CIX; GWS 17-125 INOX; GWS 18V-115 C; GWS 18V-115 SC; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CI; GWS 19-125 CIE; GWS 19-125 CIST; GWS 1000; GWS 1400; GWX 9-115 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional						
115 125	U0	1	1	375160	**2 605 510 224**	

SDS clic Quick-Locking Nuts M14



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
SDS clic quick-locking nut M14 **Appropriate for** all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm) manufactured in or after 08/90 **Note:** The disc must be centred at the supporting flange, not at the nut	C1a	1	1	033206	**1 603 340 031**

Two-Hole Spanners for Angle Grinders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Two-hole spanner, straight for clamping all discs on angle grinders					
	PC1c	1	1	016483	**1 607 950 043**
Two-hole spanner, straight for clamping all discs on two-hand angle grinders and straight grinders GGS 6 S Professional					
	PC1c	1	1	040891	**1 607 950 048**

Accessories for Bosch Concrete Grinders



SDS clic quick-locking nut M14

Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm)

manufactured in or after 08/90

Note: The disc must be centred at the supporting flange, not at the nut

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
-	14	C1a	1	1	033206	**1 603 340 031**



Locking Nut for M14 Thread

for clamping all discs with 115 - 230 mm diameter, manufactured after 08/90.

-	-	P1b	1	1	052078	**1 603 340 040**



Backing flange for M14 thread

for clamping all discs with 115 - 150 mm diameter, manufactured after 08/90

-	-	PC1c	1	5	046947	**1 605 703 099**

Collets for Bosch Straight Grinders

Collets without Locking Nut for Straight Grinders



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Diameter inches	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Collet without locking nut						
GGS 27; GGS 27 C Professional; POF 500 A; POF 600 ACE						
6	-	P1b	1	1	013505	**2 608 570 047**
-	1/4	P1b	1	1	006699	**2 608 570 048**
Collet without locking nut						
GGS 8 C; GGS 28; GGS 28 C; GGS 28 CE; GGS 28 LC; GGS 28 LCE; GGS 28 LPC Professional						
-	1/4	P0b	1	1	620079	**2 608 570 140**
-	1/8	P0b	1	1	620062	**2 608 570 139**

Collets with Locking Nut for Straight Grinders



Collet with locking nut						
GGS 7 C; GGS 27 L; GGS 27 LC; GGS 1212 Professional						
6	-	P0b	1	1	031110	**2 608 570 084**
Collet with locking nut						
GGS 7 C; GGS 27 L; GGS 27 LC; GGS 1212; GWG 12V-50 S Professional						
-	1/4	P0b	1	1	031127	**2 608 570 085**

Spanners for Bosch Straight Grinders

Spanners for Bosch Straight Grinders

	PRODUCT PROPERTIES	ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Spanner GGS 16 Professional					
		PC1c	1	1	048491	**1 607 950 525**
	Two-hole spanner, straight for clamping all discs on two-hand angle grinders and straight grinders GGS 6 S Professional					
		PC1c	1	1	040891	**1 607 950 048**


LONG LIFE FOR SANDING SHEETS

EXPERT Multihole Backing Pads

: soft - hard

EXPERT

1. Most efficient dust removal with Bosch Particle Control
2. Hole layout offers long life for all sanding sheets



EXPERT Multihole Backing Pads for Bosch 150 mm

EXPERT



- Ideal for sanding wood. Soft pad for fine sanding and finishing of distinct curves and arches; medium pad for intermediate sanding of flat and curved surfaces; hard pad for coarse form-giving sanding of flat surfaces and narrow edges.
- Best for cabinet woodworkers: clean and efficient.
- Lasts up to 2x longer than Bosch 2608601115 Backing Pad.
- Just stick it on with hook and loop.

PARTICLE CONTROL | UP TO 2× LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION				
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
GEX 125-150 AVE; GEX 150 AC; GEX 150 Turbo Professional							
Hard	150	Multi-Hole	C1a	1	1	530611	**2 608 900 011**
Medium	150	Multi-Hole	C1a	1	1	530604	**2 608 900 010**
soft	150	Multi-Hole	C1a	1	1	530598	**2 608 900 009**

EXPERT Multihole Backing Pads Universal 150 mm

EXPERT



- Ideal for sanding wood. Soft pad for fine sanding and finishing of distinct curves and arches; medium pad for intermediate sanding of flat and curved surfaces; hard pad for coarse form-giving sanding of flat surfaces and narrow edges.
- Best for cabinet woodworkers: clean and efficient.
- Lasts up to 2x longer than Bosch 2608601115 Backing Pad.
- Just stick it on with hook and loop.




PARTICLE CONTROL | UP TO 2× LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
Version	Diameter mm	Perforation		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
GET 75-150; GEX 34-150; GEX 40-150 Professional; 3M; DeWalt; Dynabrade; Festool; Makita; Mirka; Rupes								
Hard	150	Multi-Hole		C1a	1	1	530581	**2 608 900 008**
Medium	150	Multi-Hole		C1a	1	1	530574	**2 608 900 007**
soft	150	Multi-Hole		C1a	1	1	530567	**2 608 900 006**

EXPERT Multihole Backing Pads Universal 125 mm

EXPERT



- Ideal for sanding wood. Soft pad for fine sanding and finishing of distinct curves and arches; medium pad for intermediate sanding of flat and curved surfaces; hard pad for coarse form-giving sanding of flat surfaces and narrow edges.
- Best for cabinet woodworkers: clean and efficient.
- Lasts up to 2x longer than Bosch 2608601115 Backing Pad.
- Just stick it on with hook and loop.




PARTICLE CONTROL | UP TO 2× LONG LIFE

PRODUCT PROPERTIES				ORDERING INFORMATION				
Version	Diameter mm	Perforation		Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number
GET 55-125; GEX 34-125 Professional; 3M; Dynabrade; Mirka; Rupes								
Hard	125	Multi-Hole		C1a	1	1	530550	**2 608 900 005**
Medium	125	Multi-Hole		C1a	1	1	530543	**2 608 900 004**
soft	125	Multi-Hole		C1a	1	1	530536	**2 608 900 003**

Backing Pads





Sanding pad

PEX 115

Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hard	115	8	C1c	1	1	079198	**2 608 601 064**
medium-hard	115	8	C1c	1	1	079181	**2 608 601 065**



Sanding pad

GEX 125-1 AE Professional

Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Medium	125	8	C1a	1	1	454957	**2 608 000 349**



Sanding pad

PEX 12; PEX 12 A; PEX 125; PEX 125 AE

Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hard	125	8	C1c	1	1	077446	**2 608 601 061**
medium-hard	125	8	C1c	1	1	077453	**2 608 601 062**
soft	125	8	C1c	1	1	077460	**2 608 601 063**



Sanding pad

GEX 12 A; GEX 12 AE; GEX 125 A; GEX 125 AC Professional


Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
soft	125	8	C1c	1	1	219495	**2 608 601 118**



Sanding pad with screws and hexagon socket wrench

PEX 270 A; PEX 270 AE

Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
medium-hard	125	8	C1c	1	1	260459	**2 608 601 169**



Sanding pad

PEX 220 A

Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
medium-hard	125	8	C1c	1	1	329217	**2 608 601 175**

Backing Pads



PRODUCT PROPERTIES			ORDERING INFORMATION				
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Sanding pad							
GEX 125-150 AVE Professional							
medium-hard	125	8	C1c	1	1	623476	**2 608 601 607**




Sanding pad							
GEX 125 AC; GEX 150 AC Professional; PEX 15 AE							
soft	150	8	C1c	1	1	063074	**2 608 601 051**
medium-hard	150	-	C1c	1	1	063081	**2 608 601 052**
Hard	150	-	C1c	1	1	063098	**2 608 601 053**



Sanding pad							
GEX 125 AC; GEX 125-150 AVE; GEX 150 AC; GEX 150 Turbo Professional							
extra-soft	150	-	C1c	1	1	219457	**2 608 601 114**
soft	150	-	C1c	1	1	219464	**2 608 601 115**
Hard	150	-	C1c	1	1	219471	**2 608 601 116**

Backing Pad Savers for Random Orbital Sanders

- **Backing Pad Savers for Random Orbital Sanders**



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pad Savers for random orbit sanders						
125	punched	P1b	2	1	968409	**2 608 000 689**





Adapters for Random Orbit Sanders

- **Suitable as** further cushioning layer for especially soft work
- Ideal for sanding or polishing contours and curved surfaces



PRODUCT PROPERTIES	ORDERING INFORMATION				
Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Adapter, punched				
C1d	1	1	220729	**2 608 601 127**

Sanding Plates for Orbital Sanders

	PRODUCT PROPERTIES			ORDERING INFORMATION				
	Width, sheet mm	Length, sheet mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Sanding plate with hook-and-loop-type fastening							
	GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
	110	100	-	PC1c	1	1	822978	**2 608 601 443**
	Sanding plate with hook-and-loop-type fastening							
	GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
	80	130	-	PC1c	1	1	822985	**2 608 601 444**
	Sanding plate delta with hook-and-loop-type fastening							
	GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
	100	150	-	PC1c	1	1	822992	**2 608 601 445**
	Swing plate for sanding plate 2 608 601 442 & 2 608 601 443							
	GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
	110	100	-	P0b	1	1	823005	**2 608 601 446**
	Orbital plate for sanding plate 2 608 601 444							
	GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
	80	130	-	PC1c	1	1	823012	**2 608 601 447**
	Swing plate for sanding plate 2 608 601 445							
	GSS 12V-13; GSS 18V-10; GSS 18V-13; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional							
	110	150	-	PC1c	1	1	823029	**2 608 601 448**

Dust Boxes for Orbital Sanders

	PRODUCT PROPERTIES	ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Dust box with filter (of black execution) GSS 18V-10 Professional	C0a	1	1	851770	**2 605 411 238**
	Dust box filter cover GSS 18V-10 Professional	C0a	1	1	851787	**2 605 411 239**

Sanding Plates for Delta Sanders

Sanding Plates for Bosch Delta Sanders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Sanding plate GDA 280E Professional; PDA 180; PDA 180 E; PDA 240 E	C1d	1	1	109505	**2 608 000 211**
 Sanding plate PDA 100; PDA 120 E	C1d	1	1	076401	**2 608 000 149**
 Sanding plate PSM 160 A; PSM 160 AE	C1c	1	1	332293	**2 608 601 181**

Sanding Fingers for Bosch Delta Sanders



- **Suitable for** sanding in tight gaps
- **Appropriate for** GDA 280 E Professional; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; PSM Ventaro 1400

 Hook-and-loop-type fastening replacement material for sanding finger	C1c	2	1	110907	**2 601 099 074**
 Sanding finger, flat	C1d	1	1	109482	**2 608 000 199**
 Sanding finger, oval	C1d	1	1	109475	**2 608 000 198**

Louvre sanding attachment for Bosch Delta Sanders



- **Suitable for** sanding louvre doors and shutters

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Louvre sanding attachment GDA 280E Professional; EasySander 18V-8; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; PSM 200 AES; UniversalSander 18V-10; Ventaro 1400	C1d	1	1	109499	**2 608 000 200**

Accessories for **Bosch Belt Sanders**

Sanding frames for belt sanders

	PRODUCT PROPERTIES	ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Sanding frame with brush and plastic insert Ideal for plane sanding without tilting, protecting the surface Easy and tool-free assembly GBS 75 A; GBS 75 AE Professional; PBS 75 A; PBS 75 AE	C1a	1	1	015691	**2 608 005 026**

Parallel and angle guide for belt sanders

	Parallel and angle guide GBS 75 AE Professional; PBS 7 A; PBS 7 AE; PBS 60	U0	1	1	015189	**2 607 001 079**

Auxiliary Handles for Compact Belt Sanders



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Handle appropriate for all Angle Grinders and Compact Belt Sanders with M10 thread. GUF 4-22 A; GWS 9-125 S; GWS 13-125 CI; GWS 13-125 CIE; GWS 15-125 CIEP; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 17-150 CI; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1400; GWX 9-115 S; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 17-150; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PSF 22 A; PWS 6-13	P0f	1	1	016377	**1 602 025 024**

Dust Extraction Devices for Jigsaws



Dust extraction set

GST 100 BCE; GST 135 BCE; GST 140 BCE; GST 150 BCE; GST 150 CE Professional

PRODUCT PROPERTIES	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	P1d	1	1	516280	**2 605 510 294**




Dust extraction set

GST 14,4 V-LI; GST 18.0 V-LI; GST 140 BCE; GST 140 CE Professional

PRODUCT PROPERTIES	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	P1d	1	1	605816	**2 605 510 301**

Parallel Guides with Circle Cutter for Jigsaws



Parallel guide with circle cutter

max width parallel 140 mm, max radius 150 mm

GST 14.4 V; GST 18.0 V; GST 24V; GST 75 BE; GST 90 BE; GST 90 E; GST 120 E; GST 135 BCE; GST 135 CE; GST 140 BCE; GST 140 CE; GST 150 BCE; GST 150 CE; GST 160 BCE; GST 160 CE Professional; EasySaw 18V-70; PST 650; PST 650 L; PST 680 E; PST 680 EL; PST 700 E; PST 700 PE; PST 800 PEL; PST 900 PEL; PST 1000 CE; PST 1000 PEL; UniversalSaw 18V-100

PRODUCT PROPERTIES	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	P1d	1	1	516273	**2 608 040 289**

Parallel Guides for Bosch Routers


- Complete with fine adjustment
- **Suitable for** all routing work parallel to the workpiece edge



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Parallel guide GMF 1400 CE; GOF 900 CE; GOF 1200 A; GOF 1250 CE; GOF 1250 LCE; GOF 1300 ACE; GOF 1300 CE; GOF 1600 A; GOF 1600 CE; GOF 2000 CE Professional						
	10	U0	1	1	247252	**2 607 001 387**

Extra-Long Guide Bars for Bosch Routers

- For routing work that standard guide bars are not long enough for



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Guide bar GOF 130; GOF 900 A; GOF 900 ACE Professional; POF 800 ACE; POF 1100 AE; POF 1200 AE; POF 1300 ACE; POF 1400 ACE						
8	800	C0d	2	1	062893	**2 609 200 144**
Guide bar **Appropriate for** all routers with guide rod diameter 10 mm, distance between holes 100 mm GMF 1400 CE; GOF 900 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 A; GOF 1600 CE; GOF 2000 CE Professional						
10	800	C0d	2	1	062909	**2 609 200 145**

Collets for Tool Versions as of 02/1985 for Bosch Routers

- Collets for holding the router bit



PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Diameter inches	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Collet without locking nut GGS 27; GGS 27 C Professional; POF 500 A; POF 600 ACE						
6	-	P1b	1	1	013505	**2 608 570 047**
-	1/4	P1b	1	1	006699	**2 608 570 048**

Template Guides with Quick Fastening Lock, Tool-Free for Bosch Routers

- Indispensable for work with templates (template guide runs along the template and transfers the shape onto the workpiece)
- Bayonet lock for rapid, tool-free changing
- **Note:** When making a template for use with a template guide, the distance between the guide and the router bit has to be taken into consideration. This distance is calculated using the following formula: (diameter (Ø) of template guide (K) – diameter (Ø) of router bit (F))/2



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Template guide with quick fastening lock, tool-free GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 130; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1250 CE; GOF 1250 LCE; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE; POF 1400 ACE					
13	P1b	1	1	062831	**2 609 200 138**
17	P1b	1	1	062848	**2 609 200 139**
24	P1b	1	1	062855	**2 609 200 140**
30	P1b	1	1	062879	**2 609 200 142**

Accessories for **Bosch Palm Router GKF 600 Professional**

Handles for Bosch Mini Angle Grinders and Compact Belt Sanders

- For convenient and safe guiding of the machine



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Handle appropriate for all Angle Grinders and Compact Belt Sanders with M10 thread. GUF 4-22 A; GWS 9-125 S; GWS 13-125 CI; GWS 13-125 CIE; GWS 15-125 CIEP; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 17-150 CI; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1400; GWX 9-115 S; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 17-150; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PSF 22 A; PWS 6-13					
	P0f	1	1	016377	**1 602 025 024**

ACCESSORIES FOR PLANERS



- Accessories for a wide variety of planing applications in interior fitting work or furniture manufacture

Parallel and Angle Guides for Bosch Planers



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Parallel and angle guide with 45° setting GHO 14,4 V; GHO 18.0 V; GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82 C Professional; PHO 1; PHO 15-82; PHO 16-82; PHO 20-82; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 100; PHO 1500; PHO 2000; PHO 3100	U0	1	1	015165	**2 607 001 077**

ACCESSORIES FOR BOSCH NIBBLERS



- Punches and dies for curved or straight cuts with Bosch nibblers
- For easy working, even when performing narrow curved cuts or complicated cutouts in different types of sheet metal

Punches




PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Punch for straight cut GNA 16 (SDS) Professional					
	P0b	1	1	088640	**2 608 639 027**

Dies



PRODUCT PROPERTIES	ORDERING INFORMATION				
System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Die **suitable for** corrugated and most trapezoidal sheet metals up to 1.2 mm GNA 16 (SDS) Professional					
GNA 16	P0b	1	1	088657	**2 608 639 028**

Blades for Bosch Slot Shear GSZ 160 Professional



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Cutter set consisting of 2 cutters and 4 screws	P0b	1	1	229937	**2 608 635 410**

ACCESSORIES FOR BOSCH SHEET METAL AND UNIVERSAL SHEARS



- Shear blades for Bosch shears, for easy cutting of a wide variety of materials
- Re-sharpenable reversible blades for cost-effective use


Shear blade sets





PRODUCT PROPERTIES	ORDERING INFORMATION				
System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
5-piece blade set **suitable for** sheet metals GSC 2,8 Professional					
GSC 2.8	PC1a	5	1	029803	**2 607 010 025**
6-piece blade set **suitable for** sheet metals GSC; GSC 1,6 Professional; Typ 1500					
GSC 1.6, type 1500, cordless GSC 9.6 V	C1d	1	1	031783	**3 607 010 028**

Upper blades for Bosch sheet metal and universal shears




PRODUCT PROPERTIES	ORDERING INFORMATION					
	System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Upper blade and lower blade						
GSC 12V-13; GSC 16; GSC 160 Professional						
GSC 16 (metalworking) + GSC 160		C0a	1	1	088664	**2 608 635 243**



Upper blade						
Only for fabrics, plastics, wallpaper, cardboard, leather, floor coverings						
GUS; GUS 12V-300 Professional						
GUS 9.6 V		P0b	1	1	031516	**2 608 635 126**

Fine wire staples, type 53

- **Suitable for** e.g. textiles, cardboard, flat wooden slats, woven wire
- **Appropriate for** tackers from AEG, Arrow, Black+Decker, Bosch, Esco, kwb, Maestri, Mekano, Metabo, Neckermann/Bullcraft, Novus, Outifrance, Piranha, Rocagraf, Stanley, Skil Wolfcraft



PRODUCT PROPERTIES			ORDERING INFORMATION				
Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
11.4	0.74	6	C1a	1,000	1	012126	**1 609 200 326**
11.4	0.74	8	C1a	1,000	1	004756	**1 609 200 365**
11.4	0.74	10	C1a	1,000	1	004763	**1 609 200 366**
			C1a	5,000	1	084116	**2 609 200 211**
11.4	0.74	12	C1a	1,000	1	004770	**1 609 200 367**
11.4	0.74	14	C1a	1,000	1	004787	**1 609 200 368**

Accessories for Bosch Heat Guns

Nozzles for Bosch Heat Guns

▶ **Appropriate for** GHG 500-2; GHG 600-3; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 500-2; PHG 600-3; PHG 630 DCE

PRODUCT PROPERTIES		ORDERING INFORMATION				
Width [mm]	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Surface nozzle with surface distribution of the hot air for drying, removing paint, thawing						
75	33.5	C1d	1	1	006095	**1 609 390 451**
50	33.5	C1d	1	1	013109	**1 609 201 795**
Angle nozzle for the Bosch barrel-grip heat gun for easy removal of heat-sensitive material						
80	33.5	C1d	1	1	015141	**1 609 201 751**

Nozzles for Bosch Heat Guns with Electronic

▶ **Appropriate for** GHG 600-3; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 600-3; PHG 630 DCE

PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Basic attachment for all auxiliary nozzles with 9 mm diameter Reducing nozzle GHG 18V-50; GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE					
9	C1d	1	1	013123	**1 609 201 797**
Welding shoe with side channel for feeding plastic welding wire up to 5 mm in diameter. In conjunction with reducing nozzle 9 mm diameter GHG 18V-50; GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE					
10	C1d	1	1	013130	**1 609 201 798**

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for wall chasers, slot cutters and angle grinders 670 – 1.400 W.







	Dust extraction guard ⌀ 100, 115, 125 mm	Hose ⌀ 19 × 3,000 mm	Hose ⌀ 19 × 5,000 mm
Page number	458	516	516
Part Number	1 619 P06 514	2 600 793 009	1 610 793 002
WALL CHASERS AND SLOT CUTTERS			
GNF 20 CA	–	✓	✓
GNF 35 CA	–	✓	✓
GNF 65 A	–	✓	✓
GSF 100 A	–	✓	✓
ANGLE GRINDER 670 – 1,400 W			
GWS 5-100 .. GWS 5-115 ..	✓	✓	✓
GWS 6-100 .. GWS 6-115 .. GWS 6-125 ..	✓	✓	✓
GWS 7-115 GWS 7-125	–	✓	✓
GWS 8-115 GWS 8-115 Z GWS 8-125	–	✓	✓
GWS 9-125	–	✓	✓
GWS 10-125 GWS 10-125 Z	–	✓	✓
GWS 10-125 C GWS 10-125 CE	–	✓	✓
GWS 11-125 CI/CIE/ CIH	–	✓	✓
GWS 14-125 C GWS 14-125 CE	–	✓	✓
GWS 14-125 CI/CIE/ CIT	–	✓	✓
GWS 14-150 C	–	✓	✓
GWS 14-150 CI	–	✓	✓
GWS 15-150 CIH	–	✓	✓
GWS 15-125 CIH / CIEH / CITH	–	✓	✓
GWS 850 ...	✓	✓	✓
GWS 1000	–	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for angle grinders 2.000 – 2.500 W, special cut-off grinders and concrete grinders.





	Hose ⌀ 19 × 3,000 mm	Hose ⌀ 19 × 5,000 mm
Page number	**516**	**516**
Part Number	**2 600 793 009**	**1 610 793 002**
ANGLE GRINDER WITH 2,000 – 2,500 W		
GWS 25-230 / J	✓	✓
GWS 26-180 B	✓	✓
GWS 26-180 BV / JBV	✓	✓
GWS 26-180 H/ JH	✓	✓
GWS 26-180 JBV	✓	✓
GWS 26-230	✓	✓
GWS 26-230 B / BV / JBV	✓	✓
GWS 26-230 BV	✓	✓
GWS 26-230 JBV	✓	✓
GWS 26-230 JH	✓	✓
GWS 180 / J	✓	✓
GWS 230	✓	✓
SPECIAL CUT-OFF GRINDERS		
GWS 24-300 GWS 24-300 J	✓	✓
CONCRETE GRINDERS		
GBR 14 CA	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for angle grinders 2.000 – 2.500 W, special cut-off grinders and concrete grinders.





	Hose ∅ 19 × 3,000 mm	Hose ∅ 19 × 5,000 mm
Page number	516	516
Part Number	2 600 793 009	1 610 793 002

ANGLE GRINDER WITH 2,000 – 2,500 W

GWS 20-180 / H / JH	✓	✓
GWS 20-180 / J	✓	✓
GWS 20-230 / J	✓	✓
GWS 20-230 H / J / JH	✓	✓
GWS 21-180 HV / JHV	✓	✓
GWS 21-230 HV / JHV	✓	✓
GWS 22-180 H / JH	✓	✓
GWS 22-180 LVI	✓	✓
GWS 22-230 H / JH	✓	✓
GWS 22-230 LVI	✓	✓
GWS 23-180 / J	✓	✓
GWS 23-230 / J	✓	✓
GWS 24-180 BX / JBX	✓	✓
GWS 24-180 H / BV / JBV	✓	✓
GWS 24-180 H / JH	✓	✓
GWS 24-180 LVI	✓	✓
GWS 24-230 BX / JBX	✓	✓
GWS 24-230 H / BV / JBV	✓	✓
GWS 24-230 H / JH	✓	✓
GWS 24-230 JBX	✓	✓
GWS 24-230 LVI	✓	✓
GWS 25-180 / J	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for jigsaws and all-purpose saws.





	Hose ∅ 19 × 5,000 mm	Hose ∅ 35 × 5,000 mm
Page number	**100007602**	**100007604**
Part Number	**2 607 002 162**	**2 607 002 164**
JIGSAWS		
GST 90 E	✓	✓
GST 100 GST 100 B GST 100 BCE GST 100 CE	✓	✓
GST 120 BE GST 120 E	✓	✓
GST 135 BCE GST 135 CE	✓	✓
GST 150 BCE GST 150 CE	✓	✓
GST 14,4 V	✓	✓
GST 18 V	✓	✓
GST 24 V	✓	✓
GST 75 BE	✓	✓
ALL-PURPOSE SAW		
GFZ 14-35 A	✓	✓
GFZ 16-35 AC	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for hand-held circular saws and planers.





	Hose ∅ 19 × 5,000 mm	Hose ∅ 35 × 5,000 mm
Page number	**100007602**	**100007604**
Part Number	**2 607 002 162**	**2 607 002 164**
HAND-HELD CIRCULAR SAWS		
GKS 54 GKS 54 CE	✓	✓
GKS 55 GKS 55 CE GKS 55 GCE	✓	✓
GKS 65 GKS 65 CE GKS 65 G GKS 65 GCE	✓	✓
GKS 66 CE	✓	✓
GKS 85 S GKS 85 G	✓	✓
GKS 160	✓	✓
GKS 190	✓	✓
GKS 18 V-LI	✓	✓
GKS 24 V	✓	✓
GKS 36 V-LI	✓	✓
PLANERS		
GHO 15-82	✓	✓
GHO 26-82	✓	✓
GHO 31-82	✓	✓
GHO 36-82 C	✓	✓
GHO 40-82 C	✓	✓
GHO 14.4 V	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for routers and jointer.



	Adapter
Page number	**520**
Part Number	**2 608 000 489**
ROUTERS	
GKF 600	✓
GOF 900 ACE	✓
GOF 1300 ACE	✓
GOF 2000 CE	✓
GOF 1600 CE	✓
GMF 1600 CE	✓
UNIVERSAL ROUTER	
GUF 4-22 A	–
BISCUIT JOINTER	
GFF 22 A	–

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for sanders and benchtop tools.



	Adapter
Page number	**520**
Part Number	**2 600 306 007**
BELT SANDERS	
GBS 75 AE Set	–
GBS 100 AE	–
ORBITAL SANDERS	
GSS 16 A	✓
GSS 23 AE GSS 23 A	✓
GSS 140 A	–
GSS 230 AE	–
GSS 280 A GSS 280 AE	–
DELTA SANDERS	
GDA 280 E	–
RANDOM ORBIT SANDERS	
GEX 125 A GEX 125 AC	✓
GEX 125-1 AE	–
GEX 150 AC	✓
GEX 150 Turbo	–
BENCHTOP TOOLS	
GCM 8 S	–
GCM 10 GCM 10 J GCM 10 S GCM 10 SD	–
GCM 12 GCM 12 SD	–
GTS 10	–
GKG 24 V	–

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for jigsaws and delta sanders.





	Hose ∅ 19 × 3,000 mm	Hose ∅ 19 × 5,000 mm
Page number	**516**	**516**
Part Number	**2 600 793 009**	**1 610 793 002**
JIGSAWS		
PST 650 **PST 650 E** **PST 650 PE**	✓	✓
PST 680 E	✓	✓
PST 700 E **PST 700 PE** **PST 700 PEL**	✓	✓
PST 750 PE	✓	✓
PST 800 PEL	✓	✓
PST 850 PE	✓	✓
PST 900 PEL	✓	✓
PST 1000 PEL	✓	✓
DELTA SANDERS		
PDA 180 **PDA 180 E**	✓	✓
PDA 240 E	✓	✓

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for random orbit, orbital sanders and planers.







	Adapter	Hose ⌀ 19 × 3,000 mm	Hose ⌀ 19 × 5,000 mm
Page number	**520**	**516**	**516**
Part Number	**2 600 306 007**	**2 600 793 009**	**1 610 793 002**
RANDOM ORBIT SANDERS			
PEX 150 A	✓	✓	✓
PEX 220 A	✓	✓	✓
PEX 270 AE	✓	✓	✓
PEX 400 AE	✓	✓	✓
PEX 420 AE	✓	✓	✓
ORBITAL SANDERS			
PSM 80 A	✓	✓	✓
PSM 160 A	✓	✓	✓
PSS 190 AE	✓	✓	✓
PSS 200 A/AC	✓	✓	✓
PSS 250 AE	✓	✓	✓
PSS 280 A	✓	✓	✓
PSS 300 AE	✓	✓	✓
PLANERS			
PHO 16-82	✓	–	–
PHO 20-82	✓	–	–
PHO 25-82	✓	–	–
PHO 30-82	✓	–	–
PHO 35-82 C	✓	–	–
PHO 3100	✓	–	–

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for belt sanders, compact belt sanders and wall chaser.






	Adapter	Hose ∅ 19 × 3,000 mm	Hose ∅ 19 × 5,000 mm	Hose ∅ 35 × 3,000 mm
Page number	520	516	516	516
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 837
BELT SANDERS				
PBS 60 PBS 60 E	–	✓	✓	–
PBS 60 PBS 60 E	–	–	–	✓
PBS 60 PBS 60 E	–	–	–	–
PBS 75 A PBS 75 AE	–	✓	✓	–
PBS 75 A PBS 75 AE	–	–	–	✓
PBS 75 A PBS 75 AE	–	–	–	–
PBS 7 AE	✓	✓	✓	–
COMPACT BELT SANDERS				
PVS 300 AE	–	✓	✓	–
PVS 300 AE	–	–	–	✓
WALL CHASER				
PSF 22 A	–	✓	✓	–
PSF 22 A	–	–	–	✓

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for hand-held circular saws.



	Hose ⌀ 35 × 3,000 mm
Page number	516
Part Number	2 607 000 837

HAND-HELD CIRCULAR SAWS

PKS 40	✓
PKS 40	–
PKS 46	✓
PKS 46	–
PKS 54 PKS 54 CE	✓
PKS 54 PKS 54 CE	–
PKS 55 PKS 55 A	✓
PKS 55 PKS 55 A	–
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	✓
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	–

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for routers.



	Hose ⌀ 35 × 3,000 mm
Page number	**516**
Part Number	**2 607 000 837**

ROUTERS

POF 400 A	✓
POF 400 A	–
POF 500 A	✓
POF 500 A	–
POF 600 ACE	✓
POF 600 ACE	–
POF 800 ACE	✓
POF 800 ACE	–
POF 1100 AE	✓
POF 1100 AE	–
POF 1200 AE	✓
POF 1200 AE	–
POF 1300 ACE	✓
POF 1300 ACE	–
POF 1400 AE	✓
POF 1400 AE	–

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for angle grinders.



	Hose ∅ 35 × 3,000 mm
Page number	**516**
Part Number	**2 607 000 837**

ANGLE GRINDERS

PWS 7-100 (0 603 402 0..)	–
PWS 7-115 (0 603 402 0..)	–
PWS 7-125 (0 603 403 0..)	–
PWS 7-125 (3 603 C99 8..)	–
PWS 9-125 CE (0 603 405 7..)	–
PWS 9-125 CE (3 603 C99 A..)	–
PWS 10-125 CE (0 603 347 ...)	–
PWS 10-125 CE (3 603 C47 0..)	✓
PWS 13-125 CE (0 603 348 ...)	✓
PWS 13-125 CE (3 603 C48 0..)	✓
PWS 20-230 J	✓
PWS 21-230	✓
PWS 700 (0 603 402 0..)	–
PWS 700-115 (0 603 A64 2..)	–
PWS 720 (0 603 403 0..)	–
PWS 720-115 (0 603 A64 0..)	–
PWS 720-125 (0 603 A64 0..)	–
PWS 750-115 (0 603 A84 1..)	–
PWS 750-125 (0 603 A84 1..)	–
PWS 850 CE (0 603 404 7..)	–
PWS 1900	✓

ACCESSORIES FOR PAS 11-25 F / PAS 11-27 / PAS 11-25 F, (PAS 12-50 / PAS 12-50 F)

External dust extraction for jigsaws and delta sanders.





	Hose ∅ 19 × 3,000 mm	Hose ∅ 19 × 5,000 mm
Page number	**516**	**516**
Part Number	**2 600 793 009**	**1 610 793 002**
JIGSAWS		
PST 650 **PST 650 E** **PST 650 PE**	✓	✓
PST 680 E	✓	✓
PST 700 E **PST 700 PE** **PST 700 PEL**	✓	✓
PST 750 PE	✓	✓
PST 800 PEL	✓	✓
PST 850 PE	✓	✓
PST 900 PEL	✓	✓
PST 1000 PEL	✓	✓
DELTA SANDERS		
PDA 180 **PDA 180 E**	✓	✓
PDA 240 E	✓	✓

ACCESSORIES FOR PAS 11-25 F / PAS 11-27 / PAS 11-25 F, (PAS 12-50 / PAS 12-50 F)

External dust extraction for random orbit, orbital sanders and planers.






	Adapter	Hose ⌀ 19 × 3,000 mm	Hose ⌀ 19 × 5,000 mm	Hose ⌀ 35 × 3,000 mm
Page number	520	516	516	516
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 837
RANDOM ORBIT SANDERS				
PEX 150 A	✓	✓	✓	–
PEX 220 A	✓	✓	✓	–
PEX 270 AE	✓	✓	✓	–
PEX 400 AE	✓	✓	✓	–
PEX 420 AE	✓	✓	✓	–
ORBITAL SANDERS				
PSM 80 A	–	✓	✓	–
PSM 160 A	✓	✓	✓	–
PSS 190 AE	–	✓	✓	–
PSS 200 A/AC	–	✓	✓	–
PSS 250 AE	–	✓	✓	–
PSS 280 A	–	✓	✓	–
PSS 300 AE	–	✓	✓	–
PLANERS				
PHO 16-82	–	–	–	✓
PHO 20-82	–	–	–	✓
PHO 25-82	–	–	–	✓
PHO 30-82	–	–	–	✓
PHO 35-82 C	–	–	–	✓
PHO 3100	–	–	–	✓

ACCESSORIES FOR PAS 11-25 F / PAS 11-27 / PAS 11-25 F, (PAS 12-50 / PAS 12-50 F)

External dust extraction for belt sanders, compact belt sanders and wall chaser.






	Adapter	Hose ∅ 19 × 3,000 mm	Hose ∅ 19 × 5,000 mm	Hose ∅ 35 × 3,000 mm
Page number	520	516	516	516
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 837
BELT SANDERS				
PBS 60 PBS 60 E	–	✓	✓	–
PBS 60 PBS 60 E	–	–	–	✓
PBS 75 A PBS 75 AE	–	✓	✓	–
PBS 75 A PBS 75 AE	–	–	–	✓
PBS 7 AE	✓	✓	✓	–
COMPACT BELT SANDERS				
PVS 300 AE	–	✓	✓	–
PVS 300 AE	–	–	–	✓
WALL CHASER				
PSF 22 A	–	✓	✓	–
PSF 22 A	–	–	–	✓

ACCESSORIES FOR PAS 11-25 F / PAS 11-27 / PAS 11-25 F, (PAS 12-50 / PAS 12-50 F)

External dust extraction for hand-held circular saws and routers.



	Hose ⌀ 35 × 3,000 mm
Page number	516
Part Number	2 607 000 837

HAND-HELD CIRCULAR SAWS

PKS 40	✓
PKS 46	✓
PKS 54 PKS 54 CE	✓
PKS 55 PKS 55 A	✓
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	✓

ROUTERS

POF 400 A	✓
POF 500 A	✓
POF 600 ACE	✓
POF 800 ACE	✓
POF 1100 AE	✓
POF 1200 AE	✓
POF 1300 ACE	✓
POF 1400 AE	✓

ACCESSORIES FOR PAS 11-25 F / PAS 11-27 / PAS 11-25 F, (PAS 12-50 / PAS 12-50 F)

External dust extraction for angle grinders.



	Hose ∅ 35 × 3,000 mm
Page number	**516**
Part Number	**2 607 000 837**

ANGLE GRINDERS

PWS 7-100 (0 603 402 0..)	✓
PWS 7-115 (0 603 402 0..)	✓
PWS 7-125 (0 603 403 0..)	✓
PWS 7-125 (3 603 C99 8..)	✓
PWS 9-125 CE (0 603 405 7..)	✓
PWS 9-125 CE (3 603 C99 A..)	✓
PWS 10-125 CE (0 603 347 ...)	✓
PWS 10-125 CE (3 603 C47 0..)	✓
PWS 13-125 CE (0 603 348 ...)	✓
PWS 13-125 CE (3 603 C48 0..)	✓
PWS 20-230 J	✓
PWS 21-230	✓
PWS 700 (0 603 402 0..)	✓
PWS 700-115 (0 603 A64 2..)	✓
PWS 720 (0 603 403 0..)	✓
PWS 720-115 (0 603 A64 0..)	✓
PWS 720-125 (0 603 A64 0..)	✓
PWS 750-115 (0 603 A84 1..)	✓
PWS 750-125 (0 603 A84 1..)	✓
PWS 850 CE (0 603 404 7..)	✓
PWS 1900	✓

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for jigsaws and delta sanders.





	Hose ∅ 19 × 3,000 mm	Hose ∅ 19 × 5,000 mm
Page number	**516**	**516**
Part Number	**2 600 793 009**	**1 610 793 002**
JIGSAWS		
PST 650 **PST 650 E** **PST 650 PE**	✓	✓
PST 680 E	✓	✓
PST 700 E **PST 700 PE** **PST 700 PEL**	✓	✓
PST 750 PE	✓	✓
PST 800 PEL	✓	✓
PST 850 PE	✓	✓
PST 900 PEL	✓	✓
PST 1000 PEL	✓	✓
DELTA SANDERS		
PDA 180 **PDA 180 E**	✓	✓
PDA 240 E	✓	✓

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for random orbit, orbital sanders and planers.






	Adapter	Hose ⌀ 19 × 3,000 mm	Hose ⌀ 19 × 5,000 mm	Hose ⌀ 35 × 3,000 mm
Page number	520	516	516	516
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 837
RANDOM ORBIT SANDERS				
PEX 150 A	✓	✓	✓	–
PEX 220 A	✓	✓	✓	–
PEX 270 AE	✓	✓	✓	–
PEX 400 AE	✓	✓	✓	–
PEX 420 AE	✓	✓	✓	–
ORBITAL SANDERS				
PSM 80 A	–	✓	✓	–
PSM 160 A	✓	✓	✓	–
PSS 190 AE	–	✓	✓	–
PSS 200 A/AC	–	✓	✓	–
PSS 250 AE	–	✓	✓	–
PSS 280 A	–	✓	✓	–
PSS 300 AE	–	✓	✓	–
PLANERS				
PHO 16-82	–	–	–	✓
PHO 20-82	–	–	–	✓
PHO 25-82	–	–	–	✓
PHO 30-82	–	–	–	✓
PHO 35-82 C	–	–	–	✓
PHO 3100	–	–	–	✓

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for belt sanders, compact belt sanders and wall chaser.



Hose ∅ 19 × 3,000 mm



Hose ∅ 19 × 5,000 mm



Hose ∅ 35 × 3,000 mm



Adapter

Page number	516	516	516	520
Part Number	2 600 793 009	1 610 793 002	2 607 000 837	2 600 306 007
BELT SANDERS				
PBS 60 PBS 60 E	✓	✓	–	–
PBS 60 PBS 60 E	–	–	✓	–
PBS 75 A PBS 75 AE	✓	✓	–	–
PBS 75 A PBS 75 AE	–	–	✓	–
PBS 7 AE	✓	✓	–	✓
COMPACT BELT SANDERS				
PVS 300 AE	✓	✓	–	–
WALL CHASER				
PSF 22 A	–	–	✓	–

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for hand-held circular saws and routers.



	Hose ⌀ 35 × 3,000 mm
Page number	516
Part Number	2 607 000 837

HAND-HELD CIRCULAR SAWS

PKS 40	✓
PKS 46	✓
PKS 54 PKS 54 CE	✓
PKS 55 PKS 55 A	✓
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	✓

ROUTERS

POF 400 A	✓
POF 500 A	✓
POF 600 ACE	✓
POF 800 ACE	✓
POF 1100 AE	✓
POF 1200 AE	✓
POF 1300 ACE	✓
POF 1400 AE	✓

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for angle grinders.



	Hose ∅ 35 × 3,000 mm
Page number	**516**
Part Number	**2 607 000 837**

ANGLE GRINDERS

PWS 7-100 (0 603 402 0..)	✓
PWS 7-115 (0 603 402 0..)	✓
PWS 7-125 (0 603 403 0..)	✓
PWS 7-125 (3 603 C99 8..)	✓
PWS 9-125 CE (0 603 405 7..)	✓
PWS 9-125 CE (3 603 C99 A..)	✓
PWS 10-125 CE (0 603 347 ...)	✓
PWS 10-125 CE (3 603 C47 0..)	✓
PWS 13-125 CE (0 603 348 ...)	✓
PWS 13-125 CE (3 603 C48 0..)	✓
PWS 20-230 J	✓
PWS 21-230	✓
PWS 700 (0 603 402 0..)	✓
PWS 700-115 (0 603 A64 2..)	✓
PWS 720 (0 603 403 0..)	✓
PWS 720-115 (0 603 A64 0..)	✓
PWS 720-125 (0 603 A64 0..)	✓
PWS 750-115 (0 603 A84 1..)	✓
PWS 750-125 (0 603 A84 1..)	✓
PWS 850 CE (0 603 404 7..)	✓
PWS 1900	✓

Accessories for External Dust Extraction using Bosch Dust Extractors

Nozzles for Bosch dust extractors

PRODUCT PROPERTIES		ORDERING INFORMATION				
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Rubber nozzle GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	**35**	C1d	1	1	005319	**1 609 201 229**
 Floor nozzle GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	**35**	C1d	1	1	005326	**1 609 201 230**
 Multi-purpose nozzle for wet and dry applications with 2 inserts: rubber lip for water, brush for smooth surfaces GAS12-25/12-25PS; GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 15 PS; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	**35**	P1d	1	1	015936	**1 609 390 478**
 Small round brush GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	**35**	C1d	1	1	015967	**1 609 390 481**
 Crevice nozzle GAS12-25/12-25PS; GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 15 PS; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	**35**	C1d	1	1	056656	**2 607 000 165**
 Small floor nozzle GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F	**35**	C1d	1	1	056335	**2 607 000 166**

Nozzles for Bosch dust extractors



Coarse dirt nozzle

GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F

PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
35	C1d	1	1	056359	**2 607 000 170**

Hoses for Bosch dust extractors



Regular Hoses for Dust Extractors

GAS 11-21; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F



Regular Hoses for Dust Extractors

GAS 11-21; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F



Regular Hoses for Dust Extractors

GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 1000 RF Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F



Regular Hoses for Dust Extractors with Bayonet Lock

GAS 25 L SFC; GAS 50; GAS 50 M Professional



Hose with bayonet lock including power tool adapter

GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GOF 130 Professional



Antistatic hose, with bayonet lock including power tool adapter

GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GOF 130 Professional

PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inches	Length [m]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
19	1 6/16 1 5/16	3	C0a	1	1	015462	**2 600 793 009**
19	-	5	C0a	1	1	006149	**1 610 793 002**
35	-	3	U0	1	1	097277	**2 607 000 837**
35	-	5	C0a	1	1	292788	**2 609 390 393**
22	-	5	P0b	1	1	713658	**2 608 000 567**
22	-	5	P0b	1	1	713665	**2 608 000 568**

Hoses for Bosch dust extractors



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Diameter inches	Length [m]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Hose with bayonet lock including power tool adapter GAS12-25/12-25PS; GAS 15 PS; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GNF 20 CA; GNF 35 CA; GNF 65 A; GOF 130 Professional							
35	-	5	P0b	1	1	713634	**2 608 000 565**



Hose with bayonet lock including power tool adapter GAS12-25/12-25PS; GAS 15 PS; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GNF 20 CA; GNF 35 CA; GNF 65 A; GOF 130 Professional							
35	-	5	P0b	1	1	713641	**2 608 000 566**

Pipes for Bosch dust extractors




PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Length [m]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Pipe, chrome-plated GAS12-25/12-25PS; GAS 15 PS; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC Professional						
35	0.35	P0b	3	1	713733	**2 608 000 575**

Elbow for Bosch dust extractors



PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Elbow, antistatic GAS12-25/12-25PS; GAS 15 PS; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional					
35	P0b	1	1	713719	**2 608 000 573**

Hose sleeves for hoses



Power tool adapter GAS12-25/12-25PS; GAS 15 PS; GAS 18V-10 L; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GEX 125-1 AE; GSS 12V-13; GSS 18V-13 Professional						
22 **35**	P0b	1	1	726887	**2 608 000 585**	

Bellows filters, square

PRODUCT PROPERTIES			ORDERING INFORMATION				
	Size cm²	Dimensions (length x width x height) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Cellulose flat-pleated filter GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional	**6,150**	240 x 140 x 56	C1a	1	1	713566	**2 607 432 033**
Polyester (PES) flat-pleated filter GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional	**6,150**	240 x 140 x 56	C1a	1	1	713573	**2 607 432 034**
Polytetrafluoroethylene (PTFE) flat-pleated filter GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional	**6,150**	240 x 140 x 56	C1a	1	1	718233	**2 607 432 041**

Fleece filter bag

PRODUCT PROPERTIES		ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140…	Part number
Fleece filter bag GAS 50; GAS 50 M Professional		P0b	5	1	257633	**2 605 411 163**
Fleece filter bag GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC Professional		P1b	5	1	713603	**2 607 432 037**
Wet filter bag GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional		P1b	5	1	713627	**2 607 432 039**
Fleece filter bag GAS 55 M AFC Professional		P1b	5	1	713610	**2 607 432 038**

Paper filter bag

	PRODUCT PROPERTIES	ORDERING INFORMATION				
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
	Paper filter bag PAS 900	C1a	5	1	005777	**1 609 201 628**
	Paper filter bag GAS 55 M AFC Professional	P1b	5	1	713597	**2 607 432 036**
	Paper filter bags PAS 11-21; PAS 12-27; PAS 12-27 F	P0b	5	1	210454	**2 605 411 150**
	Dust bag Ventaro; Ventaro 140; Ventaro 1400	C0a	3	1	437141	**2 605 411 225**
	Paper filter bag GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC Professional	P1b	5	1	713580	**2 607 432 035**

Disposal bag

	Disposal bag GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional	P1b	10	1	744850	**2 607 432 043**

Adapter

▶ For connecting power tools to hose

PRODUCT PROPERTIES	ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number
 Adapter for random orbit, orbital and multi-sanders GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GEX 125; GEX 125 AC; GEX 150 AC; GSS 140; GSS 140 A; GSS 230; GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional; PBS 75 A; PBS 75 AE; PEX 11; PEX 12; PEX 15 AE; PEX 270 A; PEX 270 AE; PEX 400 A; PEX 420 AE; PSM 160 A; PSS 180; PSS 240 AE					
-	P1e	1	1	063050	**2 600 306 007**
 Dust extraction adapter, plunge unit for GMF 1600 CE; GOF 1600 CE Professional					
-	P0b	1	1	617147	**2 608 000 489**
 GAS 18V-10 L (0 601 9C6 3..); GHO 12V-20 (0 601 5A7 0..) Professional					
35	P1d	1	1	935418	**2 608 000 674**
 Vacuum Adapter GKS 18V-57; GKS 18V-57 G; GKS 55 GCE; GKS 165; GKS 600; GKS 7000 Professional					
-	P1c	1	1	211668	**2 608 000 563**

Dust extraction for jigsaws

PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 Dust extraction set GST 100 BCE; GST 135 BCE; GST 140 BCE; GST 150 BCE; GST 150 CE Professional					
	P1d	1	1	516280	**2 605 510 294**

Dust extraction for jigsaws



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Dust extraction set GST 14,4 V-LI; GST 18.0 V-LI; GST 140 BCE; GST 140 CE Professional	P1d	1	1	605816	**2 605 510 301**

Accessories for Internal Dust Extraction when using Bosch Power Tools

Adapters for benchtop circular saws



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Dust extraction adapter GCM 10 S Professional					
	P0b	1	1	316316	**2 600 499 071**

Cloth dust bags with adapter



GHO 12V-20 (0 601 5A7 0..) Professional					
	P1d	1	1	935425	**2 608 000 675**

Cloth dust bag with adapter, type 2 (oval)



Dust bag for planers GHO 10-82; GHO 14,4 V; GHO 14,4 V-LI; GHO 15-82; GHO 18.0 V; GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82; GHO 40-82 C Professional; PCM 10; PHO 20-82; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 1500; PHO 2000; PHO 3100					
	P1d	1	1	056366	**2 605 411 035**

Dust bags (one-way system)



Dust bag for belt, random orbit, orbital sanders, universal router Also suitable for PEX 11 A/11 AE/115 A-1, GEX 125 A GEX 34-125; GEX 34-150; GEX 125 AC; GSS 16; GSS 23 AE; GUF 4-22 A Professional; PBS 60; PBS 75 A; PEX 115; PEX 115 A; PEX 115 AE; PSF 22 A					
	P1d	3	1	077477	**2 605 411 067**

Dust boxes and adapters



PRODUCT PROPERTIES	ORDERING INFORMATION				
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Dust box HW3 complete PEX 125 (old, round connection) PBS 60; PBS 75 (round connection) GBS 75 A; GEX 34-125; GEX 34-150; GEX 125; GEX 125 AC; GEX 150 AC; GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional; PBS 7 A; PBS 7 AE; PBS 60; PBS 75 A; PBS 75 AE; PEX 11; PEX 12; PEX 15; PEX 125; PEX 400 A; PEX 400 AE	C1a	1	1	198615	**2 605 411 147**

Carrying Cases for Bosch Power Tools

Carrying cases for rotary and demolition hammers, screwdrivers



PRODUCT PROPERTIES					ORDERING INFORMATION				
Material	Width mm	Height mm	Depth mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
Plastic case									
GSH 16-28; GSH 16-30 Professional									
K	355	895	228		M0a	1	1	438186	**2 605 438 628**

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ
1 602 025 024	457, 480, 484	1
1 603 340 015	455	1
1 603 340 031	455, 465, 467	1
1 603 340 040	455, 467	1
1 603 345 004	453	1
1 605 703 099	455, 467	5
1 607 950 041	450	5
1 607 950 042	450	5
1 607 950 043	466	1
1 607 950 044	450	5
1 607 950 045	450	5
1 607 950 048	466, 469	1
1 607 950 053	450	5
1 607 950 525	469	1
1 608 571 048	450	1
1 608 571 053	450	1
1 608 571 058	450	1
1 608 571 062	450	1
1 608 601 033	453	1
1 608 612 002	444	1
1 608 613 013	443	1
1 608 614 001	186	1
1 608 614 002	186	1
1 608 614 011	186	1
1 608 614 020	189	1
1 608 622 029	186	1
1 609 200 240	441	1
1 609 200 243	328	1
1 609 200 269	190	1
1 609 200 326	490	1
1 609 200 365	490	1
1 609 200 366	490	1
1 609 200 367	490	1
1 609 200 368	490	1
1 609 201 229	515	1
1 609 201 230	515	1
1 609 201 628	519	1
1 609 201 751	491	1
1 609 201 795	491	1
1 609 201 797	491	1
1 609 201 798	491	1
1 609 390 451	491	1
1 609 390 478	515	1
1 609 390 481	515	1
1 610 793 002	516	1
1 612 025 020	451	1
1 617 000 132	447	5
1 618 596 166	64	5
1 618 596 167	64	5
1 618 596 168	64	5
1 618 596 169	64	5
1 618 596 170	64	5
1 618 596 171	64	5
1 618 596 172	64	5
1 618 596 173	64	5
1 618 596 174	64	5
1 618 596 176	64	5
1 618 596 177	64	5
1 618 596 178	64	5
1 618 596 179	65	5
1 618 596 181	64	5
1 618 596 183	64	5
1 618 596 184	64	5
1 618 596 185	64	5
1 618 596 186	64	5
1 618 596 187	64	5
1 618 596 188	64	5
1 618 596 204	65	1
1 618 596 207	65	1
1 618 596 224	64	1
1 618 596 225	64	1
1 618 596 226	65	1
1 618 596 231	64	5
1 618 596 232	65	1
1 618 596 236	65	1
1 618 596 237	65	1
1 618 596 238	65	1
1 618 596 239	65	1
1 618 596 240	65	1
1 618 596 241	65	1
1 618 596 257	64	1
1 618 596 259	65	1
1 618 596 260	65	1
1 618 596 262	65	1
1 618 596 263	65	1
1 618 596 264	64	5
1 618 596 265	64	5
1 618 596 267	64	1
1 618 596 268	64	5
1 618 596 269	64	1
1 618 596 270	64	5
1 618 596 271	64	5
1 618 596 315	64	5
1 618 596 316	64	5
1 618 596 318	64	5
1 618 596 319	65	1
1 618 598 159	447	1
1 618 600 012	114	1
1 618 600 015	114	1
1 618 600 019	116	1
1 618 600 203	114	1
1 618 600 204	114	1
1 618 600 206	116	1
1 618 601 007	115	1
1 618 601 008	115	1
1 618 601 017	115	1
1 618 601 019	115	1
1 619 P06 514	458	1
1 619 P06 549	462	1
1 619 P06 550	462	1
1 619 P06 551	463	1
2 600 100 202	216	1
2 600 100 203	216	1
2 600 100 217	216	1
2 600 100 219	216	1
2 600 306 007	520	1
2 600 499 071	522	1
2 600 793 009	516	1
2 601 099 074	477	1
2 602 025 062	448	1
2 602 025 282	463	1
2 602 025 283	463	1
2 603 345 002	453	1
2 603 345 018	453	1
2 605 411 035	522	1
2 605 411 067	522	1
2 605 411 147	523	1
2 605 411 150	519	1
2 605 411 163	518	1
2 605 411 225	519	1
2 605 411 238	476	1
2 605 411 239	476	1
2 605 438 628	524	1
2 605 510 172	462	1
2 605 510 224	464	1
2 605 510 257	463	1
2 605 510 281	462	1
2 605 510 294	481, 520	1
2 605 510 301	481, 521	1
2 607 000 096	220	5
2 607 000 103	218	1
2 607 000 165	515	1
2 607 000 166	515	1
2 607 000 170	516	1
2 607 000 444	47	1
2 607 000 446	47	1
2 607 000 448	47	1
2 607 000 797	218	1
2 607 000 837	516	1
2 607 001 077	485	1
2 607 001 079	479	1
2 607 001 387	482	1
2 607 001 510	98	1
2 607 001 511	98	5
2 607 001 512	98	1
2 607 001 514	98	1
2 607 001 516	98	1
2 607 001 517	98	1
2 607 001 522	98	5
2 607 001 526	98	5
2 607 001 528	98	5
2 607 001 535	98	5
2 607 001 540	98	5
2 607 001 556	98	1
2 607 001 560	98	1
2 607 001 564	98	1
2 607 001 577	98	5
2 607 001 583	98	5
2 607 001 588	98	5
2 607 001 604	99	5
2 607 001 608	99	1
2 607 001 612	99	1
2 607 001 616	99	1
2 607 001 619	99	5
2 607 001 636	99	5
2 607 001 638	99	5
2 607 001 642	99	5
2 607 001 733	99	5
2 607 001 734	99	5
2 607 001 735	99	5
2 607 001 738	100	5
2 607 001 740	100	5
2 607 001 742	100	5
2 607 001 768	100	5
2 607 002 568	101	5
2 607 010 025	488	1
2 607 010 533	41	5
2 607 010 545	75	5
2 607 010 629	250	1
2 607 010 630	251	1
2 607 010 901	295	1
2 607 010 902	295	1
2 607 010 908 i	295	1
2 607 017 047	22	1
2 607 017 080	75	1
2 607 017 082	74	1
2 607 017 319	101	10
2 607 018 010	252	1
2 607 018 011	252	1
2 607 018 012	252	1
2 607 018 013	252	1
2 607 432 033	518	1
2 607 432 034	518	1
2 607 432 035	519	1
2 607 432 036	519	1
2 607 432 037	518	1
2 607 432 038	518	1
2 607 432 039	518	1
2 607 432 041	518	1
2 607 432 043	519	1
2 607 990 050	30	1
2 608 000 149	477	1
2 608 000 198	477	1
2 608 000 199	477	1
2 608 000 200	478	1
2 608 000 211	477	1
2 608 000 349	472	1
2 608 000 489	520	1
2 608 000 563	520	1
2 608 000 565	517	1
2 608 000 566	517	1
2 608 000 567	516	1
2 608 000 568	516	1
2 608 000 573	517	1
2 608 000 575	517	1
2 608 000 585	517	1
2 608 000 590	374	1
2 608 000 596	411	1
2 608 000 597	411	1
2 608 000 598	411	1
2 608 000 599	412	1
2 608 000 600	412	1
2 608 000 601	412	1
2 608 000 602	412	1
2 608 000 603	412	1
2 608 000 604	412	1
2 608 000 605	412	1
2 608 000 607	412	1
2 608 000 608	412	1
2 608 000 609	412	1
2 608 000 636	366	1
2 608 000 672	220	1
2 608 000 674	520	1
2 608 000 675	522	1
2 608 000 680	462	1
2 608 000 689	474	1
2 608 000 908	252	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ
2 608 005 026	479	1
2 608 040 289	481	1
2 608 135 020	252	1
2 608 135 021	252	1
2 608 135 022	252	1
2 608 135 023	252	1
2 608 521 111	99	1
2 608 521 115	99	5
2 608 521 118	99	5
2 608 522 068	98	5
2 608 522 069	98	5
2 608 522 302	88	1
2 608 522 303	88	1
2 608 522 304	88	1
2 608 522 305	88	1
2 608 522 306	88	1
2 608 522 308	88	1
2 608 522 309	88	1
2 608 522 310	88	1
2 608 522 311	88	1
2 608 522 327	87	5
2 608 522 332	86	5
2 608 522 365	85	6
2 608 550 036	447	1
2 608 550 037	102	5
2 608 550 039	102	5
2 608 550 057	67, 158	1
2 608 550 069	102	5
2 608 550 073	102	5
2 608 550 075	67	1
2 608 550 080	102	5
2 608 550 081	102	5
2 608 550 082	102	5
2 608 550 560	102	5
2 608 550 562	102	5
2 608 551 078	102	5
2 608 551 079	103	10
2 608 551 102	88	1
2 608 551 107	104	5
2 608 570 047	468, 482	1
2 608 570 048	468, 482	1
2 608 570 084	468	1
2 608 570 085	468	1
2 608 570 139	468	1
2 608 570 140	468	1
2 608 572 034	449	1
2 608 572 059	446	1
2 608 572 062	449	1
2 608 572 068	449	1
2 608 572 075	449	1
2 608 572 105	449	1
2 608 572 150	446	1
2 608 572 182	449	1
2 608 572 212	446	1
2 608 572 213	446	1
2 608 576 286	60	1
2 608 576 287	60	1
2 608 576 288	60	1
2 608 576 289	60	1
2 608 576 290	60	1
2 608 576 291	61	1
2 608 576 293	71	1
2 608 576 294	71	1
2 608 576 295	71	1
2 608 576 297	71	1
2 608 576 298	71	1
2 608 576 299	71	1
2 608 576 300	71	1
2 608 576 301	72	1
2 608 576 302	72	1
2 608 576 779	71	1
2 608 577 045	11	5
2 608 577 048	11	5
2 608 577 052	11	5
2 608 577 056	11	5
2 608 577 058	11	5
2 608 577 061	11	5
2 608 577 146	12	6
2 608 577 350	10	1
2 608 577 351	10	1
2 608 577 426	37	5
2 608 577 427	37	5
2 608 577 428	37	5
2 608 577 429	37	5
2 608 577 430	37	5
2 608 577 431	37	5
2 608 577 432	37	5
2 608 577 433	37	5
2 608 577 434	37	5
2 608 577 435	37	5
2 608 577 436	37	5
2 608 577 437	37	5
2 608 577 438	37	5
2 608 577 439	37	5
2 608 577 440	37	5
2 608 577 441	37	5
2 608 577 442	37	5
2 608 577 443	37	5
2 608 577 444	38	5
2 608 577 445	38	5
2 608 577 446	38	5
2 608 577 447	38	5
2 608 577 448	38	5
2 608 577 449	38	5
2 608 577 450	38	5
2 608 577 451	38	5
2 608 577 452	38	5
2 608 577 453	38	5
2 608 577 454	38	5
2 608 577 455	38	5
2 608 577 456	38	5
2 608 577 457	38	5
2 608 577 458	38	5
2 608 577 459	38	5
2 608 577 460	38	5
2 608 577 461	38	5
2 608 577 462	38	5
2 608 577 463	38	5
2 608 577 464	38	5
2 608 577 465	39	1
2 608 577 466	39	1
2 608 577 467	40	1
2 608 577 468	39	5
2 608 577 469	39	5
2 608 577 470	39	5
2 608 577 471	39	5
2 608 577 472	39	5
2 608 577 473	39	5
2 608 577 474	39	5
2 608 577 475	39	5
2 608 577 476	39	5
2 608 578 179	62	5
2 608 578 180	62	5
2 608 578 181	62	5
2 608 578 182	62	5
2 608 578 183	62	5
2 608 578 184	62	5
2 608 578 185	62	5
2 608 578 186	62	5
2 608 578 187	62	5
2 608 578 188	62	5
2 608 578 189	62	5
2 608 578 190	62	5
2 608 578 191	62	5
2 608 578 192	62	1
2 608 578 193	62	5
2 608 578 194	62	5
2 608 578 195	62	5
2 608 578 196	62	5
2 608 578 197	62	5
2 608 578 198	62	5
2 608 578 199	62	1
2 608 578 200	62	1
2 608 578 201	62	5
2 608 578 202	62	5
2 608 578 203	62	5
2 608 578 204	62	5
2 608 578 205	62	5
2 608 578 206	62	1
2 608 578 207	62	1
2 608 578 208	62	1
2 608 578 209	62	5
2 608 578 210	62	1
2 608 578 211	62	5
2 608 578 212	62	5
2 608 578 213	62	5
2 608 578 214	62	1
2 608 578 215	62	5
2 608 578 216	62	5
2 608 578 217	62	5
2 608 578 218	62	5
2 608 578 219	62	5
2 608 578 220	62	1
2 608 578 221	62	1
2 608 578 222	62	5
2 608 578 223	62	5
2 608 578 224	62	1
2 608 578 225	62	5
2 608 578 226	62	5
2 608 578 227	62	1
2 608 578 228	62	1
2 608 578 229	62	1
2 608 578 230	63	1
2 608 578 231	63	1
2 608 578 232	63	1
2 608 578 233	63	1
2 608 578 234	63	1
2 608 578 235	63	1
2 608 578 236	63	1
2 608 578 237	63	1
2 608 578 238	63	1
2 608 578 239	63	1
2 608 578 240	63	1
2 608 578 241	63	1
2 608 578 242	63	1
2 608 578 243	63	1
2 608 578 244	63	1
2 608 578 245	63	1
2 608 578 246	63	1
2 608 578 247	63	1
2 608 578 248	63	1
2 608 578 249	63	1
2 608 578 250	63	1
2 608 578 251	63	1
2 608 578 252	63	1
2 608 578 253	63	1
2 608 578 254	63	1
2 608 578 255	63	1
2 608 578 256	63	1
2 608 578 257	63	1
2 608 578 258	57	5
2 608 578 259	58	5
2 608 578 261	58	5
2 608 578 263	58	5
2 608 578 264	58	5
2 608 578 265	58	5
2 608 578 266	58	1
2 608 578 267	58	1
2 608 578 268	58	5
2 608 578 269	58	5
2 608 578 270	58	5
2 608 578 271	58	1
2 608 578 272	58	1
2 608 578 273	58	5
2 608 578 274	58	5
2 608 578 275	58	5
2 608 578 277	58	5
2 608 578 278	58	1
2 608 578 279	58	1
2 608 578 280	58	1
2 608 578 282	58	5
2 608 578 283	58	5
2 608 578 284	58	5
2 608 578 285	58	1
2 608 578 286	58	1
2 608 578 287	58	1
2 608 578 288	58	5
2 608 578 289	58	5
2 608 578 290	58	5
2 608 578 291	58	1
2 608 578 292	58	1
2 608 578 293	58	1
2 608 578 294	58	5
2 608 578 295	58	1
2 608 578 296	58	5
2 608 578 297	58	5
2 608 578 298	58	5
2 608 578 299	58	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ
2 608 578 300	58	1
2 608 578 301	58	5
2 608 578 302	58	5
2 608 578 304	58	1
2 608 578 305	58	1
2 608 578 306	58	1
2 608 578 307	58	1
2 608 578 308	58	1
2 608 578 309	58	1
2 608 578 310	58	1
2 608 578 311	58	1
2 608 578 312	58	1
2 608 578 313	58	1
2 608 578 314	58	1
2 608 578 316	58	1
2 608 578 317	58	1
2 608 578 318	58	1
2 608 578 319	59	1
2 608 578 320	59	1
2 608 578 321	59	1
2 608 578 322	59	1
2 608 578 323	59	1
2 608 578 324	59	1
2 608 578 962	60	1
2 608 578 963	60	1
2 608 578 964	60	1
2 608 578 965	71	1
2 608 579 291	60	1
2 608 579 292	60	1
2 608 579 293	60	1
2 608 579 294	60	1
2 608 579 295	60	1
2 608 579 296	71	1
2 608 579 297	71	1
2 608 579 298	71	1
2 608 579 299	71	1
2 608 580 094	322	1
2 608 580 518	73	1
2 608 580 519	73	1
2 608 580 528	73	1
2 608 580 881	318	1
2 608 580 884	312	1
2 608 584 129	327	1
2 608 584 133	327	1
2 608 584 134	327	1
2 608 584 136	327	1
2 608 584 137	327	1
2 608 584 138	327	1
2 608 584 676	323	5
2 608 584 677	323	5
2 608 584 681	322	5
2 608 584 682	324	1
2 608 584 750	323	5
2 608 584 777	158, 323, 325	1
2 608 584 779	317	1
2 608 584 801	317	1
2 608 584 809	317	1
2 608 584 843	323, 325	5
2 608 584 850	327	1
2 608 584 852	327	1
2 608 585 435	15	1
2 608 585 438	15	1

PART NUMBER	PAGE	MOQ
2 608 585 440	15	1
2 608 585 441	15	1
2 608 585 444	15	1
2 608 585 448	15	1
2 608 585 452	16	1
2 608 585 456	17	1
2 608 585 464	17	1
2 608 585 467	14	1
2 608 585 468	14	1
2 608 585 469	14	1
2 608 585 470	14	1
2 608 585 471	14	1
2 608 585 472	14	1
2 608 585 473	14	1
2 608 585 474	14	1
2 608 585 475	14	1
2 608 585 476	14	1
2 608 585 477	14	1
2 608 585 478	15	1
2 608 585 479	15	1
2 608 585 480	15	1
2 608 585 481	15	1
2 608 585 482	15	1
2 608 585 483	15	1
2 608 585 484	15	1
2 608 585 485	15	1
2 608 585 486	15	1
2 608 585 487	15	1
2 608 585 488	15	1
2 608 585 489	15	1
2 608 585 490	15	1
2 608 585 491	15	1
2 608 585 492	15	1
2 608 585 493	16	1
2 608 585 494	15	1
2 608 585 495	15	1
2 608 585 496	15	1
2 608 585 497	15	1
2 608 585 498	15	1
2 608 585 499	15	1
2 608 585 500	15	1
2 608 585 501	15	1
2 608 585 502	15	1
2 608 585 503	15	1
2 608 585 504	15	1
2 608 585 505	15	1
2 608 585 506	15	1
2 608 585 507	15	1
2 608 585 508	16	1
2 608 585 509	16	1
2 608 585 510	16	1
2 608 585 511	16	1
2 608 585 512	16	1
2 608 585 513	16	1
2 608 585 514	16	1
2 608 585 515	16	1
2 608 585 516	16	1
2 608 585 517	16	1
2 608 585 518	16	1
2 608 585 519	16	1
2 608 585 520	16	1
2 608 585 521	16	1

PART NUMBER	PAGE	MOQ
2 608 585 522	16	1
2 608 585 523	16	1
2 608 585 524	16	1
2 608 585 525	16	1
2 608 585 526	16	1
2 608 585 527	16	1
2 608 585 528	16	1
2 608 585 529	16	1
2 608 585 530	16	1
2 608 585 531	16	1
2 608 585 532	16	1
2 608 585 533	16	1
2 608 585 534	16	1
2 608 585 535	16	1
2 608 585 536	16	1
2 608 585 537	16	1
2 608 585 538	16	1
2 608 585 539	16	1
2 608 585 540	16	1
2 608 585 541	16	1
2 608 585 542	16	1
2 608 585 543	16	1
2 608 585 544	16	1
2 608 585 545	17	1
2 608 585 615	65	1
2 608 585 617	65	1
2 608 585 618	65	1
2 608 585 619	65	1
2 608 585 620	65	1
2 608 585 623	65	1
2 608 585 624	65	1
2 608 585 625	65	1
2 608 585 626	65	1
2 608 585 627	65	1
2 608 585 629	65	1
2 608 585 630	65	1
2 608 585 730	45	1
2 608 586 755	70	1
2 608 586 762	70	1
2 608 586 764	70	1
2 608 586 769	70	1
2 608 586 774	70	1
2 608 586 781	70	1
2 608 586 788	70	1
2 608 586 795	70	1
2 608 586 796	70	1
2 608 586 797	70	1
2 608 586 798	70	1
2 608 586 799	70	1
2 608 586 800	70	1
2 608 586 801	70	1
2 608 586 802	70	1
2 608 586 803	70	1
2 608 586 804	70	1
2 608 586 805	70	1
2 608 586 806	70	1
2 608 586 807	70	1
2 608 586 994	66	1
2 608 586 995	66	1
2 608 586 996	66	1
2 608 586 997	66	1
2 608 586 998	66	1

PART NUMBER	PAGE	MOQ
2 608 586 999	66	1
2 608 587 100	66	1
2 608 587 113	155	1
2 608 587 114	155	1
2 608 587 115	155	1
2 608 587 116	155	1
2 608 587 117	155	1
2 608 587 122	155	1
2 608 587 123	155	1
2 608 587 125	155	1
2 608 587 126	155	1
2 608 587 127	155	1
2 608 587 128	155	1
2 608 587 129	155	1
2 608 587 131	155	1
2 608 587 132	155	1
2 608 587 139	154	1
2 608 587 141	154	1
2 608 587 144	154	1
2 608 587 157	82	5
2 608 587 158	82	5
2 608 587 159	82	5
2 608 587 161	82	5
2 608 587 163	82	5
2 608 587 164	82	5
2 608 587 165	82	5
2 608 587 166	82	5
2 608 587 167	82	5
2 608 587 169	82	1
2 608 587 425	27	1
2 608 587 427	27	1
2 608 587 428	28	1
2 608 588 065	27	1
2 608 588 068	27	1
2 608 588 070	26	1
2 608 588 071	27	1
2 608 588 072	28	1
2 608 588 228	14	5
2 608 588 229	14	5
2 608 588 230	14	5
2 608 588 231	14	5
2 608 588 232	14	5
2 608 588 233	14	5
2 608 588 234	14	5
2 608 588 235	14	5
2 608 588 236	14	5
2 608 588 237	14	5
2 608 588 238	14	5
2 608 588 239	14	1
2 608 588 240	14	5
2 608 588 241	14	5
2 608 588 242	14	5
2 608 588 243	14	1
2 608 588 244	14	5
2 608 588 245	14	5
2 608 588 246	14	5
2 608 588 247	14	5
2 608 588 248	14	5
2 608 588 249	14	5
2 608 588 250	14	5
2 608 588 251	14	5
2 608 588 252	14	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ
2 608 588 253	14	5
2 608 588 254	14	5
2 608 588 255	14	1
2 608 588 265	13	5
2 608 588 266	13	5
2 608 588 267	13	5
2 608 588 268	13	5
2 608 588 269	13	5
2 608 588 270	13	5
2 608 588 271	13	5
2 608 588 272	13	5
2 608 588 273	13	5
2 608 588 274	13	5
2 608 588 275	13	5
2 608 588 276	13	5
2 608 588 277	13	5
2 608 588 278	14	5
2 608 588 279	14	5
2 608 588 280	14	5
2 608 588 281	14	5
2 608 588 282	14	5
2 608 588 283	14	5
2 608 588 284	14	5
2 608 588 285	14	5
2 608 588 286	14	5
2 608 588 287	14	5
2 608 588 288	14	5
2 608 588 289	14	5
2 608 588 290	20	5
2 608 588 291	20	5
2 608 588 292	20	5
2 608 588 293	20	5
2 608 588 294	20	5
2 608 588 295	20	5
2 608 588 296	20	5
2 608 588 297	20	5
2 608 588 298	20	5
2 608 588 299	20	5
2 608 588 300	20	5
2 608 588 336	21	5
2 608 588 337	21	5
2 608 588 338	21	5
2 608 588 339	21	5
2 608 588 340	21	5
2 608 588 341	21	5
2 608 588 342	21	5
2 608 588 343	21	5
2 608 588 344	21	5
2 608 588 346	21	5
2 608 588 348	22	5
2 608 588 350	22	1
2 608 588 352	22	5
2 608 588 353	22	5
2 608 588 354	22	5
2 608 588 356	22	5
2 608 588 357	22	3
2 608 588 358	22	5
2 608 588 364	25	5
2 608 588 396	19	5
2 608 588 397	19	5
2 608 588 398	17	5
2 608 588 399	18	5

PART NUMBER	PAGE	MOQ
2 608 588 402	18	5
2 608 588 403	19	5
2 608 588 404	17	5
2 608 588 405	18	5
2 608 588 406	22	5
2 608 588 407	23	5
2 608 589 295	18	1
2 608 594 189	314	1
2 608 594 192	314	1
2 608 594 195	313	1
2 608 594 196	313	1
2 608 594 197	313	1
2 608 594 198	313	1
2 608 594 199	313	1
2 608 594 200	313	1
2 608 594 201	313	1
2 608 594 202	313	1
2 608 594 203	313	1
2 608 594 204	313	1
2 608 594 205	313	1
2 608 594 206	313	1
2 608 594 207	313	1
2 608 594 208	313	1
2 608 594 209	313	1
2 608 594 210	313	1
2 608 594 211	313	1
2 608 594 212	313	1
2 608 594 213	313	1
2 608 594 214	313	1
2 608 594 215	313	1
2 608 594 216	313	1
2 608 594 217	313	1
2 608 594 218	313	1
2 608 594 219	313	1
2 608 594 220	313	1
2 608 594 221	313	1
2 608 594 222	313	1
2 608 594 223	313	1
2 608 594 224	313	1
2 608 594 225	313	1
2 608 594 226	313	1
2 608 594 227	313	1
2 608 594 228	313	1
2 608 594 229	313	1
2 608 594 230	313	1
2 608 594 231	313	1
2 608 594 232	313	1
2 608 594 233	313	1
2 608 594 234	313	1
2 608 594 235	313	1
2 608 594 236	313	1
2 608 594 237	314	1
2 608 594 238	313	1
2 608 594 239	313	1
2 608 594 240	313	1
2 608 594 241	313	1
2 608 594 242	313	1
2 608 594 243	313	1
2 608 594 244	313	1
2 608 594 245	313	1
2 608 594 247	313	1
2 608 594 248	313	1

PART NUMBER	PAGE	MOQ
2 608 594 253	314, 323	1
2 608 594 256	318, 323	1
2 608 595 049	14	1
2 608 595 051	14	1
2 608 595 052	14	1
2 608 595 054	15	1
2 608 595 055	15	1
2 608 595 056	15	1
2 608 595 059	15	1
2 608 595 060	15	1
2 608 595 061	16	1
2 608 595 062	15	1
2 608 595 063	15	1
2 608 595 064	15	1
2 608 595 065	15	1
2 608 595 066	15	1
2 608 595 067	15	1
2 608 595 068	15	1
2 608 595 069	15	1
2 608 595 070	15	1
2 608 595 071	15	1
2 608 595 072	16	1
2 608 595 073	16	1
2 608 595 074	16	1
2 608 595 075	16	1
2 608 595 077	16	1
2 608 595 078	16	1
2 608 595 079	16	1
2 608 595 080	16	1
2 608 595 081	16	1
2 608 595 082	16	1
2 608 595 083	17	1
2 608 595 332	15	1
2 608 595 333	15	1
2 608 595 334	15	1
2 608 595 335	15	1
2 608 595 336	15	1
2 608 595 337	15	1
2 608 595 338	16	1
2 608 595 345	41	1
2 608 595 422	37	1
2 608 595 423	37	1
2 608 595 517	17	1
2 608 595 518	42	5
2 608 595 519	42	5
2 608 595 520	42	5
2 608 595 521	42	5
2 608 595 522	42	5
2 608 595 523	42	5
2 608 595 524	42	5
2 608 595 525	43	1
2 608 596 115	64	5
2 608 596 116	64	1
2 608 596 117	64	1
2 608 596 118	65	1
2 608 596 119	325	5
2 608 596 120	65	1
2 608 596 146	64	5
2 608 596 183	64	1
2 608 596 185	64	5
2 608 596 186	64	5
2 608 596 199	64	5

PART NUMBER	PAGE	MOQ
2 608 596 295	326	5
2 608 596 300	42	5
2 608 596 301	42	5
2 608 596 302	42	5
2 608 596 303	42	5
2 608 596 305	42	5
2 608 596 307	42	5
2 608 596 309	42	5
2 608 596 371	29	1
2 608 596 372	29	1
2 608 596 373	29	1
2 608 596 391	41	1
2 608 596 392	41	1
2 608 596 393	41	1
2 608 596 395	41	1
2 608 596 396	41	1
2 608 596 397	41	1
2 608 596 661	24	1
2 608 596 665	29	1
2 608 596 666	24	5
2 608 596 671	24	5
2 608 596 676	24	5
2 608 596 681	24	5
2 608 596 686	24	5
2 608 596 691	24	5
2 608 596 701	24	5
2 608 596 706	24	1
2 608 596 711	24	1
2 608 596 716	24	1
2 608 596 721	24	1
2 608 596 731	24	1
2 608 596 736	24	1
2 608 596 741	24	1
2 608 596 746	24	1
2 608 596 761	24	1
2 608 596 771	24	1
2 608 596 781	24	1
2 608 596 971	46	1
2 608 596 972	46	1
2 608 596 973	46	1
2 608 596 974	46	1
2 608 596 976	46	1
2 608 596 977	46	1
2 608 596 978	46	1
2 608 597 125	65	1
2 608 597 127	65	1
2 608 597 128	65	1
2 608 597 129	65	1
2 608 597 130	64	5
2 608 597 518	27	1
2 608 597 519	27	1
2 608 597 520	27	1
2 608 597 601	46	1
2 608 597 622	44	1
2 608 597 623	44	1
2 608 597 624	44	1
2 608 597 625	44	1
2 608 597 626	44	1
2 608 597 627	44	1
2 608 597 628	44	1
2 608 597 629	44	1
2 608 597 630	44	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ
2 608 597 631	44	1
2 608 597 632	44	1
2 608 597 633	45	1
2 608 597 634	45	1
2 608 597 635	45	1
2 608 597 636	45	1
2 608 597 637	45	1
2 608 597 638	45	1
2 608 597 640	45	1
2 608 597 641	45	1
2 608 597 642	45	1
2 608 597 643	45	1
2 608 597 644	45	1
2 608 597 645	45	1
2 608 597 646	45	1
2 608 597 647	45	1
2 608 597 648	45	1
2 608 597 649	45	1
2 608 597 651	45	1
2 608 597 652	45	1
2 608 597 655	74	5
2 608 597 657	74	5
2 608 597 658	74	5
2 608 597 659	74	5
2 608 597 660	74	5
2 608 597 661	74	5
2 608 597 662	74	5
2 608 597 663	74	5
2 608 597 665	74	5
2 608 597 666	74	5
2 608 597 667	74	5
2 608 597 668	74	5
2 608 597 669	74	5
2 608 597 671	74	5
2 608 597 677	74	5
2 608 597 678	74	5
2 608 597 679	74	5
2 608 597 680	74	5
2 608 597 681	74	5
2 608 597 682	74	5
2 608 597 683	74	5
2 608 597 685	74	5
2 608 597 689	74	1
2 608 597 690	74	1
2 608 597 691	74	1
2 608 597 694	74	1
2 608 597 773	64	5
2 608 597 774	64	5
2 608 597 775	64	5
2 608 597 776	64	5
2 608 597 777	64	5
2 608 597 778	64	5
2 608 597 779	64	5
2 608 597 780	64	5
2 608 597 782	64	5
2 608 597 898	74	5
2 608 597 899	74	5
2 608 598 109	67, 158	1
2 608 598 110	67, 158	1
2 608 599 014	156	1
2 608 599 015	156	1
2 608 599 016	156	1

PART NUMBER	PAGE	MOQ
2 608 599 017	156	1
2 608 599 018	156	1
2 608 599 019	156	1
2 608 599 020	156	1
2 608 599 021	156	1
2 608 599 022	156	1
2 608 599 023	156	1
2 608 599 024	156	1
2 608 599 025	156	1
2 608 599 026	156	1
2 608 599 027	156	1
2 608 599 028	156	1
2 608 599 030	156	1
2 608 599 031	156	1
2 608 599 032	156	1
2 608 599 033	156	1
2 608 599 034	156	1
2 608 599 035	156	1
2 608 599 036	156	1
2 608 599 037	157	1
2 608 599 038	156	1
2 608 600 106	180	1
2 608 600 111	180	1
2 608 600 112	180	1
2 608 600 175	179	1
2 608 600 176	179	1
2 608 600 179	179	1
2 608 600 180	179	1
2 608 600 249	179	1
2 608 600 250	179	1
2 608 600 251	179	1
2 608 600 362	179	1
2 608 600 363	179	1
2 608 600 364	179	1
2 608 600 365	179	1
2 608 600 366	179	1
2 608 600 549	168	25
2 608 601 005	453	1
2 608 601 046	453	1
2 608 601 051	473	1
2 608 601 052	473	1
2 608 601 053	473	1
2 608 601 061	472	1
2 608 601 062	472	1
2 608 601 063	472	1
2 608 601 064	472	1
2 608 601 065	472	1
2 608 601 076	453	1
2 608 601 077	453	1
2 608 601 114	473	1
2 608 601 115	473	1
2 608 601 116	473	1
2 608 601 118	472	1
2 608 601 127	474	1
2 608 601 169	472	1
2 608 601 175	472	1
2 608 601 181	477	1
2 608 601 209	453	1
2 608 601 218	422	1
2 608 601 263	170	1
2 608 601 264	170	1
2 608 601 265	170	1

PART NUMBER	PAGE	MOQ
2 608 601 443	475	1
2 608 601 444	475	1
2 608 601 445	475	1
2 608 601 446	475	1
2 608 601 447	475	1
2 608 601 448	475	1
2 608 601 520	178	1
2 608 601 607	473	1
2 608 601 714	453	1
2 608 601 715	454	1
2 608 601 716	454	1
2 608 601 720	454	1
2 608 601 724	454	1
2 608 602 196	136	1
2 608 602 197	136	1
2 608 602 198	136	1
2 608 602 199	136	1
2 608 602 200	136	1
2 608 602 201	130	1
2 608 602 202	130	1
2 608 602 204	130	1
2 608 602 205	130	1
2 608 602 393	134	1
2 608 602 394	134	1
2 608 602 396	134	1
2 608 602 397	134	1
2 608 602 478	130	1
2 608 602 479	130	1
2 608 602 536	145	1
2 608 602 537	145	1
2 608 602 538	145	1
2 608 602 539	145	1
2 608 602 540	145	1
2 608 602 541	145	1
2 608 602 543	146, 150	1
2 608 602 544	146, 150	1
2 608 602 546	146, 150	1
2 608 602 597	131	1
2 608 602 598	131	1
2 608 602 600	131	1
2 608 602 601	131	1
2 608 602 615	138	1
2 608 602 616	138	1
2 608 602 618	138	1
2 608 602 619	138	1
2 608 602 625	148, 152	1
2 608 602 627	152	1
2 608 602 641	131	1
2 608 602 642	131	1
2 608 602 644	131	1
2 608 602 645	131	1
2 608 602 651	136	1
2 608 602 652	136	1
2 608 602 654	136	1
2 608 602 655	136	1
2 608 602 660	146, 150	1
2 608 602 671	133	1
2 608 602 672	133	1
2 608 602 674	133	1
2 608 602 675	133	1
2 608 602 679	138	1
2 608 602 680	138	1

PART NUMBER	PAGE	MOQ
2 608 602 682	138	1
2 608 602 683	138	1
2 608 602 689	137	1
2 608 602 690	137	1
2 608 602 692	137	1
2 608 602 693	137	1
2 608 603 035 [i]	171	50
2 608 603 036 [i]	171	50
2 608 603 037 [i]	171	50
2 608 603 038 [i]	171	40
2 608 603 039 [i]	171	25
2 608 603 040 [i]	171	25
2 608 603 041 [i]	171	25
2 608 603 042 [i]	171	20
2 608 603 043	173	25
2 608 603 047	168	25
2 608 603 050	172	50
2 608 603 051 [i]	172	50
2 608 603 052 [i]	172	50
2 608 603 053 [i]	172	50
2 608 603 054 [i]	172	25
2 608 603 055	172	25
2 608 603 056 [i]	175	25
2 608 603 057 [i]	175	25
2 608 603 058 [i]	175	25
2 608 603 059 [i]	175	20
2 608 603 060 [i]	175	20
2 608 603 061 [i]	175	10
2 608 603 062	177	25
2 608 603 063	177	25
2 608 603 064	177	20
2 608 603 464 [i]	170	10
2 608 603 467 [i]	170	10
2 608 603 470 [i]	170	10
2 608 603 642	148, 152	1
2 608 603 643	148, 152	1
2 608 605 103	384	5
2 608 605 104	384	5
2 608 605 105	384	5
2 608 605 106	384	5
2 608 605 112	385	5
2 608 605 167	394	5
2 608 605 170	394	5
2 608 605 182	395	5
2 608 605 183	395	5
2 608 605 184	395	5
2 608 605 185	395	5
2 608 605 186	395	5
2 608 605 279	403	5
2 608 605 280	403	5
2 608 605 281	403	5
2 608 605 282	403	5
2 608 605 283	403	5
2 608 605 294	404	5
2 608 605 296	404	5
2 608 605 298	404	5
2 608 605 301	404	5
2 608 605 302	403	5
2 608 605 304	403	5
2 608 605 306	403	5
2 608 605 309	403	5
2 608 605 312	404	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ
2 608 605 313	404	5
2 608 605 315	404	5
2 608 605 464	433	50
2 608 605 466	433	50
2 608 605 467	433	50
2 608 605 469	434	50
2 608 605 474	434	50
2 608 605 476	434	50
2 608 605 477	434	50
2 608 605 479	434	50
2 608 605 484	434	50
2 608 605 487	434	50
2 608 605 489	434	50
2 608 605 577	395	5
2 608 605 578	395	5
2 608 605 640	385	5
2 608 605 642	385	5
2 608 605 643	385	5
2 608 605 645	385	5
2 608 605 657	384	5
2 608 605 716	385	5
2 608 605 717	385	5
2 608 605 718	385	5
2 608 605 720	385	5
2 608 605 721	385	5
2 608 605 722	385	5
2 608 606 032	407	2
2 608 606 033	407	4
2 608 606 034	407	4
2 608 606 035	407	4
2 608 606 036	407	4
2 608 606 037	407	4
2 608 606 069	407	2
2 608 606 070	407	4
2 608 606 071	407	4
2 608 606 072	407	4
2 608 606 073	407	4
2 608 606 089	407	2
2 608 606 090	407	4
2 608 606 091	407	4
2 608 606 092	407	4
2 608 606 093	407	4
2 608 606 094	407	4
2 608 606 095	407	4
2 608 606 113	407	2
2 608 606 114	407	4
2 608 606 115	407	4
2 608 606 117	407	4
2 608 606 129	407	2
2 608 606 130	407	4
2 608 606 131	408	4
2 608 606 132	407	4
2 608 606 203	409	4
2 608 606 205	409	4
2 608 606 716	437	10
2 608 606 717	437	10
2 608 606 718	437	10
2 608 606 752	437	10
2 608 606 753	437	10
2 608 606 754	437	10
2 608 606 916	433	50
2 608 606 918	433	50

PART NUMBER	PAGE	MOQ
2 608 606 919	433	50
2 608 606 921	433	50
2 608 607 246	384	5
2 608 607 248	433	50
2 608 607 249	433	50
2 608 607 250	434	50
2 608 607 251	434	50
2 608 607 258	407	4
2 608 607 262	407	4
2 608 607 346	437	10
2 608 607 347	437	10
2 608 607 407	394	1
2 608 607 408	394	1
2 608 607 409	394	1
2 608 607 410	394	1
2 608 607 417	394	1
2 608 607 419	396	1
2 608 607 428	395	5
2 608 607 429	395	5
2 608 607 430	395	5
2 608 607 431	395	5
2 608 607 432	395	5
2 608 607 540	367, 396	5
2 608 607 638	435	10
2 608 607 639	435	10
2 608 607 640	435	10
2 608 608 263	435	10
2 608 608 264	435	10
2 608 608 265	435	10
2 608 608 N23	422	1
2 608 608 N24	422	1
2 608 608 Z79	411	1
2 608 608 Z80	411	1
2 608 608 Z81	411	1
2 608 608 Z82	411	1
2 608 608 Z83	411	1
2 608 610 001	388	1
2 608 612 023	443	1
2 608 612 024	387, 443	1
2 608 612 025	443	1
2 608 612 026	388, 443	1
2 608 612 027	443	1
2 608 613 005	387	1
2 608 615 057	134	1
2 608 615 059	134	1
2 608 615 065	134	1
2 608 615 132	129	1
2 608 615 138	130	1
2 608 615 166	135	1
2 608 619 159	433	50
2 608 619 160	433	50
2 608 619 161	433	50
2 608 619 162	433	50
2 608 619 163	433	50
2 608 619 164	433	50
2 608 619 171	433	50
2 608 619 172	433	50
2 608 619 173	433	50
2 608 619 174	433	50
2 608 619 175	433	50
2 608 619 176	433	50
2 608 619 183	432	50

PART NUMBER	PAGE	MOQ
2 608 619 184	432	50
2 608 619 185	432	50
2 608 619 186	432	50
2 608 619 187	432	50
2 608 619 188	432	50
2 608 619 209	436	10
2 608 619 210	436	10
2 608 619 211	436	10
2 608 619 212	436	10
2 608 619 257	171	25
2 608 619 259	175	10
2 608 619 262	169	25
2 608 619 264	167	25
2 608 619 265	168	25
2 608 619 267	169	10
2 608 619 269	173	25
2 608 619 270	173	25
2 608 619 363	169	25
2 608 619 364	169	10
2 608 619 366	176	10
2 608 620 725	183	1
2 608 620 726	182	1
2 608 620 727	182	1
2 608 620 728	184	1
2 608 620 729	184	1
2 608 620 730	185	1
2 608 620 731	183	1
2 608 620 732	183	1
2 608 620 733	184	1
2 608 621 684	367, 396	5
2 608 621 685	367, 396	5
2 608 621 686	367, 396	5
2 608 621 767	435	10
2 608 621 768	435	10
2 608 621 769	435	10
2 608 621 770	435	10
2 608 621 779	429	5
2 608 621 780	429	5
2 608 621 781	429	5
2 608 621 782	429	5
2 608 621 783	429	5
2 608 621 784	430	5
2 608 621 788	430	1
2 608 621 789	430	1
2 608 621 790	430	1
2 608 621 791	430	1
2 608 621 792	430	1
2 608 621 793	430	1
2 608 621 794	430	1
2 608 621 795	430	1
2 608 621 796	430	1
2 608 621 797	431	1
2 608 621 798	431	1
2 608 621 799	431	1
2 608 621 816	427	1
2 608 621 817	427	1
2 608 621 818	427	1
2 608 621 819	427	1
2 608 621 820	426	1
2 608 621 821	426	1
2 608 621 822	426	1
2 608 621 823	426	1

PART NUMBER	PAGE	MOQ
2 608 621 824	426	1
2 608 621 825	427	1
2 608 621 826	427	1
2 608 621 827	427	1
2 608 621 828	428	1
2 608 621 829	428	1
2 608 621 830	428	1
2 608 621 831	428	1
2 608 621 833	436	5
2 608 622 011	187	1
2 608 622 022	190	1
2 608 622 051	190	1
2 608 622 052	190	1
2 608 622 057	187	1
2 608 622 058	187	1
2 608 622 059	186	1
2 608 622 060	188	1
2 608 622 061	188	1
2 608 622 062	189	1
2 608 622 063	186	1
2 608 622 098	186	1
2 608 622 100	187	1
2 608 622 103	188	1
2 608 622 105	188	1
2 608 622 106	188	1
2 608 622 107	188	1
2 608 622 108	189	1
2 608 622 109	189	1
2 608 630 030	235	10
2 608 630 037	237	10
2 608 630 040	236	10
2 608 630 565	248	10
2 608 630 568	248	10
2 608 631 010	245	10
2 608 631 012	240	10
2 608 631 017	241	10
2 608 631 319	240	10
2 608 631 404	241	10
2 608 631 511	249	10
2 608 631 771	249	10
2 608 633 104	246	1
2 608 633 105	246	1
2 608 633 A34	236	10
2 608 633 A35	234	10
2 608 633 A36	235	10
2 608 634 233	232	10
2 608 634 235	232	10
2 608 634 237	239	10
2 608 634 241	240	10
2 608 634 242	240	10
2 608 634 243	232	10
2 608 634 503	239	10
2 608 634 567	232	10
2 608 634 897	232	10
2 608 635 126	489	1
2 608 635 187	246	5
2 608 635 243	489	1
2 608 635 376	220	5
2 608 635 410	487	1
2 608 636 236	247	10
2 608 636 335	241	5
2 608 636 420	239	10

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ
2 608 636 974	232	5
2 608 636 975	242	5
2 608 636 976	239	5
2 608 636 977	239	5
2 608 637 723	248	10
2 608 637 724	248	10
2 608 637 877	236	1
2 608 638 473	239	10
2 608 639 027	486	1
2 608 639 028	486	1
2 608 640 442	206	1
2 608 640 452	208	1
2 608 642 135	197	1
2 608 642 137	197	1
2 608 642 384	196	1
2 608 642 388	198	1
2 608 642 494	205	1
2 608 642 498	200	1
2 608 643 059	203	1
2 608 643 060	203	1
2 608 643 062	203	1
2 608 643 071	206	1
2 608 644 039	199	1
2 608 644 080	201	1
2 608 644 098	202	1
2 608 644 225	207	1
2 608 644 284	204	1
2 608 644 560	209	1
2 608 644 561	209	1
2 608 644 562	209	1
2 608 644 563	209	1
2 608 644 564	209	1
2 608 644 565	209	1
2 608 644 566	209	1
2 608 644 567	209	1
2 608 644 568	209	1
2 608 644 569	210	1
2 608 644 570	210	1
2 608 644 571	209	1
2 608 644 572	209	1
2 608 644 573	209	1
2 608 644 574	210	1
2 608 644 575	210	1
2 608 644 576	210	1
2 608 644 577	210	1
2 608 644 578	210	1
2 608 644 579	210	1
2 608 644 580	210	1
2 608 644 581	210	1
2 608 644 582	210	1
2 608 644 583	209	1
2 608 644 584	209	1
2 608 644 585	209	1
2 608 644 586	209	1
2 608 644 587	209	1
2 608 644 588	211	1
2 608 644 589	211	1
2 608 644 590	211	1
2 608 644 591	211	1
2 608 644 592	211	1
2 608 644 593	211	1
2 608 644 594	211	1

PART NUMBER	PAGE	MOQ
2 608 644 595	212	1
2 608 644 596	211	1
2 608 644 597	215	1
2 608 644 598	215	1
2 608 644 599	215	1
2 608 644 600	215	1
2 608 644 601	215	1
2 608 644 602	215	1
2 608 644 603	215	1
2 608 644 604	215	1
2 608 644 605	215	1
2 608 644 606	215	1
2 608 644 607	215	1
2 608 644 608	213	1
2 608 644 609	213	1
2 608 644 610	214	1
2 608 644 646	211	1
2 608 644 647	211	1
2 608 644 648	211	1
2 608 649 000	298	1
2 608 649 001	298	1
2 608 650 065	296	1
2 608 650 414	296	1
2 608 650 613	293	5
2 608 650 614	293	5
2 608 650 616	294	5
2 608 650 617	294	5
2 608 650 673	293	5
2 608 650 676	293	5
2 608 650 678	294	5
2 608 650 679	294	5
2 608 650 681	293	5
2 608 650 682	293	5
2 608 651 780	275	5
2 608 651 781	275	5
2 608 651 821	275	5
2 608 651 944	275	5
2 608 652 900	291	5
2 608 654 401	273	5
2 608 654 403	294	5
2 608 654 404	294	5
2 608 654 405	284	5
2 608 654 406	284	5
2 608 654 763	283	5
2 608 654 820 [i]	273	5
2 608 654 834	283	5
2 608 654 981	285	5
2 608 656 010	274	5
2 608 656 013	274	5
2 608 656 014	274	5
2 608 656 015	274	5
2 608 656 016	284	5
2 608 656 017	285	5
2 608 656 018	274	5
2 608 656 019	274	5
2 608 656 020	274	5
2 608 656 021	285	5
2 608 656 022	285	5
2 608 656 036	274	5
2 608 656 037	274	5
2 608 656 038	274	5
2 608 656 039	284	5

PART NUMBER	PAGE	MOQ
2 608 656 040	285	5
2 608 656 041	274	5
2 608 656 042	274	5
2 608 656 043	285	5
2 608 656 255 [i]	273	5
2 608 656 258	283	5
2 608 656 260	283	5
2 608 656 261	283	5
2 608 656 265	272	5
2 608 656 267	274	5
2 608 656 270	285	5
2 608 656 272	283	5
2 608 656 273	283	5
2 608 656 274	291	5
2 608 656 931	296	1
2 608 656 932	297	1
2 608 656 934	297	1
2 608 657 394 [i]	272	5
2 608 657 396 [i]	272	5
2 608 657 397 [i]	272	5
2 608 657 406 [i]	272	5
2 608 657 407	272	5
2 608 657 408	273	5
2 608 657 409	273	1
2 608 657 523 [i]	271	5
2 608 657 524 [i]	271	5
2 608 657 525 [i]	271	5
2 608 657 526 [i]	271	5
2 608 657 527	271	5
2 608 657 528	271	5
2 608 657 562	283	1
2 608 657 608	283	5
2 608 657 610	283	5
2 608 657 612	284	5
2 608 661 626	344	1
2 608 661 628	346	1
2 608 661 629	346	1
2 608 661 630	345	1
2 608 661 633	348	1
2 608 661 646	358	1
2 608 661 692	369	1
2 608 661 693	358	1
2 608 661 694	373	1
2 608 661 695	373	1
2 608 661 696	373	1
2 608 661 907	347	1
2 608 661 908	352	1
2 608 662 342	373	10
2 608 662 343	373	10
2 608 662 561	344	1
2 608 662 568	344	1
2 608 662 574	348	1
2 608 662 575	359	1
2 608 662 577	372	1
2 608 662 579	360	1
2 608 662 582	372	1
2 608 662 583	359	1
2 608 663 314	236	5
2 608 664 207	356	1
2 608 664 904	344	1
2 608 664 905	345	1
2 608 664 907	345	1

PART NUMBER	PAGE	MOQ
2 608 664 908	346	1
2 608 664 910	347	1
2 608 664 911	346	1
2 608 664 912	346	1
2 608 664 913	352	1
2 608 664 915	345	1
2 608 664 916	348	1
2 608 664 917	357	1
2 608 664 919	369	1
2 608 664 923	358	1
2 608 664 924	359	1
2 608 664 925	359	1
2 608 664 926	366	1
2 608 664 927	346	1
2 608 664 928	347	1
2 608 664 930	347	1
2 608 665 050	237	5
2 608 665 051	237	5
2 608 665 052	234	5
2 608 665 053	236	5
2 608 665 054	236	5
2 608 665 055	235	5
2 608 665 056	235	5
2 608 665 057	235	5
2 608 665 058	236	5
2 608 665 059	236	5
2 608 665 061	235	5
2 608 667 411	248	10
2 608 668 173	241	10
2 608 668 643	240	5
2 608 668 644	240	5
2 608 668 645	240	5
2 608 668 646	241	5
2 608 668 647	241	5
2 608 690 003	115	1
2 608 690 091	109	1
2 608 690 097	114	1
2 608 690 098	115	1
2 608 690 101	109	1
2 608 690 106	116	1
2 608 690 111	117	1
2 608 690 112	117	1
2 608 690 113	117	1
2 608 690 124	114	1
2 608 690 166	114	1
2 608 690 167	114	1
2 608 840 001	211	1
2 608 840 002	211	1
2 608 840 003	211	1
2 608 840 004	211	1
2 608 900 000	456	1
2 608 900 001	457	1
2 608 900 003	471	1
2 608 900 004	471	1
2 608 900 005	471	1
2 608 900 006	471	1
2 608 900 007	471	1
2 608 900 008	471	1
2 608 900 009	470	1
2 608 900 010	470	1
2 608 900 011	470	1
2 608 900 012	349	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ
2 608 900 013	349	1
2 608 900 014	350	1
2 608 900 015	350	1
2 608 900 016	350	1
2 608 900 017	350	25
2 608 900 018	351	1
2 608 900 020	350	1
2 608 900 021	352	1
2 608 900 023	351	1
2 608 900 024	353	1
2 608 900 025	353	1
2 608 900 026	353	1
2 608 900 027	353	25
2 608 900 028	354	1
2 608 900 029	354	1
2 608 900 030	354	1
2 608 900 031	355	1
2 608 900 032	355	1
2 608 900 034	368	1
2 608 900 035	368	1
2 608 900 036	371	1
2 608 900 037	371	1
2 608 900 038	372	1
2 608 900 039	366	1
2 608 900 040	365	1
2 608 900 041	370	1
2 608 900 042	370	1
2 608 900 043	363	1
2 608 900 045	361	1
2 608 900 046	361	1
2 608 900 047	362	1
2 608 900 049	362	1
2 608 900 051	364	1
2 608 900 052	363	1
2 608 900 053	364	1
2 608 900 055	54	1
2 608 900 056	54	1
2 608 900 057	54	1
2 608 900 058	54	1
2 608 900 059	54	5
2 608 900 060	55	5
2 608 900 061	55	5
2 608 900 062	55	5
2 608 900 063	55	5
2 608 900 064	55	1
2 608 900 065	55	5
2 608 900 066	55	5
2 608 900 067	55	5
2 608 900 068	55	5
2 608 900 069	55	1
2 608 900 070	55	1
2 608 900 071	55	5
2 608 900 072	55	5
2 608 900 073	55	5
2 608 900 074	55	5
2 608 900 075	55	5
2 608 900 076	55	1
2 608 900 077	55	1
2 608 900 078	55	5
2 608 900 079	55	5
2 608 900 080	55	5
2 608 900 081	55	1

PART NUMBER	PAGE	MOQ
2 608 900 082	55	1
2 608 900 083	55	1
2 608 900 084	55	1
2 608 900 085	55	1
2 608 900 086	55	1
2 608 900 087	55	5
2 608 900 088	55	5
2 608 900 089	55	5
2 608 900 090	55	5
2 608 900 091	55	1
2 608 900 092	55	5
2 608 900 093	55	1
2 608 900 094	55	1
2 608 900 095	55	1
2 608 900 096	55	1
2 608 900 097	55	5
2 608 900 098	55	5
2 608 900 099	55	5
2 608 900 100	55	1
2 608 900 101	55	5
2 608 900 102	55	1
2 608 900 103	55	1
2 608 900 104	55	1
2 608 900 105	55	1
2 608 900 106	55	1
2 608 900 107	55	1
2 608 900 108	55	5
2 608 900 109	55	5
2 608 900 110	55	5
2 608 900 111	55	5
2 608 900 112	55	5
2 608 900 113	55	1
2 608 900 114	55	1
2 608 900 115	55	1
2 608 900 116	55	1
2 608 900 117	55	1
2 608 900 118	55	1
2 608 900 119	55	5
2 608 900 120	55	5
2 608 900 121	55	5
2 608 900 122	55	5
2 608 900 123	55	1
2 608 900 124	55	1
2 608 900 125	55	1
2 608 900 126	55	1
2 608 900 127	55	1
2 608 900 128	56	1
2 608 900 129	56	1
2 608 900 130	56	5
2 608 900 131	56	5
2 608 900 132	56	1
2 608 900 133	56	1
2 608 900 134	56	1
2 608 900 135	56	1
2 608 900 136	56	1
2 608 900 137	56	1
2 608 900 138	56	1
2 608 900 139	56	1
2 608 900 140	56	1
2 608 900 141	56	1
2 608 900 142	56	1
2 608 900 143	56	1

PART NUMBER	PAGE	MOQ
2 608 900 144	56	1
2 608 900 145	56	1
2 608 900 146	56	1
2 608 900 147	56	1
2 608 900 148	56	1
2 608 900 149	56	1
2 608 900 150	56	1
2 608 900 151	56	1
2 608 900 152	56	1
2 608 900 153	56	1
2 608 900 154	56	1
2 608 900 155	56	1
2 608 900 156	56	1
2 608 900 157	56	1
2 608 900 158	56	1
2 608 900 159	56	1
2 608 900 160	56	1
2 608 900 161	56	1
2 608 900 162	56	1
2 608 900 163	56	1
2 608 900 164	56	1
2 608 900 165	56	1
2 608 900 166	56	1
2 608 900 167	56	1
2 608 900 168	56	1
2 608 900 169	56	1
2 608 900 170	56	1
2 608 900 171	56	1
2 608 900 172	56	1
2 608 900 173	56	1
2 608 900 174	56	1
2 608 900 175	56	1
2 608 900 176	56	1
2 608 900 177	56	1
2 608 900 178	56	1
2 608 900 179	56	1
2 608 900 180	56	1
2 608 900 181	56	1
2 608 900 182	56	1
2 608 900 183	56	1
2 608 900 184	56	1
2 608 900 185	56	1
2 608 900 186	56	1
2 608 900 187	56	1
2 608 900 188	56	1
2 608 900 189	56	1
2 608 900 190	56	1
2 608 900 191	56	1
2 608 900 192	56	1
2 608 900 193	57	1
2 608 900 194	57	1
2 608 900 197	57	1
2 608 900 198	57	1
2 608 900 201	68	1
2 608 900 202	68	1
2 608 900 203	68	1
2 608 900 204	68	1
2 608 900 207	68	1
2 608 900 208	68	1
2 608 900 209	69	1
2 608 900 210	69	1
2 608 900 214	69	1

PART NUMBER	PAGE	MOQ
2 608 900 215	69	1
2 608 900 216	69	1
2 608 900 217	69	1
2 608 900 221	69	1
2 608 900 222	69	1
2 608 900 223	69	1
2 608 900 224	69	1
2 608 900 228	69	1
2 608 900 229	69	1
2 608 900 230	69	1
2 608 900 231	69	1
2 608 900 233	69	1
2 608 900 234	69	1
2 608 900 235	69	1
2 608 900 236	69	1
2 608 900 238	69	1
2 608 900 239	69	1
2 608 900 240	69	1
2 608 900 241	69	1
2 608 900 242	69	1
2 608 900 243	69	1
2 608 900 245	69	1
2 608 900 246	69	1
2 608 900 247	69	1
2 608 900 248	69	1
2 608 900 249	69	1
2 608 900 250	69	1
2 608 900 252	69	1
2 608 900 253	69	1
2 608 900 254	69	1
2 608 900 255	69	1
2 608 900 256	69	1
2 608 900 257	69	1
2 608 900 260	69	1
2 608 900 261	69	1
2 608 900 262	69	1
2 608 900 263	69	1
2 608 900 264	69	1
2 608 900 265	69	1
2 608 900 266	69	1
2 608 900 267	69	1
2 608 900 268	69	1
2 608 900 269	69	1
2 608 900 270	69	1
2 608 900 311	34	5
2 608 900 312	34	5
2 608 900 314	34	5
2 608 900 315	35	5
2 608 900 316	35	5
2 608 900 317	35	5
2 608 900 318	35	5
2 608 900 319	35	5
2 608 900 320	35	5
2 608 900 321	35	5
2 608 900 322	35	5
2 608 900 323	35	5
2 608 900 324	35	5
2 608 900 325	35	5
2 608 900 326	35	5
2 608 900 327	35	5
2 608 900 328	35	5
2 608 900 329	35	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ
2 608 900 330	35	5
2 608 900 331	36	5
2 608 900 332	36	1
2 608 900 333	36	1
2 608 900 334	36	5
2 608 900 335	36	5
2 608 900 336	36	5
2 608 900 340	35	5
2 608 900 341	35	5
2 608 900 342	35	5
2 608 900 343	35	5
2 608 900 344	35	5
2 608 900 345	35	5
2 608 900 346	35	5
2 608 900 347	35	5
2 608 900 349	35	5
2 608 900 350	35	5
2 608 900 351	35	5
2 608 900 352	35	5
2 608 900 353	35	5
2 608 900 355	35	5
2 608 900 356	35	5
2 608 900 357	35	5
2 608 900 358	35	5
2 608 900 359	266	1
2 608 900 360	267	1
2 608 900 361	267	1
2 608 900 362	267	1
2 608 900 363	267	1
2 608 900 364	261	1
2 608 900 365	262	1
2 608 900 366	262	1
2 608 900 367	262	1
2 608 900 368	262	1
2 608 900 369	262	1
2 608 900 370	262	1
2 608 900 371	263	1
2 608 900 372	263	1
2 608 900 373	264	1
2 608 900 374	265	1
2 608 900 375	265	1
2 608 900 376	265	1
2 608 900 377	265	1
2 608 900 378	268	1
2 608 900 379	268	1
2 608 900 380	269	1
2 608 900 381	269	1
2 608 900 382	269	1
2 608 900 383	270	1
2 608 900 384	280	1
2 608 900 386	278	1
2 608 900 387	279	1
2 608 900 388	279	1
2 608 900 389	281	1
2 608 900 390	281	1
2 608 900 391	282	1
2 608 900 392	282	1
2 608 900 393	282	1
2 608 900 394	282	1
2 608 900 395	282	1
2 608 900 396	276	1
2 608 900 397	276	1
2 608 900 398	277	1
2 608 900 400	277	1
2 608 900 401	277	1
2 608 900 402	277	1
2 608 900 403	292	1
2 608 900 404	292	1
2 608 900 405	292	1
2 608 900 406	293	1
2 608 900 407	290	1
2 608 900 408	288	1
2 608 900 409	288	1
2 608 900 410	289	1
2 608 900 411	289	1
2 608 900 412	289	1
2 608 900 413	289	1
2 608 900 415	287	1
2 608 900 416	287	1
2 608 900 417	286	1
2 608 900 418	287	1
2 608 900 419	302	1
2 608 900 420	302	1
2 608 900 421	302	1
2 608 900 422	303	1
2 608 900 423	303	1
2 608 900 424	303	1
2 608 900 426	303	1
2 608 900 427	303	1
2 608 900 428	303	1
2 608 900 429	303	1
2 608 900 430	303	1
2 608 900 434	303	1
2 608 900 436	303	1
2 608 900 446	304	1
2 608 900 447	304	1
2 608 900 448	304	1
2 608 900 450	303	1
2 608 900 451	308	1
2 608 900 452	308	1
2 608 900 453	309	1
2 608 900 454	309	1
2 608 900 455	309	1
2 608 900 456	309	1
2 608 900 457	309	1
2 608 900 458	309	1
2 608 900 459	309	1
2 608 900 460	309	1
2 608 900 461	309	1
2 608 900 463	309	1
2 608 900 464	309	1
2 608 900 465	309	1
2 608 900 466	309	1
2 608 900 468	309	1
2 608 900 469	309	1
2 608 900 470	309	1
2 608 900 471	309	1
2 608 900 472	309	1
2 608 900 473	309	1
2 608 900 474	309	1
2 608 900 475	309	1
2 608 900 477	309	1
2 608 900 479	309	1
2 608 900 480	309	1
2 608 900 481	309	1
2 608 900 486	309	1
2 608 900 490	309	1
2 608 900 491	315	1
2 608 900 492	315	1
2 608 900 493	315	1
2 608 900 494	315	1
2 608 900 495	316	1
2 608 900 496	316	1
2 608 900 497	316	1
2 608 900 498	316	1
2 608 900 499	316	1
2 608 900 500	316	1
2 608 900 501	316	1
2 608 900 502	316	1
2 608 900 503	317, 322	5
2 608 900 526	305, 310, 320	1
2 608 900 527	305, 310, 319	1
2 608 900 528	306, 311, 320	5
2 608 900 529	306, 311, 321	5
2 608 900 530	307, 312, 321	5
2 608 900 533	164	1
2 608 900 535	164	1
2 608 900 536	164	1
2 608 900 542	231	1
2 608 900 543	229	10
2 608 900 544	229	10
2 608 900 545	229	1
2 608 900 546	229	1
2 608 900 547	230	10
2 608 900 549	250	10
2 608 900 550	233	10
2 608 900 552	233	1
2 608 900 553	233	1
2 608 900 554	234	10
2 608 900 555	234	10
2 608 900 556	234	1
2 608 900 557	234	10
2 608 900 558	234	10
2 608 900 559	250	10
2 608 900 561	238	1
2 608 900 564	246	1
2 608 900 565	244	1
2 608 900 566	243	1
2 608 900 569	76	5
2 608 900 570	76	5
2 608 900 571	76	5
2 608 900 572	76	5
2 608 900 573	77	5
2 608 900 574	77	5
2 608 900 577	77	5
2 608 900 579	77	5
2 608 900 580	77	5
2 608 900 581	77	5
2 608 900 582	77	5
2 608 900 583	77	5
2 608 900 584	77	1
2 608 900 585	77	1
2 608 900 586	77	1
2 608 900 587	80	1
2 608 900 588	80	1
2 608 900 589	80	1
2 608 900 590	80	1
2 608 900 591	81	1
2 608 900 592	81	1
2 608 900 593	81	1
2 608 900 594	81	1
2 608 900 595	81	1
2 608 900 597	81	1
2 608 900 600	78	5
2 608 900 602	78	1
2 608 900 604	78	5
2 608 900 605	78	5
2 608 900 606	78	5
2 608 900 607	78	5
2 608 900 609	78	5
2 608 900 610	78	5
2 608 900 611	78	5
2 608 900 612	78	5
2 608 900 615	78	5
2 608 900 616	78	5
2 608 900 618	78	5
2 608 900 619	78	5
2 608 900 621	78	5
2 608 900 622	78	5
2 608 900 625	78	5
2 608 900 626	78	5
2 608 900 627	78	5
2 608 900 630	78	5
2 608 900 631	78	5
2 608 900 637	78	1
2 608 900 638	78	1
2 608 900 639	78	1
2 608 900 640	78	1
2 608 900 642	78	1
2 608 900 643	78	1
2 608 900 644	78	1
2 608 900 645	79	1
2 608 900 646	79	1
2 608 900 647	79	1
2 608 900 648	79	1
2 608 900 649	79	5
2 608 900 650	79	1
2 608 900 652	128	1
2 608 900 653	128	1
2 608 900 654	128	1
2 608 900 656	127	1
2 608 900 657	127	1
2 608 900 658	127	1
2 608 900 660	133	1
2 608 900 661	133	1
2 608 900 663	133	1
2 608 900 664	133	1
2 608 900 665	147	1
2 608 900 666	147	1
2 608 900 667	147	1
2 608 900 668	147	1
2 608 900 669	132	1
2 608 900 670	132	1
2 608 900 672	377	5
2 608 900 674	377	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ
2 608 900 676	377	5
2 608 900 678	377	5
2 608 900 679	377	5
2 608 900 680	378	1
2 608 900 681	378	1
2 608 900 682	378	1
2 608 900 683	378	1
2 608 900 684	378	1
2 608 900 685	378	1
2 608 900 686	378	1
2 608 900 687	378	1
2 608 900 688	378	1
2 608 900 690	377	5
2 608 900 692	378	5
2 608 900 693	378	5
2 608 900 694	378	5
2 608 900 695	378	5
2 608 900 696	378	5
2 608 900 697	378	5
2 608 900 698	378	1
2 608 900 699	378	1
2 608 900 700	378	1
2 608 900 701	378	1
2 608 900 702	378	1
2 608 900 703	378	1
2 608 900 704	378	1
2 608 900 705	378	1
2 608 900 706	378	1
2 608 900 707	378	1
2 608 900 708	378	1
2 608 900 709	378	1
2 608 900 710	378	1
2 608 900 711	378	1
2 608 900 712	378	1
2 608 900 713	378	1
2 608 900 714	378	1
2 608 900 715	378	1
2 608 900 716	390	5
2 608 900 717	390	5
2 608 900 718	390	5
2 608 900 719	390	5
2 608 900 720	390	5
2 608 900 721	390	5
2 608 900 722	390	5
2 608 900 723	390	5
2 608 900 724	390	5
2 608 900 725	391	5
2 608 900 726	391	5
2 608 900 727	391	5
2 608 900 728	391	5
2 608 900 729	391	5
2 608 900 730	391	5
2 608 900 731	391	5
2 608 900 732	391	5
2 608 900 733	391	5
2 608 900 734	398	5
2 608 900 735	398	5
2 608 900 736	398	5
2 608 900 737	398	5
2 608 900 738	398	5
2 608 900 739	398	5
2 608 900 740	398	5
2 608 900 741	398	5
2 608 900 742	398	5
2 608 900 743	398	5
2 608 900 744	398	5
2 608 900 745	398	5
2 608 900 746	398	5
2 608 900 747	398	5
2 608 900 748	398	5
2 608 900 749	398	5
2 608 900 750	398	5
2 608 900 751	398	5
2 608 900 752	398	1
2 608 900 753	398	1
2 608 900 754	398	1
2 608 900 755	398	1
2 608 900 756	398	1
2 608 900 757	398	1
2 608 900 758	398	1
2 608 900 759	398	1
2 608 900 760	398	1
2 608 900 761	398	5
2 608 900 762	398	5
2 608 900 763	398	5
2 608 900 764	398	5
2 608 900 765	398	5
2 608 900 766	398	5
2 608 900 767	398	5
2 608 900 768	398	5
2 608 900 769	398	5
2 608 900 770	398	1
2 608 900 771	398	1
2 608 900 772	398	1
2 608 900 773	398	1
2 608 900 774	398	1
2 608 900 775	398	1
2 608 900 776	416	1
2 608 900 777	416	1
2 608 900 778	416	1
2 608 900 779	416	1
2 608 900 780	416	1
2 608 900 781	416	1
2 608 900 782	416	1
2 608 900 783	416	1
2 608 900 784	416	1
2 608 900 785	416	1
2 608 900 786	416	1
2 608 900 787	416	1
2 608 900 788	416	1
2 608 900 789	416	1
2 608 900 790	416	1
2 608 900 791	416	1
2 608 900 792	416	1
2 608 900 793	416	1
2 608 900 794	380	5
2 608 900 795	380	5
2 608 900 796	381	5
2 608 900 797	381	5
2 608 900 798	381	5
2 608 900 799	381	5
2 608 900 800	381	5
2 608 900 801	381	5
2 608 900 802	382	5
2 608 900 803	381	5
2 608 900 804	381	5
2 608 900 805	381	5
2 608 900 806	381	5
2 608 900 807	381	5
2 608 900 808	381	5
2 608 900 809	381	5
2 608 900 810	381	5
2 608 900 811	381	5
2 608 900 812	382	5
2 608 900 813	381	5
2 608 900 814	381	5
2 608 900 815	381	5
2 608 900 816	381	5
2 608 900 817	381	5
2 608 900 818	381	5
2 608 900 819	381	5
2 608 900 820	381	5
2 608 900 821	381	5
2 608 900 822	383	5
2 608 900 823	392	5
2 608 900 824	392	5
2 608 900 825	392	5
2 608 900 826	392	5
2 608 900 827	392	5
2 608 900 828	392	5
2 608 900 829	392	5
2 608 900 830	392	5
2 608 900 831	392	5
2 608 900 832	392	5
2 608 900 833	400	5
2 608 900 834	401	5
2 608 900 835	401	5
2 608 900 836	401	5
2 608 900 837	401	5
2 608 900 838	401	5
2 608 900 839	401	5
2 608 900 840	403	5
2 608 900 841	403	5
2 608 900 842	403	5
2 608 900 843	403	5
2 608 900 844	403	5
2 608 900 845	403	5
2 608 900 846	402	5
2 608 900 847	402	5
2 608 900 848	402	5
2 608 900 849	402	5
2 608 900 850	402	5
2 608 900 851	402	5
2 608 900 852	402	5
2 608 900 853	400	5
2 608 900 854	400	5
2 608 900 855	400	5
2 608 900 856	400	5
2 608 900 857	400	5
2 608 900 858	400	5
2 608 900 859	400	5
2 608 900 860	402	5
2 608 900 861	402	5
2 608 900 862	402	5
2 608 900 863	402	5
2 608 900 864	402	5
2 608 900 865	402	5
2 608 900 866	402	5
2 608 900 867	403	5
2 608 900 868	402	5
2 608 900 869	402	5
2 608 900 870	400	5
2 608 900 871	401	5
2 608 900 872	401	5
2 608 900 873	403	5
2 608 900 874	400	5
2 608 900 875	402	5
2 608 900 876	402	5
2 608 900 877	400	5
2 608 900 878	400	5
2 608 900 879	400	5
2 608 900 880	400	5
2 608 900 881	400	5
2 608 900 882	400	5
2 608 900 883	400	5
2 608 900 884	400	5
2 608 900 885	400	5
2 608 900 886	393	5
2 608 900 887	393	5
2 608 900 888	393	1
2 608 900 889	393	5
2 608 900 890	399	5
2 608 900 891	399	5
2 608 900 892	399	5
2 608 900 893	399	5
2 608 900 894	399	5
2 608 900 895	399	5
2 608 900 896	416	1
2 608 900 897	416	1
2 608 900 898	417	1
2 608 900 899	417	1
2 608 900 900	417	1
2 608 900 901	417	1
2 608 900 902	416	1
2 608 900 903	416	1
2 608 900 904	416	1
2 608 900 905	416	1
2 608 900 906	416	1
2 608 900 907	416	1
2 608 900 908	381	1
2 608 900 909	381	1
2 608 900 910	381	1
2 608 900 911	381	1
2 608 900 912	381	1
2 608 900 913	381	1
2 608 900 914	381	1
2 608 900 915	381	1
2 608 900 916	381	1
2 608 900 917	382	1
2 608 900 918	382	1
2 608 900 919	382	1
2 608 900 920	382	1
2 608 900 921	382	1
2 608 900 922	382	1
2 608 900 923	382	1
2 608 900 924	382	1
2 608 900 925	382	1
2 608 900 926	392	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ
2 608 900 927	392	1
2 608 900 928	392	1
2 608 900 929	392	1
2 608 900 930	392	1
2 608 900 931	392	1
2 608 900 932	392	1
2 608 900 933	392	1
2 608 900 934	392	1
2 608 900 935	401	1
2 608 900 936	401	1
2 608 900 937	401	1
2 608 900 938	401	1
2 608 900 939	401	1
2 608 900 940	401	1
2 608 900 941	401	1
2 608 900 942	402	1
2 608 900 943	402	1
2 608 900 944	402	1
2 608 900 945	402	1
2 608 900 946	402	1
2 608 900 947	402	1
2 608 900 948	402	1
2 608 900 949	402	1
2 608 900 950	402	1
2 608 900 951	440	1
2 608 900 952	440	1
2 608 900 953	440	1
2 608 900 954	440	1
2 608 900 955	440	1
2 608 900 956	440	1
2 608 900 957	415	25
2 608 900 958	415	50
2 608 900 959	415	50
2 608 900 960	415	50
2 608 900 961	415	50
2 608 900 962	415	50
2 608 900 963	415	50
2 608 900 964	415	50
2 608 900 965	415	50
2 608 900 966	415	50
2 608 900 967	415	50
2 608 900 968	417	1
2 608 900 969	417	1
2 608 900 970	417	1
2 608 900 971	417	1
2 608 900 972	417	1
2 608 900 973	417	1
2 608 900 974	417	1
2 608 900 975	417	1
2 608 900 976	417	1
2 608 900 977	417	1
2 608 900 978	417	1
2 608 900 979	417	1
2 608 900 980	417	1
2 608 900 981	417	1
2 608 900 982	417	1
2 608 900 983	417	1
2 608 900 984	417	1
2 608 900 985	417	1
2 608 901 092	379	5
2 608 901 093	379	5
2 608 901 094	379	5
2 608 901 095	379	5
2 608 901 096	379	5
2 608 901 097	379	5
2 608 901 098	380	5
2 608 901 099	380	5
2 608 901 100	380	5
2 608 901 101	383	5
2 608 901 102	380	5
2 608 901 103	380	5
2 608 901 104	380	5
2 608 901 105	380	5
2 608 901 106	380	5
2 608 901 107	380	5
2 608 901 108	380	5
2 608 901 109	380	5
2 608 901 110	380	5
2 608 901 111	383	5
2 608 901 112	401	5
2 608 901 113	400	5
2 608 901 115	393	5
2 608 901 117	393	5
2 608 901 118	393	5
2 608 901 120	381	1
2 608 901 121	381	1
2 608 901 122	382	1
2 608 901 123	382	1
2 608 901 124	380	1
2 608 901 125	380	1
2 608 901 126	380	1
2 608 901 127	380	1
2 608 901 128	380	1
2 608 901 129	380	1
2 608 901 130	380	1
2 608 901 131	380	1
2 608 901 132	380	1
2 608 901 133	380	1
2 608 901 134	380	1
2 608 901 135	380	1
2 608 901 136	380	1
2 608 901 137	380	1
2 608 901 138	380	1
2 608 901 139	380	1
2 608 901 140	380	1
2 608 901 141	380	1
2 608 901 142	380	1
2 608 901 143	380	1
2 608 901 144	380	1
2 608 901 145	380	1
2 608 901 146	384	1
2 608 901 147	384	1
2 608 901 148	384	1
2 608 901 149	384	1
2 608 901 150	384	1
2 608 901 151	384	1
2 608 901 152	384	1
2 608 901 153	384	1
2 608 901 154	440	1
2 608 901 155	440	1
2 608 901 156	440	1
2 608 901 166	393	5
2 608 901 167	393	5
2 608 901 168	420	50
2 608 901 169	421	50
2 608 901 170	421	50
2 608 901 171	421	50
2 608 901 172	421	50
2 608 901 173	421	50
2 608 901 174	420	5
2 608 901 175	421	5
2 608 901 176	421	5
2 608 901 177	421	20
2 608 901 178	421	20
2 608 901 179	421	20
2 608 901 180	421	50
2 608 901 181	230	1
2 608 901 188	162	1
2 608 901 189	162	1
2 608 901 193	161	1
2 608 901 194	161	1
2 608 901 195	161	1
2 608 901 196	162	1
2 608 901 204	390	5
2 608 901 205	399	5
2 608 901 206	399	5
2 608 901 207	399	5
2 608 901 208	391	5
2 608 901 210	418	20
2 608 901 211	418	20
2 608 901 212	418	20
2 608 901 213	418	20
2 608 901 214	418	20
2 608 901 215	418	20
2 608 901 216	418	20
2 608 901 217	418	20
2 608 901 218	418	1
2 608 901 219	418	10
2 608 901 220	418	10
2 608 901 221	418	1
2 608 901 222	418	1
2 608 901 223	418	1
2 608 901 224	418	1
2 608 901 225	418	1
2 608 901 226	418	1
2 608 901 227	418	1
2 608 901 228	418	1
2 608 901 229	418	1
2 608 901 230	418	1
2 608 901 231	418	1
2 608 901 232	418	1
2 608 901 233	418	1
2 608 901 234	418	1
2 608 901 235	419	1
2 608 901 236	419	1
2 608 901 237	419	1
2 608 901 238	419	1
2 608 901 239	419	1
2 608 901 240	387	20
2 608 901 241	386	20
2 608 901 242	386	20
2 608 901 243	386	20
2 608 901 244	386	20
2 608 901 245	386	20
2 608 901 246	386	20
2 608 901 247	387	20
2 608 901 248	387	20
2 608 901 249	387	20
2 608 901 250	387	20
2 608 901 251	387	20
2 608 901 252	387	20
2 608 901 253	387	20
2 608 901 254	410	1
2 608 901 255	410	1
2 608 901 256	410	1
2 608 901 257	411	1
2 608 901 258	411	1
2 608 901 259	411	1
2 608 901 260	439	25
2 608 901 261	439	25
2 608 901 262	439	25
2 608 901 263	439	25
2 608 901 264	438	25
2 608 901 265	438	25
2 608 901 266	438	25
2 608 901 267	438	25
2 608 901 268	439	25
2 608 901 269	438	25
2 608 901 270	439	25
2 608 901 271	439	25
2 608 901 481	78	1
2 608 901 482	78	1
2 608 901 483	78	1
2 608 901 484	78	1
2 608 901 485	78	1
2 608 901 486	78	1
2 608 901 487	78	1
2 608 901 488	78	1
2 608 901 489	78	1
2 609 200 138	483	1
2 609 200 139	483	1
2 609 200 140	483	1
2 609 200 142	483	1
2 609 200 144	482	1
2 609 200 145	482	1
2 609 200 183	442	1
2 609 200 185	442	1
2 609 200 211	490	1
2 609 390 034	325	1
2 609 390 035	325	1
2 609 390 038	322	1
2 609 390 393	516	1
2 609 390 394	108	1
2 609 390 576	108	1
2 609 390 587	325	1
2 609 390 588	325	1
2 609 390 592	325	1
2 610 039 536	91	5
2 610 039 538	91	5
2 610 039 539	92	5
2 610 039 540	92	5
2 610 039 542	91	5
2 610 039 544	91	5
2 610 039 551	91	5
2 610 039 554	91	5
2 610 039 555	92	5
2 610 039 556	92	5
2 610 039 557	91	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

PART NUMBER	PAGE	MOQ
2 610 039 558	91	5
2 610 039 559	91	5
2 610 039 560	91	5
2 610 039 561	91	5
2 610 039 562	91	5
2 610 039 563	96	5
2 610 039 564	91	5
2 610 039 565	91	5
2 610 039 566	92	5
2 610 039 567	91	5
2 610 039 569	91	5
2 610 039 571	92	5
2 610 039 572	91	5
2 610 039 573	91	5
2 610 039 574	92	5
2 610 039 575	91	5
2 610 039 576	91	5
2 610 039 578	91	5
2 610 039 580	91	5
2 610 039 581	91	5
2 610 039 582	91	5
2 610 039 583	91	5
2 610 039 584	91	5
2 610 039 585	91	5
2 610 039 586	91	5
2 610 039 587	91	5
2 610 039 593	91	5
2 610 039 594	91	5
2 610 039 595	91	5
2 610 039 596	91	5
2 610 039 597	91	5
2 610 039 598	91	5
2 610 039 606	94	5
2 610 039 608	95	5
2 610 039 610	94	5
2 610 039 613	95	5
2 610 039 614	94	5
2 610 039 620	95	5
2 610 039 622	94	5
2 610 039 625	94	5
2 610 039 627	94	5
2 610 039 634	94	5
2 610 039 637	94	5
2 610 039 639	94	5
2 610 039 641	94	5
2 610 039 642	94	5
2 610 039 643	94	5
2 610 039 644	94	5
2 610 039 646	96	5
2 610 039 652	96	5
2 610 039 653	96	5
2 610 039 654	96	5
2 610 039 655	96	5
2 610 039 656	96	5
2 610 039 657	96	5
2 610 039 658	96	5
2 610 039 695	97	5
2 610 039 696	97	5
2 610 039 697	97	5
2 610 041 078	92	5
2 610 041 079	92	5
2 610 041 081	95	5

PART NUMBER	PAGE	MOQ
2 610 042 153	40	5
2 610 042 154	40	5
2 610 045 672	89	3
2 610 045 673	89	3
2 610 045 674	89	3
2 610 046 083	93	5
2 610 046 085	93	5
2 610 046 087	93	5
2 610 046 089	93	5
2 610 046 091	93	5
2 610 046 093	93	5
2 610 046 095	93	5
2 610 046 097	93	5
2 610 046 099	93	5
2 610 046 101	93	5
2 610 046 103	93	5
2 610 046 105	93	5
2 610 046 107	93	5
2 610 046 109	93	5
2 610 046 111	93	5
2 610 046 117	90	3
2 610 046 119	90	3
2 610 046 121	90	5
2 610 050 953	91	5
2 610 050 954	91	5
2 610 050 955	92	5
2 610 050 956	91	5
2 610 050 957	91	5
2 610 050 958	91	5
2 610 050 959	91	5
2 610 050 960	92	5
2 610 050 961	93	5
2 610 050 962	93	5
2 610 050 963	94	5
2 610 050 964	91	5
2 610 050 965	91	5
2 610 050 966	94	5
2 610 050 967	95	5
2 610 050 968	95	5
2 610 050 969	97	5
3 607 010 028	488	1
3 608 550 504	102	5
3 608 550 505	102	5
3 608 604 000	387	1
3 608 604 001	387	1
3 608 610 000	388	1
3 609 201 038	452	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.Orders are carried out only in multiples of the minimum order quantity.

BOSCH
Ordering and packaging control system.

The ordering and packaging control system makes it easier to order the right amount and find the packaging type at a glance.

Order quantities are rounded up to the minimum order quantity.



Order quantity PQ MOQ


Order quantities must be a multiple of the minimum order quantity: 3, 6, 9 etc.



Order quantity PQ MOQ MOQ

Example:

Step 1: The packaging type for each part number can be found on the product pages:



Step 2: An illustration of the corresponding packaging type and specifications about the type of suspension and form of the packaging can be found on the back cover.



P1p Watchbox with Euro hole

P2p Watchbox with other type of suspension

Step 3: What is the structure of a packaging type code?



1. **There are six different material groups which are identified by the initial letter in the English packaging code:**

   Packaging made of paper, cardboard or corrugated board (**C**ardboard)
   Plastic packaging (**P**lastic)
   Combined plastic / cardboard packaging (**P**lastic and **C**ardboard)
   Metal packaging (**M**etal)
   Unpacked product (**U**npacked)
   Wood packaging (**W**ood)

2. **Each packaging has one of three different types of suspension:**

   0 without any type of suspension
   1 with Euro hole
   2 other type of suspension

3. **In the six material groups, each form of packaging is identified by a lower case letter:**

C **Packaging made of paper, cardboard or corrugated board**

a	Box	d	Sleeve	h	Tube
b	Folded carton	e	Hanger	k	Carton with sleeve
c	Pocket	f	Paper bag		

P **Plastic packaging**

a	Box	e	Hanger	n	Sleeve
b	Bag	f	Shrink-wrapped	p	Watchbox
c	Pouch	h	Tube		
d	Bag with tab card	k	Cassette		

PC **Combined plastic/cardboard packaging**

a	Blister	c	Shrink-wrapped carton
b	Folding blister	d	Tight Pack

M **Metal packaging**

a	Cassette	b	Aerosol

U **Unpacked product**
No form specifications

W **Wood packaging**
a Case

PACKAGING
That holds clear information.

PACKAGING MADE OF PAPER, CARDBOARD OR CORRUGATED BOARD (CARDBOARD)








C0a Box without any type of suspension
C1a Box with Euro hole
C2a Box with other type of suspension

C1b Folded carton with Euro hole




C1c Pocket with Euro hole




C1d Sleeve with Euro hole



C1e Hanger with Euro hole




C0h Tube without any type of suspension
C2h Tube with other type of suspension



C1k Carton with sleeve and Euro hole

PLASTIC PACKAGING (PLASTIC)



P0a Box without any type of suspension
P1a Box with Euro hole
P2a Box with other type of suspension





P0b Bag without any type of suspension
P1b Bag with Euro hole





P1c Pouch with Euro hole
P2c Pouch with other type of suspension



P1d Bag with tab card and Euro hole







P1e Hanger with Euro hole
P2e Hanger with other type of suspension





P0f Shrink-wrapped without any type of suspension
P1f Shrink-wrapped with Euro hole





P0h Tube without any type of suspension
P1h Tube with Euro hole







P1k Cassette with Euro hole



P0n Sleeve without any type of suspension





P1p Watchbox with Euro hole
P2p Watchbox with other type of suspension

COMBINED PLASTIC/CARDBOARD PACKAGING (PLASTIC AND CARDBOARD)



PC1a Blister with Euro hole



PC1b Folding blister with Euro hole





PC1c Shrink-wrapped carton with Euro hole





PC1d Tight Pack with Euro hole

METAL PACKAGING (METAL)





M1a Cassette with Euro hole

M0b Aerosol without any type of suspension

UNPACKED PRODUCT (UNPACKED)



U0 Without any type of suspension

WOOD PACKAGING (WOOD)



W0a Case without any type of suspension

TECHNICAL INFORMATION AND APPLICATIONS

MACHINES

EXPERT


Concrete Grinder


Drum Sander


Floor Sander


Multi delta sander


Orbital sander


Powerfile


Random Orbital Sander


Random Orbital Sander Dustbag


Hand Sanding


Petrol Saw


Marble Saw


Masonry Saw


Metal Saw


Jigsaw


Sabre Saw Noblade


Sabre Saw


Sabre Saw Corded


Multicutter Cordless


Multicutter


Dustextractor


Hammer Drill


Impact Drill



Impact Screwdriver



Screwdriver



Angle Grinder Big


Angle Grinder Small


MACHINES


Hand-held circular saw


Table saw


Vertical panel sizing saw


Hand dry cutters



CNC router


Joint cutter


Eibenstock concrete grinder



GTR 30 CE/GTR 18 V-LI


Tile cutting machine


Plunge saw


Pull-push saw



Mitre saw


Router



Angle grinder


Block saw


Concrete grinder


Polisher


Multi-router


Horizontal panel sizing saw


Mitre dry cutters


Table router


Petrol saw


Hilti concrete grinder



GTR 30 CE


Table saw

BENEFITS AND TECHNOLOGIES

EXPERT



Long Life



No Dust



High precision



Protection



High speed




Robust



3-in-1



Carbide Technology



Centering Geometry



Diamond Technology



Particle Control



Prisma Technology



Surface Structure










Tip Technology



Vibration Control

BENEFITS

	For effortless cuts		Clean cut		Very clean cut
	Long lifetime		Very long lifetime		Clean cuts over the entire lifetime
	Quick cut		Fast work progress		Extra-high speed
	Precise drilling		3 times longer lifetime		Fast drilling
	Easy drilling		Heavy Duty		Tungsten carbide hinge & cantilever hinge cutter bits
	Powerful, rough cut		Effortless, fine cut		No sticking
	Deep cut		Very good surface quality		3 applications with one disc
	Test mark from Prüfgemein-schaft Mauerbohrer e.V.		Specially for plunge cutting		Round cut, fine
	Round cut, coarse		Straight cut, fine		Straight cut, coarse
	Tear-free cuts		Accurate angled cut		Angled cut, 90°
	Cutting with parallel guide		Flexible blade (bi-metal) for flush cut		Specially for curved cutting with sabre saw blades
	Material, thin and thick		Fine result		Coarse result
	Cleaning surfaces				

FEATURES



microteQ teyst



stabilteQ



Dura Technology



proteQtion




Cylindrical shank with wings



SDS-max shank



Power Grip System - 100% power transfer



Power-Change




SDS-pro



Prevents wear of the fastener


Knife blade


Basic depth stop



Very fine grit



Extra coarse grit



2x2 Tooth Geometry



Tooth spacing



Ground, extra-sharp teeth



Length / width of plunge-cutting saw blade



cleanteQ



ResisteQ



microteQ



Silent



Cylindrical shank



Hexagonal shank


2-cutter



SDS-plus




Impact Control



Tungsten carbide-tipped



Depth stop for segment saw blades with Ø 100 mm


Expert depth stop



Medium grit



RIFF grit (30)



Tooth spacing, reverse



Tooth spacing, progressive



RIFF grit 30



Length / width of RIFF plunge-cutting saw blade



Vibration Control



cleanteQ




Precise



SDS-plus shank


activeteq


5-cutter



Segment design


Break-resistant



Carbide-tipped (bar)




Depth stop for segment saw blades with Ø 85 mm



Fine grit



Coarse grit



3D diamond technology



Extraclean tooth strip



No. of teeth per inch (TPI) and tooth spacing



For demolition and rescue work



Length / width of Scrapers


FEATURES



Length / width of universal joint cutter



Diameter of round saw blade



Tooth spacing



Delta plate


Sharp blade



Flexible backing


Cleaning grooves


Pressure equalisation


Pointed combination block side


Flap sanding wheel with fleece


Expansion wheel



Cooling


Spanner


Torx®


Tri-Wing®



Diameter of segment saw blade



Diameter of RIFF segment saw blade



Tooth spacing



Sanding plate


Sharp blade



Very flexible backing


Cleaning corners



Side reinforcement


Wet application


Fleece sanding wheel


Crimped wire = Fine result



Waterproof


Internal square


Phillips



Diameter of RIFF grout and mortar remover



Blade thickness



Tooth spacing


Do not drill with impact


Velcro-type fastening system


Cleaning edges


Working on the inside of pipes


Round combination block side



Solvent-free


Flap sanding wheel


Knotted wire = Coarse result


Pozidriv®


Slotted screw


Security Torx®


MATERIALS


EXPERT


Aluminium


Cast Iron


Concrete building block


Drywall board


Glass


Hard wood


Lime sand brick


Non-ferrous materials



Plastic


Poroton building block


Reinforced concrete


Soft stone


Solid surface composite


Stainless steel sheets


Tiles



Autoclaved aerated concrete



CFK, GFK


Concrete



Drywall


Glue


HPL – high pressure laminate


Mortar


Paint on wood


Plastic coated boards


Pressure treated lumber


Rooftile


Soft wood


Solid wood furniture boards



Steel


Wood with metal



Brick


Chipboard


Construction wood


Fiber cement board


Hard stone


Kitchen Countertop


Multiplex boards


Parquet



Plywood



PVC – vinyl solid laminate flooring


Rubber



Solid brick


Stainless steel


Steel sheets


WPC – wood with plastic composites

MATERIALS


Concrete


Tiles



Granite




Stainless steel





Brass & alloys



Softwood


Construction timber with nails and concrete residues


Abrasive panel materials coated on one or two sides


Pressed laminated wood, plywood



Laminate flooring, parquet


Plastics, epoxy


Fibre cement, suitable for Eternit©



Perspex


Rebar


Masonry





Aluminium



Metal



Sheet metals



Hardwood


Formwork boards




Panel materials, veneered laminate, thin chipboards


Fibre materials, MDF, OSB, MDF composite panels


High pressure laminate panels, suitable for Trespa©


Steel



Plasterboard



Glass


Natural stone


Marble


Hard and soft wood



Wood, hard and soft



Construction timber


Plasterboard on metal



Chipboard (raw), acoustic panels


Composite material


Wood core plywood


Porous concrete


Sandwich panels, laminated on one or two sides


Suitable for Corian©


Plastic

SAFETY


Wear protective glasses


Wear dust mask


Read Instruction Manual of Machine


Not allowed for lateral grinding


Do not use broken bits


Do not use for flamable products


Wet and dry application allowed


Do not use with hammer-/impact-mode


Wear ear protectors


Wear protective shoes


Holesaw always to be used with guided pilot drill bit


Do not use damaged disc


Don't use bent drill bits (for drill bits >= 300mm)


Live working prohibited


No pressure on tip


Use drill rig


Wear protective gloves


Read enclosed Instruction Manual


Wet use not permitted (dry use only)


Do not use damaged accessory


No drinking liquids


Wet application allowed


Do not use on drill stand



Place drill bit first on surface of workpiece, then start the drill

BOSCH CUSTOMER SERVICE

1300 3070 44

Mon - Fri: 8.30 - 17.00

customerservice.pt@au.bosch.com







THE BEST YOUR TOOL CAN GET.

Bosch Professional Accessories.







Robert Bosch (New Zealand) Pty Ltd
Unit 7, 14 Sir Woolf Fisher Drive
(Highbrook Business Park)
2013, East Tamaki, Auckland, New Zealand

https://www.bosch-pt.co.nz/nz/en/

EN
13.11.2023